Digital signal confirmation

Enjoy total reliability due to the digital signal confirmation, which enables a continuous connection between the baby and the parent unit with visible and audible link indicators.

Convenience for you and your child
• Adjust sensitivity of baby unit to suit any situation

Complete peace of mind
• Lights up when batteries need recharging or replacing
• Adjust the volume of the parent unit to suit any situation
• Indicates a continuous connection between the two units
• Minimum interference from other monitors

Ultimate mobility in and around the house
• Ensures secure reception in and around house

PHILIPS

Specifications

Development stages
- Stage: 0 - 6 months, 6 - 12 months

Power
- Operating time on battery: 12 hour(s)

Tuner/Reception/Transmission
- Maximum range: 200 m
- Number of channels: 16

Convenience
- Power on indication
- Battery low indication
- Auto out-of-range warning
- Volume control

Tuner/Reception/Transmission
- Frequency band: 40.675 - 40.690 MHz
- Pilot tone: Digital

Accessories
- User manual
- Batteries: 4 x AA baby unit, 4 x AA parent unit (not incl.)
- Quick start guide

Accessories
- AC/DC adaptor: 2x 9V DC 200mA

Highlights

Volume control
Provides the ability to adjust the volume of the parent unit to suit any situation.

Digital signal confirmation

Indicates a continuous connection between the baby and the parent unit with visible and audible link indicators.

16 channels
Minimum interference from other monitors.

Up to 200 m range
Ensures secure reception in and around house.

Adjustable sound sensitivity
Adjust sensitivity of baby unit to suit any situation.

Low power indicator
Lights up when batteries need recharging or replacing.

www.philips.com