

PHILIPS

Kettle

Daily Collection

1.6 L 2400 W

Water level indicator

White beige

Hinged lid

HD9300/03



Fast and easy boiling

Single action filter for limescale protection

Thanks to the flat heating element, the kettle boils water quickly and it is easy to clean. The washable anti-calc filter gives you clear water, thus clearer drinks.

Easy to experience

- Easy lid and spout filling
- Hinged lid with large opening for easy filling and cleaning
- Easy to read water level indicators on both sides
- Power cord winder for easy storage
- Cordless 360° pirouette base for easy lifting and placing

Fast boiling and easy cleaning

- Single action filter for limescale protection
- Flat heating element for fast boiling and easy cleaning

Safe to use

- Multi safety system

Highlights

Cordless 360° pirouette base



Cordless 360° pirouette base for easy lifting and placing.

Power cord winder



The cord can be wrapped around the base, so that the kettle is easy to place in your kitchen.

Easy lid and spout filling



The kettle can be filled via the spout or by opening the hinged lid.

Multi safety system

Multi safety system against boil-dry, with auto switch off when ready.

Water level indicators



Easy to read water level indicators on both sides of the Philips electric kettle for left and right handed use.

Flat heating element



The stainless steel concealed element ensures fast boiling and easy cleaning.

Single action filter



Single Anti-calc filter for limescale protection. As a result: a cleaner cup of water and a cleaner kettle.

Hinged lid



Hinged lid with large opening for easy filling and cleaning, also avoiding steam contact.

Specifications

Design specifications

Heating element: Stainless steel
Material housing: Polypropylene (PP)
Material switch: Polypropylene (PP)
Color(s): White and beige

General specifications

Cordless
Non slip feet
Ergonomic grip
Easy spout filling
Wide opening lid
Cord storage

Automatic shut-off
Boil-dry protection
360 degrees base
Lid as well as spout filling
Flat heating element

Technical specifications

Capacity: 1.6 L
Cord length: 0.75 m
Frequency: 50/60 Hz
Power: 2000 - 2400 W
Voltage: 220-240 V

Dimensions

Product dimensions (WxDxH):
16.6x23x24.9 cm
Packaging dimensions (WxDxH):
28.7x18.8x23.3 cm

Service

2-year worldwide guarantee

