



Philips Series 2000  
Air humidifier

#### Hygienic humidification

Spreads less bacteria\*  
Automatic humidity settings  
Numerical feedback



HU4805/40

## Hygienic humidification

Better air starts with your humidifier

Breathe easier with the assistance of the Philips Humidifier Series 2000. NanoCloud evaporative technology spreads 99% less bacteria\* vs. leading ultrasonic humidifiers and prevents wet spots and white dust.\* Perfect for bedroom or nursery.

#### NanoCloud technology

- Prevents wet spots and white dust\*
- Prevents the spreading of bacteria
- No hot water
- Natural evaporation process

#### Easy to Maintain

- Easy-clean design
- Easy-to-fill tank

#### Smart controls

- Automatic humidity settings
- Quiet sleep mode
- Timer
- 3 fan speed

# PHILIPS

## Air humidifier

Hygienic humidification Spreads less bacteria\*, Automatic humidity settings, Numerical feedback

HU4805/40

# Highlights

### Natural evaporation process




NanoCloud technology uses a natural evaporation process, which draws in dry air, adds water molecules to the air, and emits humidified air into the room.

### Spreads less bacteria\*



Once the water is evaporated, the water mist becomes invisible and the smaller molecules are less able to carry bacteria into the air. Our laboratory testing confirms that NanoCloud technology spreads 99% less bacteria than leading ultrasonic humidifiers.

### No wet spots & white dust




With its 360° design, humidified air is evenly distributed throughout the room, with no drips on the floor or desktop. Our NanoCloud technology also reduces the spread of minerals into the air, which prevents white dust from settling onto your furniture and flat surfaces.

### No hot water

NanoCloud technology does not heat water, preventing the risk of burns from hot water or warm steam.

### Automatic humidity settings



Maintain a constant humidity level with the automatic humidity settings. Choose 40%, 50%, or 60% as your target humidity level, and the humidifier will automatically turn on or off to

reach the desired humidity level. The Smart Humidity sensor enables the appliance to manage the humidity level. The numerical display also shows you the current humidity level in the room.

### Quiet sleep mode



In sleep mode, the humidifier runs at minimum noise level and all lights are off except for the speed indicator. This setting ensures you can maintain your desired humidity level even when you are sleeping.

### Timer



When using the timer, the humidifier operates for a set number of hours and automatically switches off when the set time has elapsed. Set the humidifier for 1, 4 or 8 hours.

## Air humidifier

Hygienic humidification Spreads less bacteria\*, Automatic humidity settings, Numerical feedback

HU4805/40

# Specifications

### Country of origin

- Country of origin: China

### Technical specifications

- Voltage: 110 V
- Cord length: 5.25 ft/1.6 m
- Effective area: 269sq ft/25 m<sup>2</sup>
- Water tank capacity: 2 L
- Sound level: 34 dB(A)

### Weight and dimensions

- Dimensions of product (LxWxH): 9.8\*9.8\*13.3 inch/  
249\*249\*339 mm

### Design and finishing

- Color(s): White and oyster metallic
- Air quality sensor(s): Humidity sensor
- Color of control panel: White and black

- Material of main body: Plastic
- Control panel type: Button
- Fan speed indicators: Sleep, 1, 2, 3 and Auto

### Service

- 2-year warranty

### Replacement

- Humidification wick: Replace wick filter once every 3 working months

### Sustainability

- Packaging: > 90% recycled materials
- User manual: 100% recycled paper

### Performance

- Humidification rate: 1.4 Gallons/24hrs or 220.79 ml/h



Issue date 2023-04-24

Version: 3.3.1

EAN: 00 75020 05998 7

© 2023 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)

\* Prevents wet spots and white dust: Independent third-party test  
Determination of deposition of minerals from liquid droplets on  
furniture according to DIN 44973, IUTA e.V. To determine mineral  
deposits onto furniture from airborne liquid droplets over a period of  
3 hours.

\* Up to 269 sq ft/25 m<sup>2</sup>: Room size is calculated based on humication  
rate tested by third party lab, following AHAM HU-1-2006 (R2011)  
\* Results are based on emission of the bacterium Pseudomonas Fragi  
from clean units and filters, after 1,6 and 24 hours of continuous use,  
varying in water consumption from 30-120ml/hr, using sterilized water  
spiked with said bacterium, conducted in a 1m<sup>3</sup>(35cuft) chamber  
refreshed at 560L/min (148gpm)