

Philips Dispenser

Bottom loading Three nozzles UV

ADD4963GY

Bottle water redefined

UV kills 99.9% bacteria in the cold water tank**

This floor-standing bottled water dispenser comes with a UV-LED disinfection function which kills up to 99.9% bacteria in the cold water tank** to ensure the cleanness of water.

Cleaner water

- UV-LED kills 99.9% bacteria in the cold water tank**
- Thoughtful design for your convenience
- Compressor cools water efficiently
- Wide dispensing area fits various sizes of containers
- Z-shape 304 stainless steel water pipe

Safeness assured

• Child lock to prevent hot water burns



Specifications

General specifications

- Cold water temperature: 10 °C
- Voltage and frequency: 220V-240V~, 50Hz/60Hz
- Hot water temperature: 90 °C

Power

- Cooling: 85W
- Heating: 500W

Country of origin • Water dispenser: China

ADD4963GY/56

Highlights

UV disinfection

Since there's no chlorine, bacteria tend to grow in the water that sits inside the bottle or the cold water tank. Therefore we have the advanced UV-LED light technology installed in the cold water tank which kills up to 99.9% becteria**. The UV-LED light activates for 1 hour once the dispenser is connected with power, and works for 1 hour for every 2 hours to make sure the water stay clean.

Compressor cooling

Compressor cooling produces cool water more efficienty and faster, compared to conventional thermoelectric cooling.

Wide water dispensing area

Wide dispensing area easily fits various sizes of cup, glass, bowl and even pot.

Z-shape water pipe The 304 stainless steel water pipe is anti-rust, and the Z-shape helps to reach the bottom of the bottle so that there's no remaining water.

Child lock for hot water

Child lock for hot water keeps children safe from accidental hot water burns.



Issue date 2023-12-27 Version: 3.0.1

© 2023 Koninklijke Philips N.V. All Rights reserved. Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V.

EAN: 48 97099 30223 0

www.philips.com

or their respective owners.

* *Tested by SGS under laboratory conditions.