PHILIPS

GoPure

Car air purifier

GP9111

User Manual

EN	3
简体中文	13
한국어	22

EN Read these instructions for use carefully before using the product and save them for future reference.

简体中文 使用前请仔细阅读使用说明，保留说明书以便日后查阅。

한국어 제품 사용 전 매뉴얼을 숙지해 주시기 바라며, 향후 사용시 참고를 위해 매뉴얼을 잘 보관해 주시기 바랍니다.

English

Before you start

Thank you for buying Philips GoPure Car air purifier. Before you install GoPure in your car, take time to read this guide.

The GoPure Car air purifier will help you **protect your health by improving the quality of the air you breathe in your car.** It is known that air pollution levels inside cars are often much higher than outside.

The GoPure Car air purifier removes harmful gases and fine particles such as particulate matter, cigarette tar, pet hairs, and microorganisms. It also reduces bad odors to make the time in your car more pleasant and healthier.

Warranty and service

The Lumileds warranty applies, provided:

- The product is handled properly for its intended use only.
- The product is used in accordance with its operating instructions.
- You present the original invoice with the product.

The Lumileds warranty does not apply if the product is damaged due to accident, error, or misuse.

For more information and assistance, or if you have a problem with the product, you can visit the Philips website at **www.philips.com/automotive**, or contact the retail outlet where you purchased the product.

Or for the users in China, please call the customer service hotline:
8008 201 201
4009 201 201

Lumileds (Shanghai) Management Co., Ltd
No. 19-20, Lane 299, Wenshui Road, JiangAn District, Shanghai

1 ⚠ Important information



⚠ Danger
Do not clean or spill any liquids such as water, detergents, or flammable solvents on the device.



⚠ Warning
Keep Philips GoPure car air purifier free of any obstruction. Do not cover!



⚠ EN Important
To clean the GoPure car air purifier:
• Disconnect GoPure car air purifier
• Use soft cloth only.



⚠ Warning
Philips GoPure car air purifier is not a toy! Do not let children play with it.



⚠ Warning
For your safety, do not manually operate the device while driving. **Always stop your car first!**



⚠ Warning
Philips GoPure car air purifier device contains high-precision technology.
Handle with care.
Do not drop or tamper!

Environment

⚠ Important
Help to preserve the environment. Do not discard the device with household waste. Bring it to the official waste recycling service near by you. Filters may be disposed of with household waste.

Cautions:
• this appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved
• children shall not play with the appliance
• cleaning and user maintenance shall not be done by the children without supervision
• the appliance is only to be used with the detachable power supply provided
• must only be supplied at SELV

2 Discover GoPure car air purifier



2.1 Discover the content of Philips GoPure car air purifier package

⚠ Warning
Make sure the device is installed according to the instructions in this guide.

For your safety, use only the items delivered in this package to install the device. In case of incorrect installation, Lumileds declines all responsability for any harm or accident.

3 How to install Philips GoPure car air purifier in your car

3.1 Installation-using the headrest or armrest



1 Place the safety belt over the device as shown, with the furry surface facing the device.



Depending on your car model, you may install the device at various positions in your car, such as the armrest and headrest. Philips GoPure car air purifier may be installed in various positions:

- horizontal
- vertical (90°)





2 You may install Philips GoPure car air purifier on any headrest or armrest of your car.

Notice:
1 The safety harness may not be suitable to the armrest of all car models.
2 Unpack the filter before using.

⚠ Warning
For your safety, only use the equipment delivered in your package. Never use other equipment, such as tape, cord, or other.

3.2 Connection and operation



1 Connect the power cable to the device as shown.



2 Connect the power adapter to a 12V outlet in your car.





3.3 Connection to OBD

You can also connect Philips car air purifier to the OBD port in your car, to obtain continuous power connection and clean your car during parking time.



1 Connect the power cable to the device as shown.



2 Plug the OBD cable to the OBD socket of your car.
3 Using “Air Matters ” App, you can set user mode to clean your car during parking time.

⚠ Important
When using Philips GoPure car air purifier
• Keep your car ventilation in low speed
• Keep car windows closed.

⚠ Warning
For your safety, do not try to switch off or operate the device manually or by using smartphone app while driving. Always park your car first!

4 Using GoPure car air purifier functions

When the vehicle power supply is on, the device starts automatically in auto mode.



1 To turn on the device, hold down the power button until it emits a sound; the purifier will start running at a low speed.

2 Press the power button to switch between auto and boost mode. The button will emit a “ding” when pressed.

3 To turn off the device, hold down the power button for 1.5 seconds until it emits a sound.

Understanding GoPure healthy-air indicator

The healthy-air indicator shows the air quality inside your car at all times.

Maroon	>250 ug/m3	Severely polluted
Purple	151-250 ug/m3	Heavily polluted
Red	116-150 ug/m3	Moderately polluted
Orange	76-115 ug/m3	Lightly polluted
Yellow	36-75 ug/m3	Good
Green	0-35 ug/m3	Excellent
After the device is turned on, filter replacement reminder indicator will flash in red		Replace filter now

Notes:
You can also use “Air Matters ” App to start/stop or change the operation mode.

5 Philips GoPure car air purifier-How filter works

Philips GoPure Car air purifier is composed of a **multi-layer filtration system** that guarantees the most effective air-purification. All filter layers are assembled in one single simple-to-replace filter.

⚠ Important
Philips GoPure car air purifier indicates automatically when you must change the filter.



When the filter needs to be replaced, the filter replacement indicator will flash red for 30 seconds then remain red each time the device is turned on. Replace the filter immediately using only genuine Philips GoPure **SelectFilter Plus**. With the right filter, the GoPure car air purifier will continue to perform optimally and provide the purest air quality inside your car.

5.1 How to replace the filter



1 Disconnect GoPure car air purifier device.



2 Push the front side of cover. Take off top cover .

High air purification power
Product air cleaning performance

Target pollutant*	Clean air delivery rate (CADR)	Cleaning energy efficiency grade
Particles	30m³/h	High efficiency
Formaldehyde	11m³/h	High efficiency
Toluene	15m³/h	High efficiency
TVOC	12.8m³/h	High efficiency
NO_2	28m³/h	High efficiency
SO_2	25m³/h	High efficiency

Noise* (Sound power level)	55dB(A)

Birch pollen removal**	90%

* Complying with GB/T18801-2015, tested in 3m³ chamber
**Airmid certified SelectFilter removes upto 90% airborne birch pollens



3 Remove the old filter as shown.



4 Using the groove, insert a new original GoPure filter.

⚠ Important
The filter slides in only one way, do not force it in. See above.

5.2 How to restart GoPure car air purifier after a filter replacement

⚠ Important
You must reset the Philips GoPure device after every filter replacement.



To reset your device after replacing the filter:
1 Plug the device into the power supply and ensure that it is turned off.



2 Touch and hold the power button for 3s. until “ding ding” sound. The filter replacement indicator is blinking in red for 15s. The filter reset is completed when indicator turns off.



3 Car air purifier operates in the normal mode once top cover is locked.

4 Repeat the above steps if the filter reset fails.

⚠ Important
For you safety, GoPure car air purifier will shut down automatically whenever you open the top cover.

6 Initiating Bluetooth connection

1 Connect GoPure car air purifier to a power source and turn on the machine.

2 Turn on Bluetooth on the mobile phone. For an Android device, open Settings app and turn on Bluetooth. Look for “GoPure” in the list of devices. Click to initiate pairing.

3 Scan the QR code below to download and install “Air Matters” app.

4 Open app. Click on Add Device on the main page to access a list of Philips models. Refer to the app instructions to add the car air purifier “GoPure 9111”.

5 Return to the main page and see “Philips GoPure” has been added. When the app is connected with GoPure car air purifier, the Bluetooth indicator ᛒ on GoPure car air purifier will show a solid white light. The app interface will show “GoPure 9111” and real-time PM2.5 concentration.

6 If you encounter any problem, please refer to Help or the troubleshooting information page for a wide range of updated troubleshooting tips.

⚠ Warning

• These instructions apply only when GoPure car air purifier is being initiated or the Bluetooth on the smartphone has been reset to factory settings.

• You cannot set up two air purifiers at the same time. The only way to set up multiple air purifiers is to repeat the procedure for each machine.

• Please ensure a distance of less than 5 meters without any obstacle between the smartphone and GoPure car air purifier. It is recommended to set up pairing in the car.

7 Philips GoPure car air purifier troubleshooting

Problem 1
Philips GoPure car air purifier does not start.

Solution 1
• Verify that the 12V power supply is on.
• Check the power connection and make sure the socket is properly inserted.
• Make sure the top cover is pushed down to lock properly.
• Press the power button again. If your device still does not restart, please contact your retailer.

Problem 2
Some cars continue to power the 12V outlet when the engine is off.

Solution 2
To avoid draining the battery, if no vibration detected Philips GoPure car air purifier will automatically power off after half an hour of continuous running.
• To restart your device, press the power button.

Problem 3
After filter replacement, Philips GoPure filter replacement indicator remains red at restart.

Solution 3
The power button was not properly pressed.
• Repeat the reset steps section 5.2.
• If filter replacement indicator turns off, the device has been reset properly.

Problem 4
The Philips GoPure motor stops running for a short while.

Solution 4
This is normal: the device has a voltage protection. At times, the voltage supply from vehicles may vary. In such case, the device will turn off automatically.

Problem 5
Philips GoPure healthy-air indicator does not change for a very long time.

Solution 5
It may simply indicate stable air quality.
It may also indicate that the air intake slots are obstructed or polluted.
• Make sure the air circulation around the device is free.
• Restart the device. If the problem remains, please contact your retailer.

Problem 6
Philips GoPure healthy-air indicator changes frequently.

Solution 6
This is normal and the device is working properly. When the air quality is poor, the device performs its cleaning process. However, the healthy-air indicator reflects the air quality near the device. At times, this may bring a frequent air quality display change. Let the GoPure car air purifier perform its cleaning process.
When the air reaches good quality, the healthy-air indicator will turn green as described.

Problem 7
Philips GoPure healthy-air indicator shows a green light, but some odor remains in the car.

Solution 7
Philips GoPure healthy-air indicator only reflects dust-related pollution in the air.
It does not indicate chemical pollution. However, Philips GoPure car air purifier still removes dust and chemical pollutants while running.
• Let the device perform its cleaning process and the air quality will improve rapidly.

Problem 8
Philips GoPure car air purifier has been running for a long time, yet my new car continues to produce unpleasant odor.

Solution 8
Some unpleasant odor in new cars may appear continuously. The GoPure car air purifier also purifies the air continuously to reduce the odors.

• To speed up the air cleaning process in a new car, you may run GoPure car air purifier in Boost mode (section 4 in page 7).

Problem 9
App on smartphone fails to connect the GoPure car air purifier.

Solution 9
Make sure GoPure car air purifier is connected to power normally, the distance between the device and the smart phone must be less than 5m, the device has been successfully paired with Android device in its Bluetooth Setting. But due to a great variety of phone models with Android system, we can't guarantee all models can use every APP function. Please refer to Air Matters APP download page for Andoroid/IOS version compatibility info; currently IOS9.0 / Android 5.1 and above supported.

简体中文

开始使用前

感谢您购买飞利浦怡动车载空气净化器。在车内安装怡动净化器之前，请花一点时间阅读本使用说明。

众所周知，车内空气污染程度往往高于外界空气。透过飞利浦怡动车载空气净化器改善车内空气质量，保护您的健康。

怡动车载空气净化器可以去除诸如粉尘，烟灰，毛发及有害气体。同时减少异味，伴您更愉快健康地度过车内时光。

保修和服务

亮锐保修适用范围：
• 产品严格按照指定用途操作；
• 产品依照使用说明使用；
• 出示产品原始发票。
亮锐保修不适用于事故、失误或使用不当引起的产品损坏。

欲知详情和指导，或对产品有疑问，请访问飞利浦网站：www.philips.com/automotive，亦可联系向您出售产品的零售商。

或致电客户服务热线：
8008 201 201
4009 201 201

亮锐（上海）管理有限公司
上海市静安区汶水路299弄19-20号
邮编: 200072

1 ⚠ 重要事项



⚠ 危险
切勿用液体清洗或泼洒净化器，如水、洗涤剂或易燃溶剂。



⚠ 注意
保持飞利浦怡动车载空气净化器周围畅通无阻。切勿覆盖！



⚠ 重要事项
清洁飞利浦怡动车载空气净化器：
• 将怡动车载空气净化器同电源断开。
• 仅使用柔软抹布擦拭。



⚠ 注意
飞利浦怡动车载空气净化器不是玩具！切勿给儿童把玩。



⚠ 注意
为了您的安全，切勿在驾车时手动调节净化器。请先停车！



⚠ 注意
飞利浦怡动车载空气净化器使用了精密零部件，跌落可能导致损坏！



环保

⚠ 重要事项
为环保尽一份力。切勿将净化器同生活垃圾一起丢弃。将净化器带到附近的官方垃圾回收中心。过滤网则属于生活垃圾一类。

2 认识怡动车载空气净化器



2.1 熟悉飞利浦怡动车载空气净化器盒内配件

⚠ 注意

为了您的安全，请依照使用说明安装净化器。

为了您的安全，请只使用本包装盒内的配件安装净化器。亮锐不承担任何因安装不当而引起的损害或事故责任。

3 如何在车内安装飞利浦怡动车载空气净化器

3.1 安装–使用头枕或扶手



1 将安装带插入产品底部的插槽中，绒毛面朝向净化器。



根据车型，您可以在车内不同位置安装空气净化器，
如扶手、头枕。
飞利浦怡动车载空气净化器可以采用不同角度安装：
• 水平
• 直立（90度）





2 如图所示，您可以将飞利浦怡动车载空气净化器安装到车内任何头枕或扶手上。

请注意：
1 安全系带不一定适合所有车型的扶手。
2 开启使用前，请先将净化器内自带的滤网拆封。

⚠ 危险
为了您的安全，切勿在行车时试图关闭或操作净化器。
切勿使用其它设备，如胶带、绳子等等。

3.2 连接和操作



1 依图示，将净化器连上电源线。



2 在车内将点烟器插头连上12伏电源插座。





3.3 链接OBD

您可以将飞利浦怡动车载净化器连接到车内OBD接口上，以获得持续的电源供应。从而实现在停车时预净化车内空气。



1 依图示，将净化器连上OBD电源线。



2 将OBD电源线另一端连接到车内的OBD端口。

3 通过“在意空气”手机应用程序，您可以设置不同的用户模式在停车时预净化车内的空气，实现打开车门即享有清新的车内空气。

⚠ 重要事项
使用飞利浦怡动净化器时：
- 保持车内低风速水平 。
- 保持车窗紧闭。

⚠ 注意
为了您的安全，请驾驶者切勿在行车时试图手动或使用智能手机应用程式关闭或操作净化器。操作净化器前，请先停车！

4 使用怡动车载空气净化器功能

当车载电源启动时，净化器将自动运行在自动模式。



1 关机状态下，触摸控制键并伴随音乐声，机器将开机进入自动模式运行。

2 触摸控制键， 并随“叮”一声，进入高速模式，再触摸返回自动模式。

3 开机状态下,持续触摸控制键1.5秒,伴随音乐声净化器将关机。

理解怡动健康空气指示灯
怡动健康空气指示灯将随时显示您车内的空气质量 。

	褐红色	>250 ug/m^3	严重污染
	紫色	151-250 ug/m^3	重度污染
	红色	116-150 ug/m^3	中度污染
	橙色	76-115 ug/m^3	轻度污染
	黄色	36-75 ug/m^3	良
	绿色	0-35 ug/m^3	优
	开机后，滤网更换指示灯红色常亮		马上更换过滤网

提示:
您也可以使用“在意空气”手机应用程式启停或更改净化模式。

5 飞利浦怡动车载空气净化器–净化过程

飞利浦怡动车载空气净化系统由多层过滤网组成，确保最佳空气净化质量。
所有过滤网均装配在同一个可简便更换的过滤器内。

⚠ 重要事项
飞利浦怡动车载空气净化器自动提醒您更换过滤网。



当需要更换过滤时，每次开机时，滤网更换指示灯闪烁30秒，此后红灯常亮。

请务必使用正品飞利浦怡动 SelectFilter Plus 过滤网做及时更换，这将维持您的怡动车载空气净化器的最佳性能，确保车内空气最大纯净度。

5.1 如何更换过滤网



1 将飞利浦怡动车载空气净化器设备同电源断开。



2 如图示按压进风盖顶盖。取下顶盖。

高效净化技术
产品性能指标

目标污染物*	洁净空气量 (CADR)	净化能效等级
颗粒物	30m³/h	高效级
甲醛	11m³/h	高效级
甲苯	15m³/h	高效级
总挥发性有机物	12.8m³/h	高效级
二氧化氮	28m³/h	高效级
二氧化硫	25m³/h	高效级

噪声* （声功率级）	55dB(A)

花粉过敏源**	90%

* 按照国标GB/T18801-2015测试，在3立方仓测试
**Airmid权威认证高效滤网，对花粉过敏源一次过滤效率高达90%



3 如图示取下过滤网。



4 对齐前段的沟槽，插入新的替换过滤网。

⚠ 重要事项
过滤网只能单向滑入，切勿强行安装。参见上图

5.2 如何在更换过滤网后重置怡动空气净化器

⚠ 重要事项
每次更换过滤网之后，您必须重置飞利浦怡动车载净化器。



1 机器在连接电源情况下，保持关机状态。



2 持续触摸电源键3秒直到听到“叮叮”两声松开按键，滤网更换指示灯红色闪烁15秒后熄灭，滤网清零重置成功。



3 扣上顶盖，车载空气净化器即恢复正常工作状态。

4 若滤网重置失败，请重复以上操作。

⚠ 重要事项
为了安全起见，当打开顶盖时，怡动净化器将自动关闭。

6 首次设置蓝牙连接

1 将空气净化器通电，并启动使其工作。

2 打开手机蓝牙连接功能。如果使用的是安卓系统智能手机，请进入手机设置界面开启蓝牙功能，搜索名称为“GoPure”的设备，手动点击进行蓝牙配对。

3 扫描下图中的二维码下载并安装“在意空气”应用程序。

4 启动该应用程序，在主页面点击添加设备进入飞利浦品牌菜单，参照应用程序说明添加型号为“GoPure 9111”的车载空气净化器 。

5 返回应用程式主页面，可见“Philips GoPure”界面已添加。当应用程序连接净化器成功，净化器蓝牙指示灯 呈白色常亮。界面显示“GoPure 9111”型号和实时PM2.5 浓度数值。

6 如果情况并非如此，请参阅疑难解答页或应用程序中的帮助部分，以获得广泛和最新的故障排除技巧。

⚠ 注意

• 仅在首次设置空气净化器时或智能手机蓝牙设置已执行出厂重置后，此说明才有效。

• 您不能同时设置两个空气净化器。如果您要设置多个空气净化器，则只能依次执行此操作。

• 确保智能手机与空气净化器之间的距离小于 5 米，且中间没有任何障碍物。建议在车内进行配置。

7 飞利浦怡动车载空气净化器疑难解答

问题 1
无法启动飞利浦怡动车载空气净化器。

解答 1
• 确认已连接12V电源。
• 检查电源线，确保插座已插紧。
• 确保已正常关闭顶盖。
• 再次触摸控制键。
如果仍然不能启动机器，请联系零售商。

问题 2
某些车型即使在熄火时，仍然继续输出12V的电压。

解答 2
为避免耗尽电池，如果持续未侦测到震动，净化器将在连续运行30分钟后自动关闭。
• 如欲再次启动怡动净化器，请触摸控制键。

问题 3
更换过滤网后，飞利浦怡动滤网更换指示灯在重启时呈红色。

解答 3
未正确触摸控制键：
• 重复章节5.2上的重置步骤。

• 滤网更换指示灯关闭，净化器已成功重置。

问题 4
飞利浦怡动净化器风扇出现短暂停转。

解答 4
正常现象；净化器进入电压保护。有时电压值会发生变化。在这种情况下，净化器风扇停转，直到电压恢复正常为止。触摸控制键重启。

问题 5
飞利浦怡动健康空气指示灯长时间没有变化。

解答 5
可能表示空气质量稳定。可能表示空气通风口堵塞或遭污染。
• 确保净化器周围空气畅通。
• 重启净化器，观察问题是否仍然存在。如果指示灯仍然长时间没有变化，请联系零售商。

问题 6
飞利浦怡动健康空气指示灯经常变化。

解答 6
正常现象，净化器运转正常。当空气质量不佳时，净化器会循序渐进地完成其净化功能。尽管如此，如果空气中的粉尘分布不均，健康空气指示灯则会即时显示净化器周围的空气质量，这可能会引起健康空气指示灯频繁变化。这意味着净化器运转正常，请让它完成其净化功能，并耐心等待指示灯变绿。

问题 7
飞利浦怡动健康空气指示灯为绿色，但车内仍然有异味。

解答 7
飞利浦怡动健康空气指示灯仅能显示空气中的粉尘污染。
却不能显示化学污染。
尽管如此，飞利浦怡动净化器在运转时仍然能去除化学污染物。
• 让净化器完成其净化功能，快速改善空气质量。

问题 8
飞利浦怡动车载空气净化器已运转了较长一段时间，但我的新车内仍然有异味。

解答 8
新车内的某些异味归咎于多种因素。

怡动净化器继续净化空气，尽管如此，新车可能会不断生成新的污染物。怡动车载空气净化器能显著减少空气污染物。

为加快新车内空气净化过程，您可以启动怡动车载空气净化器的高速模式（第17页第4步）。

问题 9
智能手机应用程式无法连接净化器。

解答 9
确保净化器电源已连接并正常供电，设备与智能手机距离需小于5米，安卓系统蓝牙配置中已设备配对成功。
因安卓系统手机型号繁多，并不保证每一款设备均能完整使用程序功能。请参考“在意空气”下载页面的兼容性信息；当前支持IOS9及以上 / 安卓5.1及以上版本的手机。

사용하기 전

필립스 고퓨어 차량용 공기청정기를 선택해 주셔서 감사합니다. 차량에 설치하기 전에 사용자 매뉴얼을 잘 읽어주시기 바랍니다.

일반적으로 차량 내부 공기 오염 정도는 항상 대기 오염보다 심각합니다. 필립스 고퓨어 차량용 공기청정기는 차량 내 공기 품질을 개선하고 사용자의 건강을 지켜줍니다.

고퓨어는 미생물등과 같은 미세먼지 및 유해가스를 제거해 줍니다. 동시에 차량 내 냄새를 제거해 차량에 머문 시간을 더욱 건강하고 즐겁게 해줍니다.

유지보수 서비스

필립스 유지보수 적용 범위
- 엄격히 지정된 용도에 제품사용 ;
- 사용자 매뉴얼에 따라 제품사용 ;
- 제품 인보이스 원본 제시.

필립스 유지보수 서비스는 사고, 실수 또는 사용자 부주의로 인한 제품 손상 및 스마트폰 어플리케이션 소프트웨어 실행이상 등에는 적용하지 않습니다.

자세한 정보 및 사용법, 또는 제품에 대해 의문사항이 있으시면 필립스 홈페이지 **www.philips.com/automotive** 를 참조하거나 제품 판매처에 연락하시기 바랍니다.

㈜ 루미레즈 코리아
경기도 분당구 판교역로 180
알파타워 13층
Tel: +82-31-620-1600
Postal code: 463-400

1 ⚠ 중요 사항



⚠ 위험
물, 세제 또는 가연성 용제 등과 같은 액체로 청정기를 세척하거나,기체상태로 뿌리는 것을 절대로 금지합니다.



⚠ 주의 사항
공기청정기의 공기 순환 부분을 덮개 등으로 덮어두지 마십시오



⚠ 중요 사항
필립스 고퓨어 차량용 공기 청정기의 청소 :
· 고퓨어 차량용 공기청정기 전원차단
· 부드러운 천으로만 닦아줌



⚠ 주의 사항
공기청정기는 완구가 아니며 절대로 어린이에 주지 마십시오.



⚠ 주의 사항
안전을 위해 공기청정기는 절대로 주행시 조작하지 마시고, 반드시 정차 **후에 조작하시기 바랍니다.**



⚠ 낙하 조심
필립스 고퓨어 차량용 공기청정기에 정밀한 부품이 내포되어 있어 **낙하 시 손상 가능성이 높습니다.**

친환경

⚠ 중요 사항
환경 보호에 기여. 청정기를 다른 생활 쓰레기와 반드시 분리해서 수거하십시오. 청정기를 반드시 관련 기관이 지정한 분리 수거하는 곳에 버리기 바랍니다. 그러나 청정기 내에 필터는 생활 쓰레기로 분리수거 해야 합니다. 해당 무선설비가 전파혼신 가능성이 있으므로 인명안전과 관련된 서비스는 할 수 없습니다. 이 기기는 업무용 환경에서 사용할 목적으로 적합성평가를 받은 기기로서 가정용 환경에서 사용하는 경우 전파간섭의 우려가 있습니다.

2 고퓨어 차량용 공기청정기



2.1 필립스 고퓨어 공기청정기 키트 내 액세서리

⚠ 주의 사항

귀하의 안전을 위해 매뉴얼에 따라 청정기를 설치하시기 바랍니다.

귀하의 안전을 위해 본 패키지 내에 있는 액세서리로만 청정기를 설치하시기 바랍니다. 필립스는 설치시 잘못으로 인한 손해 또는 사고에 책임을 지지 않습니다.

3 필립스 고퓨어 차량용 공기청정기 설치방법

3.1 설치-_좌석 머리 받침이나 팔걸이 사용



1 제품 밑 슬롯 중앙에 벨트를 삽입하고 털이 있는 부분을 본체에 향합니다.



차종에 따라 공기청정기를 암레스트, 헤드레스트 등 차내 다양한 위치에 설치할 수 있습니다. 필립스 차량용 공기청정기를 다양한 각도로 설치할 수도 있습니다:

· 수평

· 수직(수평과 90도 각도)





2 그림과 같이 필립스 차량용 공기청정기를 좌석 머리 받침이나 팔걸이에 설치하십시오.

주의 사항:

1 주의해야 할 점은 설치용 벨트는 모든 차량 모델에 다 적합하지는 않습니다.

2 사용을 시작하기 전에 먼저 공기청정기에 포함된 필터를 개봉하십시오.

⚠ 위험

주의 사항 귀하의 안전을 위해 운전중 제품을 조작하지 마십시오. 반드시 정차후 조작하여 주시기 바랍니다. 테이프나 끈과 같은 다른 도구를 사용하지 마십시오.

3.2 연결 및 조작



1 그림과 같이 청정기에 전원을 연결합니다.



2 12V 시가잭에 12V 전원 코드를 연결합니다.



3.3 OBD 연결하기

필립스 차량용 공기청정기를 차량 내 OBD 단자에 연결하여 계속 전원을 공급할 수 있습니다. 따라서 주차 시에도 차량 내 공기를 정화할 수 있습니다.



그림과 같이 공기청정기를 OBD 전원 케이블에 연결합니다.



2 OBD 전원 케이블의 다른 쪽 끝을 차량 내 OBD 단자에 연결합니다.

3 “Air Matters” 스마트폰 앱을 사용하여 주차 시에도 실내 공기를 정화하는 사용자 모드를 설정하면 차문을 열 때 바로 신선한 공기를 느낄 수 있습니다.

⚠ **사용시 권장사항** :
- 차량 내 바람 속도를 저속으로 유지
- 차 창을 닫은 상태로 유지

⚠ **주의 사항**
안전을 위해 운전 중에 기기를 수동으로 끄거나 작동하려고 하지 마십시오. 항상 차를 세운 후에 조작하십시오!

4 필립스 고퓨어 차량용 공기청정기 사용방법

차량용 전원이 작동 될 때 청정기는 자동 모드로 작동됩니다.



1. 전원 버튼을 터치하여 기기를 켜면, 기기가 소리를 내고 자동 모드로 작동하기 시작합니다.
2. 제어 버튼을 터치하면 “딩” 소리가 나고 고속 모드로 전환됩니다. 버튼을 다시 터치하면 자동 모드로 되돌아갑니다.
3. 기기를 끄려면 전원 단추를 소리가 날 때까지 2초간 누릅니다.

고퓨어 공기 상태 표시등 알아보기

고퓨어 공기 상태 표시등은 귀하 차량 내에 공기품질을 실시간으로 알려줍니다.

	적갈색	>250 ug/m3	심각
	보라색	151-250 ug/m3	매우 나쁨
	빨강	116-150 ug/m3	나쁨
	주황색	76-115 ug/m3	약간 나쁨
	노랑	36-75 ug/m3	보통
	녹색	0-35 ug/m3	좋음
	전원을 켠 후 필터 교환 표시등에 빨간불 점등		필터 교환 필요

참고:
“Air Matters” 스마트폰 앱을 사용하여 공기청정기를 켜거나 끄고, 정화 모드를 변경할 수도 있습니다.

5 필립스 고퓨어 차량용 공기청정기-정화 과정

고퓨어의 공기청정 시스템은 다층 필터 구조로 구성 되어 최적의 공기 정화 품질을 보장합니다. 다층 필터는 한 개의 교체필터로 구성되어 있습니다.

⚠ 중요 사항

필립스 고퓨어 차량용 공기청정기의 필터 교환 자동 경보 기능.



필터가 교환할 때 되면 청정기 작동할 때 필터 교체 지시등이 30초 동안 켜지고 계속 빨강 불이 유지됩니다.

필립스 **SelectFilter Plus** 필터 정품을 사용해 필터를 교환해야 합니다. 그래야만 필립스 차량용 공기청정기의 최적 성능이 그대로 유지되고 차량 내 공기 청정도를 최대로 유지할 수 있습니다.

5.1 필터 교환 방법



1 고퓨어 차량용 공기청정기 전원을 차단합니다.



2 그림과 같이 흡기구 커버의 윗 커버를 누릅니다. 윗 커버를 제거합니다.

고효율 정화 기술

제품 성능 지표

대상 오염물질*	청정 공기량 (CADR)	정화 효율 등급
미립자	30m³/h	고효율 등급
포름알데히드	11m³/h	고효율 등급
톨루엔	15m³/h	고효율 등급
총휘발성 유기물	12.8m³/h	고효율 등급
이산화질소	28m³/h	고효율 등급
이산화유황	25m³/h	고효율 등급

소음* (음향파워레벨)	55dB(A)

꽃가루 알레르기 유발인자**	90%

* 국제 표준 GB/T18801-2015에 따라 3입방미터 방 에서 테스트를 합니다
**Airmid 인증 고효율 필터의 꽃가루 알레르기 유발인자 여과 효율 90%



3 그림과 같이 필터를 제거합니다.



4 앞쪽의 홈에 맞춰 새 필터를 삽입합니다.

⚠ 중요 사항
필터는 한 방향으로만 끼워 넣을 수 있으며 억지로 넣지 마십시오. 위 그림 참조.

5.2 필터 교체 후 공기청정기 재작동방법

⚠ 중요 사항
필터를 교체할 때마다 반드시 고퓨어 공기청정기를 다시 세팅을 해야 합니다.



1 다시 시거잭 전원을 연결합니다.
(윗 커버 없는 상태 유지)



2 전원 버튼을 소리가 날 때까지 3초이상 누릅니다. 필터 교체 표시등이 빨간색으로 15초간 깜박이다가 꺼지면 필터 리셋이 완료된 것입니다.



3 윗 커버를 잠그면 차량용 공기청정기가 바로 정상 작동 상태로 회복됩니다.

4 필터 재 세팅이 실패할 경우 다시 위와 같은 절차에 따라 세팅을 합니다.

⚠ 중요 사항
안전을 대비해 커버를 열 때 청정기는 자동으로 꺼집니다.

6 처음으로 블루투스 연결 설정하기

1. 공기청정기의 전원을 켜고 작동을 시작합니다.

2. 휴대폰에서 블루투스 기능을 켭니다. 안드로이드 스마트폰을 사용할 경우 설정에서 블루투스 기능을 켜고, 장치 이름이 "GoPure" 인 장치를 찾아 클릭하여 블루투스 페어링을 진행합니다.

3. 아래 그림에서 QR 코드를 스캔하여 "Air Matters" 앱을 다운로드하여 설치합니다.

4. 앱을 열고 메인 화면에서 장치 추가를 클릭하여 필립스 메뉴로 들어갑니다. 앱 설명에 따라 모델명이 "GoPure 9111" 인 차량용 공기청정기를 추가합니다.

5. 앱의 메인 화면으로 돌아가면 "Philips GoPure" 인터페이스가 이미 추가되어 있는 것을 볼 수 있습니다. 앱이 공기청정기 연결에 성공하면 공기청정기 블루투스 표시등 ᛒ에 흰색이 점등됩니다. 인터페이스에 "GoPure 9111" 모델명과 실시간 PM2.5 농도 수치가 표시됩니다.

6. 위와 같은 상태가 되지 않으면 문제 해결 페이지 또는 앱의 도움말 부분을 참조하여 광범위한 최신의 고장 해결 방법을 시도해보십시오.

⚠주의

• 이 설명은 처음으로 공기청정기를 설치할 때 또는 스마트폰 블루투스 설정을 공장 초기화한 후에만 유효합니다.

• 두 개의 공기청정기를 동시에 설치할 수 없습니다.여러 개의 공기청정기를 설치하려면 차례대로 이 작업을 반복 수행하십시오.

• 스마트폰과 공기청정기 사이의 거리는 5미터 미만이어야 하며 중간에 장애물이 없어야 합니다.차 안에서 구성을 진행할 것을 권장합니다.

Android / IOS 버전 호환성 정보는 "Air matters" APP 다운로드 페이지를 참조하십시오; IOS 9.0 / Android 5.1 이상 지원

7 필립스 고퓨어 차량용 공기청정기

질문 1
필립스 고퓨어 차량용 공기청정기 작동이 불가능할 때.

해답 1
• 12V 전원 연결 여부를 확인합니다.
• 전원선을 확인해 코드가 제대로 연결되었는지 여부를확인합니다.
• 커버가 정상적으로 닫혀있는지 여부를 확인합니다.
• 다시 컨트롤 키를 터치해 작동해 봅니다. 여전히 기기를 작동하지 못할 경우 판매처에 연락 하십시오.

질문 2
일부 차량 모델에 시동이 꺼져도 12V 전압 출력이 발생할 때.

해답 2
전지 방전을 방지하기 위해 고퓨어 공기청정기는 연속 2 시간 작동한 후 자동으로 전원이 꺼집니다.
• 다시 청정기 작동을 원하시면 컨트롤 키를 다시 터치해서 작동하십시오.

질문 3
필터를 교체한 후 공기 품질 표시등이 다시 빨간색으로 켜집니다.

해답 3
컨트롤 키를 올바른 방식으로 작동하지 않았을 때 :
• 다시 5.2 중에 절차를 반복합니다.
• 필터 교체 표시등이 꺼질 경우 청정기는 성공적으로 재 세팅이 되었습니다.

질문 4
고퓨어 청정기 팬이 중간 중간에 회전을 멈출 때.

해답 4
정상적인 현상:
청정기를 전압으로 보호를 하기 위한 겁니다. 전압에 변화가 있을 때 발생합니다. 이 때 전압이 회복할 때까지 청정기 팬을 완전히 멈춥니다. 그리고 컨트롤 키를 다시 터치해 재 부팅합니다.

질문 5
고퓨어 공기 품질 표시등이 오랫동안 변화가 없을 때.

해답 5
공기 품질이 안정적으로 좋은 것을 의미할 수 있습니다. 에어벤트 부분이 막히거나 오염 될 수 있습니다.
• 청정기 주변에 공기가 잘 통하도록 합니다.
• 공기청정기를 껐다가 다시 켜고 문제가 해결되는지 보십시오. 표시등이 여전히 장시간 변하지 않으면 대리점에 문의하십시오.

질문 6
고퓨어 공기 품질 표시등이 빈번하게 변할 때.

해답 6
청정기가 정상적으로 운전되고 있는 상태입니다. 공기품질이 좋지 않을 경우 청정기는 점진적으로 청정기능을 수행합니다. 그렇지만 만약 공기 중에 먼지가 분산 되어 있는 상태로 분포될 경우 공기 품질 표시등은 실시간으로 청정기 주변에 공기품질을 알려줍니다. 이러할 경우 공기 품질 표시등은 자주 작동이 됩니다. 이는 청정기가 정상적으로 돌아간 것을 의미하여 지시등이 파란색으로 변할 때 청정기능을 완성하기를 기다려 주면 됩니다.

질문 7
필립스 고퓨어 공기
품질 표시등이
파란색으로 되어 있지만
차내에 여전히 이상한
냄새가 있습니다.

해답 7
고퓨어 공기청정기
공기 품질 표시등은
공기 중에 더스터
오염만 측정 가능하지만
화학 오염을 감지하지
못합니다. 그렇지만
청정기가 운전할 때
여전히 화학 오염물질을
제거할 수는 있습니다.
• 신속한 공기품질을
개선하기 위해 청정기가
정화기능을 수행하도록
합니다.

질문 8
필립스 고퓨어
공기청정기를 한동안
작동했지만 새 차 내에
여전히 이상한 냄새가
있습니다.

해답 8
새 차내에 이상한 냄새는
여러 가지 원인이
있습니다.

고퓨어 공기청정기는
지속적인 공기청정이
가능하지만 새 차에서는
계속 새로운 오염 물질이
발생합니다. 고퓨어
공기청정기는 이런 공기
오염물질을 대폭으로
줄일 수 있습니다.

신차 내부 공기 정화
과정을 가속하기 위해
고퓨어 공기청정기의
고속모드를 작동하시기
바랍니다. (P26 중에
4 참고)

질문 **9**
스마트폰 앱을
공기청정기에 연결할 수
없습니다.

해답 **9**
공기청정기의 전원이
연결되어 있고
정상적으로 전력이
공급되고 있으며,
기기와 스마트폰의
거리가 5미터 미만이고,
안드로이드 시스템
블루투스 설정에서
이미 기기와의
페어링에 성공했는지
확인하십시오.
안드로이드 시스템
스마트폰은 모델이 너무
많아 모든 모델이 앱
기능을 완전하게 사용할
수 있다고 보장할 수
없습니다.

Lumileds is the warrantor of this product.
Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. and are used under license.
2018 © Lumileds Holding B.V. All rights reserved.

亮锐(Lumileds)为此产品提供质保。
飞利浦(Philips)以及飞利浦盾牌为皇家飞利浦有限公司(Koninklijke Philips N.V.)的注册商标，皇家飞利浦有限公司许可亮锐使用。
2018 © 亮锐公司(Lumileds Holding B.V.)版权所有。 保留所有权利。

Lumileds는 본 제품의 보증인입니다.
Philips와 Philips Shield Emblem 표장은 Koninklijke Philips N.V.의 등록 상표이고, 이에 대해 라이선스를 받아 사용하고 있습니다.
2018 © Lumileds Holding B.V. 모든 권리 보유.

3211 008 23251