

PHILIPS

Xperion 6000 Slim

LED work lights



User manual



English

Before you start

Thank you for buying the Philips LED work lights. Its high-quality LED lighting offers a powerful wide-angle light output that will let you work in your workshop, garage or any other professional environment under the best lighting conditions.



The Philips LED work lights bears the official Philips Automotive Grade Quality seal. Philips Automotive Grade Quality products are designed and developed following strict quality-control processes (including applicable ISO norms), leading to consistently high production standards.








Important

Please read this user guide carefully before using your LED work lights. This guide contains important health and safety information.

If you need further assistance, **please visit us:**
www.philips.com/support
Or visit your local Philips Dealer
For more information visit
www.philips.com/xperion-6000

1








	✓		✗
	✓		✗
	✓		✗
	✓		



3



i




CE

UK
CA

4



With Type C USB




4h



100%

With Philips Multi Dock Station




4h




100%

4



.....



81-100%

61-80%

41-60%

21-40%

11-20%

<10%




<10%

5




150lm/9h




Spotlight



500lm/4.5h




Boost light



Off



250lm/7h




Eco light

6




Upgrade your lamp with Philips Find My Device accessory

1)




2)



6



3)





Description

	Light output-lm @25°C, 60RH	150lm/250lm/500lm(Spot/Eco/Boost)
	Operation time(up to)-h @25°C, 60RH	9h/7h/4.5h(Spot/Eco/Boost)
	Battery	Rechargeble battery 3,7V 2600mAh
	Charging (Via type C USB)	5V 1A
	Charging (Via Multi Dock Station)	5V 1A
	Charging time(up to)-h @25°C, 60RH	4h
	IK	IK07
	IP	IP54
	Operating temperature	-10°C to 40°C
	Storage temperature	-20°C to 50°C
	lamp dimension(L*W*H)-mm	40x45x167
	Product weight	334g
	Magnet	Yes

8



3 years warranty*

* 2+1 extended warranty, details at: www.philips.com/auto-warranty

Name: _____

Address: _____

Phone number: _____

Product name: _____

Purchasing date: _____



Lumileds is the warrantor of this product.
2021 © Lumileds Holding B.V. All rights reserved.
Philips and the Philips Shield Emblem are registered
trademarks of Koninklijke Philips N.V.
and are used under license.

3211 008 24611