



Xperion 6000 Slim

LED work lights

User manual



English

Before you start

Thank you for buying the Philips LED work lights. Its high-quality LED lighting offers a powerful wide-angle light output that will let you work in your workshop, garage or any other professional environment under the best lighting conditions.



The Philips LED work lights bears the official


Philips Automotive Grade Quality seal. Philips Automotive Grade Quality products are designed and developed following strict quality-control processes (including applicable ISO norms), leading to consistently high production standards.

▲ Important

Please read this user guide carefully before using your LED work lights.This guide contains important health and safety information.

If you need further assistance, please visit us: www.philips.com/support Or visit your local Philips Dealer For more information visit www.philips.com/xperion-6000











User manual









With Type C USB



With Philips Multi Dock Station













<10%








Upgrade your lamp with Philips Find My Device accessory









Description

2014	Light output-Im @25°C, 60RH	I 50Im/250Im/500Im(Spot/Eco/Boost)
(C)	Operation time(up to)-h @25°C, 60RH	• 9h/7h/4.5h(Spot/Eco/Boost)
(Eliza	Battery	Rechargeble battery 3,7V 2600mAh
-74)30	Charging (Via type C USB)	5V 1A
6 0	Charging (Via Multi Dock Station)	5V 1A
(-).	Charging time(up to)-h @25°C, 60RH	4h
õ	IK	IK07
8	IP	IP54
Quil	Operating temperature	-10°C to 40°C
Quil	Storage temperature	-20°C to 50°C
L*W*H	lamp dimension(L*W*H)-mm	40x45x167
	Product weight	334g
õ	Magnet	Yes



3 years warranty*

* 2+1 extended warranty, details at: www.philips.com/auto-warranty

Name:	
Address:	
Phone number:	
Product name:	
Purchasing date:	



Ultinon Motion is the warrantor of this product. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. and are used under license. 2021-2025© Ultinon Motion Holding B.V. All rights reserved.