# **PHILIPS**

3-Pack Multi-Directional Lighting System

### **LED Inspection lamps**

High Quality LED

750 lm Boost/ 360 lm Eco

3 Rechargeable Modules

More Visible Color Design

LPL263MODX1









## See better, work better

## All-in-one lighting system for professionals

The MDLS is an all-in-one work lighting solution representing a new generation of inspection lamps designed for professionals. Robust and hands-free, the three multidirectional modules will provide you optimal visibility without shadow.

### Optimal visibility, no shadow

- · Defeat darkness with soft natural light
- Light output: up to 750 lumens (up to 350 lumens/module)
- · High quality LED light
- 3 multi-directional modules 360° total illumination

#### **High resistance**

- Strong impact resistance -IK07
- · Water & dust protected -IP54

#### Hands-free lighting

- $^{\bullet}~$  300° rotating head and strong bottom magnet
- Heavy-duty clamping hook
- Fast Rechargeable, Energy saving LifeP04 battery technology

### Never lose your lamp again

## Highlights

#### Water & dust protected -IP54




The LED inspection lamp is water resistant, and conforms to IP54.

#### Strong impact resistance -IK07



Strong impact resistance -IK07

#### Fast Rechargeable



Fast Rechargeable, Energy saving LifeP04 battery technology. Since the modules are fast charging, whenever one of the modules is charged and ready for the job, you can take it out directly.

#### 300° rotating head and magnet



The 300° rotating head and strong bottom magnet will enable you to achieve a shadow-free workspace for optimum safety and efficiency.

#### Heavy-duty clamping hook



With its heavy-duty clamping hook, you will have the possibility to hang this module on every surface. Leaving your both hands free for the job.

### Improved color scheme



Thanks to its new color scheme, the lamp has an improved visual signature and can be spotted more easily. Never lose your lamp again.

#### **Light output**



The combined light output of the 3 modules in normal (boost) mode amounts to 360 (750) lumens.360 lumens light output should provide you with sufficient light in any environment with background lighting. If that is not enough you can easily switch to boost mode with a flick of the switch.

#### High quality LED light

The high-power LED is designed to deliver high-efficacy light with high flux density to enable tight beam control in directional and high-lumen applications.

#### 3 multidirectional modules

The 3 multidirectional modules will provide you full visibility of your work space with no shadow while focusing on specific parts. By placing each of the 3 different modules at a different angle, no area will remain unlit. 360 degrees illumination!

#### **Defeat darkness**

Philips professional workshop lamps feature powerful LEDs for an intense white light and a bright wide beam to defeat darkness. Designed to optimize clarity and vision, the 6000 K white light also improves visual comfort for fatigue-free working.

## Specifications

#### **Outer Carton**

Number of consumer packagings: 1 Outer carton (L  $\times$  W  $\times$  H): 33.1  $\times$  15.7  $\times$  14.8 cm

Gross weight: 2.1 kg EAN: 87 27900 39210 4

#### **Ordering information**

Order entry: LPL263MODX1 Ordering code: 39210466

#### **Electrical characteristics**

Battery capacity: 1800 mAh Battery charging time: 2 hrs Battery run time: Up to 6 hours

Battery type: Lithium

Plug type: EU

Power source: Rechargeable battery

Voltage: 100-240 V Wattage: 3.7 W

#### **Light characteristics**

Color temperature: 6000 K LED lifetime: Up to 10000 hrs Light output: 750 lumen

#### **Outerpack information**

Gross weight per piece: 2100 g

Height: 14.8 cm Length: 33.1 cm Width: 15.7 cm

#### **Packaging Data**

EAN1: 8727900392104 EAN3: 8727900392111

#### **Packed product information**

Diameter: 6.5 cm Height: 8.7 cm

Pack Quantity / MOQ: 1 Weight with batteries: 660 g

Size: Standard

#### **Product description**

Hook: Heavy-duty clamping hook Impact protection rating (IK): IK07 Ingress protection rating (IP): IP54

Magnet

Materials & finishing: Aluminum housing

Number of LED's: 3

Operating Temperature: -20 to 60 °C Orientable light: 300° rotating head Resistant to: grease, oil, workshop solvents

Technology: LED Range: MDLS

© 2022 Lumileds Holding B.V.

All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Lumileds Holding B.V. or their respective owners.

Issue date 2022-11-08 Version: 7.1.2

12 NC: 9237 956 90401 EAN: 87 27900 39210 4

www.philips.com

