

# PHILIPS

Xperion 6000 Pillar

LED work lights



## User manual



## Before you start

Thank you for buying the Philips LED work lights. Its high-quality LED lighting offers a powerful wide-angle light output that will let you work in your workshop, garage or any other professional environment under the best lighting conditions.










The Philips LED work lights bears the official Philips Automotive Grade Quality seal. Philips Automotive Grade Quality products are designed and developed following strict quality-control processes (including applicable ISO norms), leading to consistently high production standards.


## Important

**Please read this user guide carefully before using your LED work lights. This guide contains important health and safety information.**

If you need further assistance,  
**please visit us:**  
**[www.philips.com/support](http://www.philips.com/support)**  
Or visit your local Philips Dealer  
**For more information visit**  
**[www.philips.com/xperion-6000](http://www.philips.com/xperion-6000)**








	✓		✗
	✓		✗
	✓		✗
	✓		



3



i




CE

UK  
CA

4



With Type C USB




4.5h



100%

With Philips Multi Dock Station



4.5h




100%

4



○○○○○



81-100%

61-80%

41-60%


21-40%

11-20%

<10%



<10%






6




Upgrade your lamp with Philips Find My Device accessory

1)





2)



beep! beep! beep!



3)





## Description



**Light output- $\text{lm}$  @25°C, 60RH** 180lm/250lm/500lm(Spot/Eco/Boost)



**Operation time(up to)-h @25°C, 60RH** 12h/10h/4.5h(Spot/Eco/Boost)



**Battery** Rechargeble battery 3,7V 4400mAH



**Charging (Via type C USB)** 5V 1A



**Charging (Via Multi Dock Station)** 5V 1A



**Charging time(up to)-h @25°C, 60RH** 4.5h



**IK** IK07



**IP** IP65



**Operating temperature** -10°C to 40°C



**Storage temperature** -20°C to 50°C



**lamp dimension(L\*W\*H)-mm** 44x 46 x 220



**Product weight** 412g



**Magnet** Yes

8



## 3 years warranty\*

\* 2+1 extended warranty, details at: [www.philips.com/auto-warranty](http://www.philips.com/auto-warranty)

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone number: \_\_\_\_\_

Product name: \_\_\_\_\_

Purchasing date: \_\_\_\_\_



Ultinon Motion is the warrantor of this product.  
Philips and the Philips Shield Emblem are registered trademarks of  
Koninklijke Philips N.V. and are used under license.  
2021-2025© Ultinon Motion Holding B.V. All rights reserved.

3211 008 24621