PHILIPS



Multi Dock Station

LED work lights





User manual

English

Before you start

Thank you for buying the Philips LED work lights. Its high-quality LED lighting offers a powerful wide-angle light output that will let you work in your workshop, garage or any other professional environment under the best lighting conditions.



The Philips LED work lights bears the official


Philips Automotive Grade Quality seal. Philips Automotive Grade Quality products are designed and developed following strict quality-control processes (including applicable ISO norms), leading to consistently high production standards.

▲ Important

Please read this user guide carefully before using your LED work lights.This guide contains important health and safety information.

If you need further assistance, please visit us: www.philips.com/support Or visit your local Philips Dealer For more information visit www.philips.com/xperion-6000





















CE UK CA









LED Charging indicator :





Description

100- 240∨	Charging	Input:100-240V AC; output: 5V 1A
	ІК	IK07
à	IP	IP20
8	IF	IF 20
Buiß	Operating temperature	-10°C to 40°C
Q.111	Storage temperature	-20°C to 50°C
	Product weight	441g



WARRANTY

www.philips.com/support

Name:	
Address:	
Phone number:	
Product name:	
Purchasing date:	



Ultinon Motion is the warrantor of this product. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips IV. and are used under license. 2021-2025© Ultinon Motion Holding B.V. All rights reserved.