PHILIPS

CBH 51 Hybrid Aluminium Bonnet LED Lamp

LED Professional Work Light

32 High-quality LEDs

Dual mode: Cable and cordless

1200 lm and 120° wide beam angle

Integrated telescopic hook



LPL45X1



See better, work better

Cable and cordless professional bonnet lighting

The Philips CBH51 professional LED bonnet work lamp provides up to 1200 lumens. This bright 120° wide beam angle will light up the entire engine compartment. Attach to the car with extendable hooks, and choose from cable or cordless power.

High quality white LED light

- 32 High-quality LEDs light up to 1200 lumens
- · Defeat darkness with bright natural light
- See every detail with a 120° wide beam angle

Highly versatile — cabled and rechargeable

- Work flexibly with up to 5.5 hours of cordless use
- 5-metre robust cable for tough workshop environments

Tough aluminium housing for high resistance

- Robust aluminium housing for strong impact resistance IK07
- Splash water and dust protected IP54
- Resistant to chemicals and workshop solvents

Hands-free lighting and ultra-slim design

• Extendable mounting that stretches from 1.1 to 1.8 metres

Highlights

Bright light defeats darkness



Philips CBH51 LED hybrid professional bonnet lamp features 32 powerful LEDs, providing an intense white light and a bright wide beam to defeat darkness. Designed to give you clear vision as you work, the 6000-K natural white light is also gentle on your eyes to prevent fatigue.

32 High-quality LEDs



Equipped with 32 high-quality white LEDs, the Philips CBH51 offers a useful dual power mode. Boost mode gives you a powerful 1200 lumens of light output, helping you spot even the smallest of details. And if you're using the lamp while unplugged for an extended period, you can select eco mode to preserve battery life. At a reduced 500-lumen output you will still achieve a high-quality bright light for up to 5.5 hours.

120° wide beam angle



The Philips CBH51 provides a wide beam angle of 120°, perfect for illuminating your entire work area. This wide, bright beam of light allows you to see every little detail as you work.

Long-life cordless battery



Need to move around your workshop as you work? No problem. Simply remove the cable from the Philips CBH51. The long-life battery provides you with 5.5 hours of continuous cordless use.

5-metre robust cable



5 m

For extended periods of use, the Philips CBH51 is equipped with a long and robust 5-metre cable, providing continuous lighting as you work. Just like the lamp itself, the cable is built to survive tough workshop environments and be resistant to different chemicals, such as hydrocarbons.

Robust aluminium housing - IK07



IK07

Conforming to international impact resistance standard IK07, the Philips CBH51 has a robust aluminium housing designed to withstand the toughest work environments. Because we know even the most careful workers accidentally drop their tools from time to time

Water and dust protected



Philips CBH51 conforms to international splash water and dust resistance rating of IP54. Built with rigorous manufacturing and multiple sealing processes, your lamp is highly resistant to splashed water and protected from dust.


Resistant to chemicals



-10° 40°C

Highly resistant to most chemicals and workshop solvents, your Philips CBH51 is built to survive in the toughest workshop environment.

Integrated telescopic mounting



The Philips CBH51 is supplied with fully integrated telescopic mounting, which can be stretched from 1.1 to 1.8 metres. The inside of the hooks are covered with rubber so you don't need to worry about scratching the vehicle. And for greater visibility, you can also turn the lamp 360° while it remains held in position by the mounting hooks.

Specifications

Light characteristics

Colour temperature: 6000 K LED lifetime: Up to 10,000 hours Light intensity (boost): 1100 lux at 0.5 m Light intensity (eco): 550 lux at 0.5 m

Beam angle: 120°

Light output (eco): 500 lumens Light output: 1200 lumens, SLIDER

Electrical characteristics

Battery capacity: 4400 mAh Battery charging time: Up to 2 hours Battery run time (boost): Up to 3 hours Battery run time (eco): Up to 5.5 hours

Battery type: Li-ion battery

Charging cable type: Cable and Rechargeable

Plug type: European plug Power source: Battery

Voltage: 3.7 V Wattage: 8 W

Marketing specifications

Expected benefits: See better, Work better Product highlight: Bonnet work lamp

Ordering information

Order entry: LPL45X1 Ordering code: 39732131

Outer pack information

Gross weight per piece: 1547 g

Height: 12 cm Length: 11.75 cm Width: 7.5 cm

Packaging Data

EAN1: 8727900397321 EAN3: 8727900397338

Packed product information

Cable length: 5 m Height: 86.5 mm Length: 1156 mm Pack Quantity / MOQ: 6 Size: Compact, Standard Weight with batteries: 1300 g Weight with cable: 1300 g Weight without cable: 835 g

Width: 62 mm

Product description

Hook: 360° retractable hook Impact protection rating (IK): IK07 Ingress protection rating (IP): IP54

Materials and finishing: Robust rubber and

polycarbonate

Number of LEDs: 32

Operating Temperature: -10°C to 40°C

Range: CBH

Resistant to: grease, oil, workshop solvents

Technology: LED

Hands-free options: Hook

© 2022 Lumileds Holding B.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the

without notice. Trademarks are the property of Lumileds Holding B.V. or their respective owners.

Issue date 2022-11-08

12 NC: 8670 001 46941

www.philips.com

