PHILIPS

Line

Xperion 6000

300 lm Boost / 150 lm Eco

120 lm Spotlight

Battery life: 4,5h (Eco: 8h)

Durable with broad light beam







Designed with you in mind

Advanced lighting performance that lasts

Designed with a 110° broad beam of 150 lm in Eco and 300 lm in Boost mode, the Philips Xperion 6000 Line is ideal for lighting up larger areas. It is equipped with a 120 lm torch beam to direct the light where it is needed.

See where others can't

- Premium LED light with multiple outputs
- Long running time in different light modes

Smart, ergonomic design

- · Precision light with wide beam angle
- Smart rotatable hook with magnet and ergonomic body

Handles tough conditions easily

• Resistant to impacts, water and solvents (IP65/IK07)

Extended warranty

• Extend your warranty online to 3 years

Line X60LINEX1/10

Highlights

Multiple light modes



The Philips Xperion 6000 Line produces bright natural LED white light to maximize visual comfort and reduce eye strain for fatigue-free work. The main beam on the Philips Xperion 6000 Line offers two output levels: 150 lm in Eco mode with extended battery life and 300 lm in Boost mode. This flexibility allows you to choose the right amount of brightness for the job at hand.

Light modes for multiple needs



The Philips Xperion 6000 Line is designed to be ready for action. A single charge provides enough energy for a full day's work: up to 8 hours in Eco mode, 4,5 hours in Boost mode, and 9 hours with the torch beam. Powered by

a powerful Li-ion battery, the Xperion 6000 Line can be fully charged within 3,5 hours via USB-C, ensuring maximum usage of its bright LED light.

Illuminate your work



The Philips Xperion 6000 Line features a 110° beam-angle light module ensuring broader illumination of your work area.

Enables hands-free working



Designed with you in mind, the ergonomically shaped handle with anti-slip coating allows you to hold this work light securely. If you need both hands free for work, position the light securely thanks to the 360° rotatable, retractable hook and a strong magnet. The

power button is located on the back to ensure the light does not glare directly at your eyes when you turn it on.

Designed for resistance



Designed to handle tough work environments with IKO7 shock resistance, water-resistant to IP65 standards, and a surface that withstands chemicals and workshop solvents, the Philips Xperion 6000 Line is built to last because we know that even the steadiest hands need the extra support.

Up to 3 years warranty



Benefit from Philips standard 2-year warranty plus 1 additional year1

Specifications

Electrical characteristics

Battery capacity: 2200 mAh
Battery charging time: Up to 3,5 hours
Battery run time (boost): Up to 4,5 hours
Battery run time (eco): Up to 8 hours
Battery run time (Pointer): Up to 9 hours

Battery type: Lithium battery Charging cable type: Type C USB Plug type: EU plug (not included for UK)

Voltage: 3.7 V Wattage: 3W

Power source: Rechargeable battery

Light characteristics

Beam angle: 110 degree
Beam angle (pointer): 40 degree
Color temperature: 6000 K
Light output (boost): 300 lumens
Light output (eco): 150 lumens
Light output (pointer): 120 lumens

Marketing specifications

Expected benefits: Designed with you in mind Product highlight: Durable with broad light

beam

Ordering information

Order entry: X60LINEX1 Ordering code: 01473331

Outerpack information

Height: 12.5 cm Length: 33 cm Width: 23.5 cm

Packaging Data

EAN1: 8719018014733 EAN3: 8719018014740

Packed product information

Cable length: 100cm USB cable,5V 1A adaptor

Height: 31 cm Length: 5 cm

Pack Quantity / MOQ: 6 Weight with batteries: 382 g

Product description

Hands free options: Rotatable hook, strong

magnet

Hook: 360° rotatable

Impact protection rating (IK): IK07 Ingress protection rating (IP): IP65

Magnet: 1 magnet

Materials & finishing: Robust ABS

Operating Temperature: -10°C to 40°C

Resistant to: Grease, oil, workshop solvents

Technology: SMD LED UV leak detector: No Range: Xperion 6000

© 2022 Lumileds Holding B.V. All Rights reserved.

their respective owners.

Specifications are subject to change without notice. Trademarks are the property of Lumileds Holding B.V. or

Issue date 2022-11-08 Version: 10.0.1

12 NC: 8670 001 80379

www.philips.com

