




Philips
Professional TV

PrimeSuite



32HFL4014

Flexible control

Pro System TV

Surprise and delight with a professional IPTV. Cost-effective central management, quick installation, and a customizable UI make this a flexible solution. Philips world-renowned picture quality always engages.

Cost-effective. With multilingual support.

- 3 years warranty, extendable to 5 years
- Low operational cost. From installation to deployment
- MyChoice compatible. Built-in pay-to-view solution

Rapid installation. Effortless customization.

- CMND & Control. Operate, update, maintain
- IPTV. Provide channels over IP. Install your own UI
- CMND & Create. Develop and launch your own content
- Instant initial cloning. Rapidly configure Pro TVs
- Serial Xpress Protocol. Connect external decoders and STBs

Brilliant Philips picture. Versatile operation.

- Be seen. Brand the TV's UI with your logo
- Built-in scheduler. Advertise, inform, communicate
- Beautifully clear, high-contrast image

PHILIPS

Highlights

UI branding

Your Philips Professional TV offers a clear, easy-to-navigate user interface (UI), which you can customize with your own branding. Easily add your logo and colors to the search bar to increase the visibility of your brand.

Built-in pay-to-view solution

Offer pay-to-view content in any situation—from a complete pay-to-access-all-channels model to selected premium content. MyChoice is an integrated solution that allows viewers to access pay-per-view channels via a code or a card.

IPTV. Provide channels over IP

Provide channels over IP. Install your own user interface (UI), which can be stored on a central server and sent to the TV over IP. Once the UI is on the TV it can also be stored locally. You'll benefit from flexibility and rapid installation-

whether you're personalizing your Philips Pro System TVs or centralizing system management.

CMND & Control

Run your display network over a local (LAN or RF) connection. CMND & Control allows you to perform vital functions like controlling inputs, updating software, and monitoring display status. Whether you're in charge of one TV or more.

CMND & Create

Take control of your content with CMND & Create. A drag-and-drop interface makes it simple to publish your own content—whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure your stills, text, and video will be up and running in no time.

3 years warranty

3 years warranty, extendable to 5 years

Low operational cost

Low operational cost. From installation to deployment

Beautifully clear image

Beautifully clear, high-contrast image

Advertise, inform, communicate

Built-in scheduler. Advertise, inform, communicate

Instant initial cloning.

Instant initial cloning. Rapidly configure Pro TVs

Serial Xpress Protocol.

Serial Xpress Protocol. Connect external decoders and STBs

Specifications

Picture/Display

- Diagonal screen size (inch): 32 inch
- Diagonal screen size (metric): 80 cm
- Display: D-LED, LED HD TV
- Panel resolution: 1366 x 768p
- Brightness: 250 cd/m²
- Viewing angle: 178° (H) / 178° (V)

Tuner/Reception/Transmission

- Digital TV: DVB-T/T2/C, HEVC FHD (up to

1080p60)


- Analog TV: PAL
- IP Playback: Multicast, Unicast

Features

- Ease of use: Picture Style, Sound Style
- Digital services: 8d EPG, Now&Next, MHEG, Teletext, HbbTV, Subtitles
- Local control: Joystick

Hospitality Features

- Hotel mode: Joystick Control Lock, Menu lock, Installation Menu Lock, Volume limitation
- Prison mode: high security mode, TXT/MHEG/USB/EPG/Subtitle Lock
- Timer: Sleep Timer, Wake Up Alarm, Wake Up On Channel, Wake up Sounds
- Switch On control: Channel, Feature, Picture Format, Volume, Picture Style
- Power control: Quick Start Mode, Auto Power



Specifications

- ON, WoLAN
- Apps: YouTube
- Your brand: Customizable Home Screen, Location Name (Geonames ID), CMND&Create, Customizable Dashboard (HTML), Welcome Logo
- Clock: On-screen Clock, Optional External Clock
- Cloning and Firmware update: Instant Initial Cloning, Via USB/RF/IP
- CMND&Control: Off-Line Channel Editor, Off-Line Settings Editor, Remote Management over IP/RF, CMND&Create, TV Group management
- Control: JSON API for TV Control-JAPIT, Serial Xpress Protocol
- Interactive DRM: VSecure, Playready Smoothstreaming
- Revenue generation: MyChoice
- Languages: Guest language control
- Remote Control: Low Battery Detection, RC Battery Door Lock, Glow-in-the-Dark Clock button
- CMND&Check-In: Guest Name, Guest Language

Healthcare features

- Control: Multi-Remote Control, Healthcare RC compatible, Nurse call system compatible
- Convenience: Headphone out, Independent main speaker mute, Headphone Detection
- Safety: Double isolation class II, Flame retardant

Multimedia

- Video playback supported: Formats: H.264/MPEG4 AVC, MPEG1, MPEG2, MPEG4, WMV9/VC1, HEVC, Containers: AVI, MKV, VP9
- Music formats supported: MP3, AAC, WAV, WMA (v2 up to v9.2), WMA-PRO (v9 and v10)
- Subtitle formats supported: SRT, SMI, TXT
- Picture formats supported: JPG, PNG, BMP, GIF
- Supp. Video Resolution on USB: up to 1920x1080p@60Hz

Audio

- Sound output Power: 16 (2x8) W
- Bathroom speaker out: 1.5W Mono 8Ohm
- Speakers: 2.0, Down Firing
- Sound Features: DTS-HD, Dolby Atmos Compatible, Dolby MS12D, AVL, Incredible surround

Power

- Mains power: AC 220-240V; 50-60Hz
- Ambient temperature: 0 °C to 40 °C

- Standby power consumption: $\leq 0.3\text{W}$
- Energy Label Class: F
- Eu Energy Label power: 28 W
- Power Saving Features: Eco mode
- EPREL registration number: 345147

Accessories

- Included: Edge Stand, Remote Control 22AV1904A/12, 2x AAA batteries, Power Cord, Warranty Leaflet, Legal and Safety brochure
- Optional: Easy RC 22AV1601B/12, Healthcare RC 22AV1604B/12, External Clock 22AV1860A/12, DOCSIS Cable Modem 22AV1970A, Setup RC 22AV9574A/12

Connectivity Side

- Common Interface Slot: CI+ 1.3.2
- HDMI1: HDMI 1.4
- Headphone out: Mini-Jack
- USB1: USB 2.0

Connectivity Rear

- Bathroom speaker out: Mini-Jack
- External Control: RJ-48
- Antenna: IEC-75
- Digital Audio out: Optical
- Ethernet (LAN): RJ-45
- HDMI2: HDMI 1.4
- USB2: USB 2.0

Connectivity Enhancements

- RJ48: IR-In/Out, Serial Xpress interface
- EasyLink (HDMI CEC): One touch play, System Standby, RC pass through, system audio control
- LAN: Wake up on LAN
- HDMI: MHL 2.0 (HDMI1), ARC (HDMI2)

Design

- Colour: Black

Dimensions

- Set Width: 732 mm
- Set Height: 432 mm
- Set Depth: 77 mm
- Product weight: 4,5 kg
- Set width (with stand): 732 mm
- Set height (with stand): 494 mm
- Set depth (with stand): 179 mm
- Product weight (+stand): 4,6 kg
- Wall mount compatible: 100 x 100 mm, M6



Issue date 2024-03-23

Version: 4.1.1

EAN: 87 18863 02070 8

© 2024 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com

* Availability of features will depend on implementation chosen by integrator.
* Typical on-mode power consumption measured according to IEC62087 Ed 2. The actual energy consumption will depend on how the television is used.
* This television contains lead only in certain parts or components where no technology alternatives exist in accordance with existing exemption clauses under the RoHS Directive.
* Philips does not guarantee the availability or continuity of correct functioning of apps.