[field not found 'leaflet_type'] (2022, July 20)

Professional TV

• EasySuite

32HFL3014/12



Take control

Powered by CMND

Show more with a budget-friendly standalone professional TV. The intuitive CMND solution makes it simple to deploy and manage connected displays. Benefit from simple, fast installation and an on-screen welcome page that's easy to program.

Benefits

Simple set up. ADVANCED performance

- CMND and Control: effortless maintenance of your TVs
- MyChoice compatible. Built-in pay-to-view solution
- Be seen. Brand the TV's UI with your logo
- Instant initial USB cloning. Rapidly configure Pro TVs
- Mixed channel map to combine analogue and digital channels
- USB auto playback. Music, movies, and more

Cost-effective solution

- 3 years warranty, extendable to 5 years
- Multilingual customer support

Sustainable and safe

• Low power consumption



Features

CMND&Control

CMND and Control allows for remote configuration and installation of your TVs from a central location, without the need to visit any rooms. Update and manage all your displays, with minimal effort, all without having to disturb your guests.

Built-in pay-to-view solution

Offer pay-to-view content in any situation-from a complete pay-to-access-allchannels model to selected premium content. MyChoice is an integrated solution that allows viewers to access pay-per-view channels via a code or a card.

UI branding

Your Philips Professional TV offers a clear, easy-to-navigate user interface (UI), which you can customize with your own branding. Easily add your logo or custom background to the menu to increase the visibility of your brand.

Instant initial USB cloning.

Provides the ability to easily copy all programming and channel programming settings from one TV into other TV sets in less than a minute. The feature ensures uniformity between TV sets and significantly reduces installation time and costs.

Mixed channel map

One integrated channel list for digital and analogue channels. This allows the guest to flick seamlessly between Analogue and Digital channels.

USB auto playback.

Share the fun. Connect your USB memory-stick, digital camera, mp3 player or other multimedia device to the USB port on your TV to enjoy photos, videos and music with the easy to use onscreen content browser.

Specifications

[field not found 'disclaimer_text']

Picture/Display

| Picture/Display | | | |
|------------------------|--------------------------|---------------------------|---|
| Display | LED HD TV | Connectivity Enhancements | |
| | D-LED | HDMI | ARC (HDMI1) |
| Diagonal screen size | 80 cm | EasyLink (HDMI | One touch play |
| (metric) | | | |
| Diagonal screen size | 32 inch | CEC) | System Standby |
| (inch) | | | RC pass through |
| Panel resolution | 1366 x 768p | a | system audio control |
| Brightness | 250 cd/m ² | Scart | Power on scart |
| Viewing angle | 178° (H) / 178° (V) | _ | |
| | | Features | |
| Audio | | Digital services | 8d EPG |
| | | - 8 | Now&Next |
| Sound output Power | 16 (2x8) W | | MHEG |
| Speakers | 2.0 | | Teletext |
| | Down Firing | | Subtitles |
| Sound Features | AVL | Ease of use | Picture Style |
| | Dynamic Bass | Lase of use | Sound Style |
| | Incredible surround | | Picture Format |
| | Dolby MS10 | | |
| | | Local control | Independent volume control |
| Design | | Local control | Joystick |
| Colour | Black | Hospitality Features | |
| Tuner/Perentian/Tunner | ninin | Hotel mode | Joystick Control Lock |
| Tuner/Reception/Transn | nission | | Menu lock |
| Digital TV | DVB-T/T2/C | | Installation Menu Lock |
| 5 | HEVC FHD (up to 1080p60) | | Volume limitation |
| Analog TV | PAL | Prison mode | high security mode |
| 5 | SECAM | | TXT/MHEG/USB/EPG/Subtitle Lock |
| Video Playback | NTSC | CMND&Control | Remote Management over RF |
| | PAL | | TV Group management |
| | SECAM | | Off-Line Settings Editor |
| | | | Off-Line Channel Editor |
| Connectivity Rear | | Your brand | Welcome Logo |
| · | | | Customizable Home Screen |
| Antenna | IEC-75 | Revenue generation | MyChoice |
| HDMI1 | ARC | Cloning and Firm- | Instant Initial Cloning |
| | HDMI 1.4 | ware update | Via USB/RF |
| HDMI2 | HDMI 1.4 | Timer | Sleep Timer |
| Digital Audio out | Optical | Timer | Wake Up Alarm |
| DVI audio in | Mini-Jack | | 1 |
| VGA input | 15 pin D-sub | | Wake Up On Channel |
| Scart | CVBS | | Wake up Sounds |
| | RGB | Clock | Glow-in-the-Dark RC button On-screen Clock |
| | | Channels | Combined List |
| Connectivity Side | | Channels | |
| Canana latar | 61-133 | Control | Off-Line Channel Editor |
| Common Interface | CI+ 1.3.2 | Control | Block Automatic Channel Update |
| Slot | N4: - 1 - 1 | Power control | Green/fast startup |
| Headphone out | Mini-Jack | Switch On control | Channel |
| USB1 | USB 2.0 | | Feature |
| | | | |

| | Picture Style Picture Format | | PNG GIF |
|-----------------------------|---|------------------------------------|--|
| | Sound Style Volume | Supp. Video Resolu- tion on USB | up to 1920x1080p@60Hz |
| Remote Control | Menu language Cable Strap Ready | Accessories | |
| | Low Battery Detection RC Battery Door Lock Clow in the Dark Clock butter | Included | Edge Stand 2x AAA batteries |
| Anti-Theft | Glow-in-the-Dark Clock button Battery Anti-theft Protection Kensington Lock | | Power Cord Warranty Leaflet |
| Languages | Guest language control | | Legal and Safety brochure Remote Control 22AV1903A/12 |
| Healthcare features | | Optional | Easy RC 22AV1601B/12 Healthcare RC 22AV1604B/12 |
| Control | Multi-Remote Control Healthcare RC compatible | | Setup RC 22AV9574A/12 |
| Convenience | Headphone out | Power | |
| | Independent main speaker mute Headphone Detection | Mains power Energy Label Class | AC 220-240V; 50-60Hz E |
| Safety | Double isolation class II Flame retardant | EPREL registration number | _ 345104 |
| Multimedia | | Eu Energy Label power | 28 W |
| Multimedia connec- tions | USB | Standby power consumption | <0.3W |
| Video playback | Formats: H.264/MPEG4 AVC | Power Saving | Eco mode |
| supported | MPEG1 | Features | Auto switch-off timer |
| | MPEG2 MPEG4 | Ambient temperature | 0 °C to 40 °C |
| | WMV9/VC1 | Dimensions | |
| | MP4 MPG | Set Width | 732 mm |
| | TS | Set Height | 432 mm |
| | WMV | Set Depth | 77 mm |
| | HEVC | Set width (with stand) | 732 mm |
| | Containers: AVI, MKV | Set height (with | 455 mm |
| Subtitle formats | SRT | stand) | |
| supported | SMI | Set depth (with | 166 mm |
| | SSA SUB | stand) | |
| | TXT | Product weight | 4.6 kg |
| Music formats | MP3 | Product weight | 4.7 kg |
| supported | AAC | (+stand) | |
| | WAV | Wall mount compat- | 100 x 100 mm |
| | WMA (v2 up to v9.2) | ible | M6 |
| Picture formats | BMP | | |
| supported | JPG | | |

* Availability of features will depend on implementation chosen by integrator.

* Typical on-mode power consumption measured according to IEC62087 Ed 2. The actual energy consumption will depend on how the television is used. * This television contains lead only in certain parts or components where no technology alternatives exist in accordance with existing exemption clauses under the RoHS Directive.



data subject to change 2022, July 20

EAN: 8718863021910

© 2022 Koninklijke Philips N.V.

Version: 5.0.1

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com