


Philips LCD Monitor Electronic User's Manual[Home](#)[Техника безопасности, поиск
и устранение неисправностей](#)[Описание данного
Руководства](#)[Информация
об изделиях](#)[Настройка
монитора](#)[Отображение на
экране монитора](#)[Обслуживание
заказчика и гарантия](#)[Словарь
терминов](#)[Загрузка и
распечатка](#)

LCD Monitor

220SW8



0 $\frac{1}{2}$
 1 $\frac{1}{2}$
 2 $\frac{1}{2}$
 3 $\frac{1}{2}$
 4 $\frac{1}{2}$
 5 $\frac{1}{2}$
 6 $\frac{1}{2}$
 7 $\frac{1}{2}$
 8 $\frac{1}{2}$
 9 $\frac{1}{2}$
 10 $\frac{1}{2}$
 11 $\frac{1}{2}$
 12 $\frac{1}{2}$
 13 $\frac{1}{2}$
 14 $\frac{1}{2}$
 15 $\frac{1}{2}$
 16 $\frac{1}{2}$
 17 $\frac{1}{2}$
 18 $\frac{1}{2}$
 19 $\frac{1}{2}$
 20 $\frac{1}{2}$
 21 $\frac{1}{2}$
 22 $\frac{1}{2}$
 23 $\frac{1}{2}$
 24 $\frac{1}{2}$
 25 $\frac{1}{2}$
 26 $\frac{1}{2}$
 27 $\frac{1}{2}$
 28 $\frac{1}{2}$
 29 $\frac{1}{2}$
 30 $\frac{1}{2}$
 31 $\frac{1}{2}$
 32 $\frac{1}{2}$
 33 $\frac{1}{2}$
 34 $\frac{1}{2}$
 35 $\frac{1}{2}$
 36 $\frac{1}{2}$
 37 $\frac{1}{2}$
 38 $\frac{1}{2}$
 39 $\frac{1}{2}$
 40 $\frac{1}{2}$
 41 $\frac{1}{2}$
 42 $\frac{1}{2}$
 43 $\frac{1}{2}$
 44 $\frac{1}{2}$
 45 $\frac{1}{2}$
 46 $\frac{1}{2}$
 47 $\frac{1}{2}$
 48 $\frac{1}{2}$
 49 $\frac{1}{2}$
 50 $\frac{1}{2}$
 51 $\frac{1}{2}$
 52 $\frac{1}{2}$
 53 $\frac{1}{2}$
 54 $\frac{1}{2}$
 55 $\frac{1}{2}$
 56 $\frac{1}{2}$
 57 $\frac{1}{2}$
 58 $\frac{1}{2}$
 59 $\frac{1}{2}$
 60 $\frac{1}{2}$
 61 $\frac{1}{2}$
 62 $\frac{1}{2}$
 63 $\frac{1}{2}$
 64 $\frac{1}{2}$
 65 $\frac{1}{2}$
 66 $\frac{1}{2}$
 67 $\frac{1}{2}$
 68 $\frac{1}{2}$
 69 $\frac{1}{2}$
 70 $\frac{1}{2}$
 71 $\frac{1}{2}$
 72 $\frac{1}{2}$
 73 $\frac{1}{2}$
 74 $\frac{1}{2}$
 75 $\frac{1}{2}$
 76 $\frac{1}{2}$
 77 $\frac{1}{2}$
 78 $\frac{1}{2}$
 79 $\frac{1}{2}$
 80 $\frac{1}{2}$
 81 $\frac{1}{2}$
 82 $\frac{1}{2}$
 83 $\frac{1}{2}$
 84 $\frac{1}{2}$
 85 $\frac{1}{2}$
 86 $\frac{1}{2}$
 87 $\frac{1}{2}$
 88 $\frac{1}{2}$
 89 $\frac{1}{2}$
 90 $\frac{1}{2}$
 91 $\frac{1}{2}$
 92 $\frac{1}{2}$
 93 $\frac{1}{2}$
 94 $\frac{1}{2}$
 95 $\frac{1}{2}$
 96 $\frac{1}{2}$
 97 $\frac{1}{2}$
 98 $\frac{1}{2}$
 99 $\frac{1}{2}$

✓:  **"Cannot display this video mode"** 

Philips 22": 1680 x 1050, 60 Hz.

- 1, WindowsE Start (≈ Settings/Control Panel (Control Panel (Display (Settings (Settings ("desktop area" (1680 x 1050 (22") Advanced Properties (60 OK.
- 2, 3, 1680 x 1050@60.
- 3, Philips
- 4, .

✓: $\frac{1}{L} \sum_{l=1}^L \left(\frac{1}{N} \sum_{n=1}^N \ell(\theta_l^n) \right) \leq L?$

[illegible]

✓:

[illegible][illegible]

לכן נ-אלי להקטין את ϵ ונבחר δ כך שיהיה $\delta < \epsilon$. נניח שיש לנו δ כזה. נבחר x כך שיהיה $0 < |x - a| < \delta$. אז $|f(x) - f(a)| < \epsilon$.
 (הערות: ϵ נבחרה קודם לכן, δ נבחרה בהתאמה ל- ϵ).

✓: האם $\lim_{x \rightarrow a} f(x) = L$ כאשר $L = 0$?

[: נניח $\epsilon = 1$. אז $\delta = 1$. נבחר $x = 1$. אז $|f(x) - L| = |1 - 0| = 1 \geq \epsilon$. לכן $\lim_{x \rightarrow a} f(x) \neq 0$.

✓: האם $\lim_{x \rightarrow a} f(x) = L$ כאשר $L = 1$?

[: נניח $\epsilon = 0.5$. אז $\delta = 0.5$. נבחר $x = 1.5$. אז $|f(x) - L| = |1.5 - 1| = 0.5 \geq \epsilon$. לכן $\lim_{x \rightarrow a} f(x) \neq 1$.

אם $\lim_{x \rightarrow a} f(x) = L$ אז $f(a) = L$ (אם f מתאחד ב- a).

✓: האם $\lim_{x \rightarrow a} f(x) = L$ כאשר $L = 2$?

[: נניח $\epsilon = 0.5$. אז $\delta = 0.5$. נבחר $x = 1.5$. אז $|f(x) - L| = |1.5 - 2| = 0.5 \geq \epsilon$. לכן $\lim_{x \rightarrow a} f(x) \neq 2$.

✓: האם $\lim_{x \rightarrow a} f(x) = L$ כאשר $L = 3$?

[: נניח $\epsilon = 0.5$. אז $\delta = 0.5$. נבחר $x = 1.5$. אז $|f(x) - L| = |1.5 - 3| = 1.5 \geq \epsilon$. לכן $\lim_{x \rightarrow a} f(x) \neq 3$.

✓: האם $\lim_{x \rightarrow a} f(x) = L$ כאשר $L = 4$?

[: נניח $\epsilon = 0.5$. אז $\delta = 0.5$. נבחר $x = 1.5$. אז $|f(x) - L| = |1.5 - 4| = 2.5 \geq \epsilon$. לכן $\lim_{x \rightarrow a} f(x) \neq 4$.

✓: האם $\lim_{x \rightarrow a} f(x) = L$ כאשר $L = 5$?

[: נניח $\epsilon = 0.5$. אז $\delta = 0.5$. נבחר $x = 1.5$. אז $|f(x) - L| = |1.5 - 5| = 3.5 \geq \epsilon$. לכן $\lim_{x \rightarrow a} f(x) \neq 5$.

לפיכך, נקבע כי $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\mathcal{L}$ אינו ריק. נבחר $\alpha \in \mathcal{L}$.
 נגדיר $\mathcal{L}' = \{ \beta \in \mathcal{A} \mid \alpha \beta \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}'$. אז $\alpha \beta \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\alpha \beta \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \in \mathcal{L}'$.
 לכן $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נגדיר $\mathcal{L}'' = \{ \beta \in \mathcal{A} \mid \beta \alpha \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}''$. אז $\beta \alpha \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\beta \alpha \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \alpha \in \mathcal{L}$.
 לכן $\beta \gamma \in \mathcal{L}''$.
 לכן $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.

לפיכך, נקבע כי $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$.

✓: $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$?

נניח כי $\mathcal{L}$ אינו ריק. נבחר $\alpha \in \mathcal{L}$.
 נגדיר $\mathcal{L}' = \{ \beta \in \mathcal{A} \mid \alpha \beta \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}'$. אז $\alpha \beta \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\alpha \beta \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \in \mathcal{L}'$.
 לכן $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נגדיר $\mathcal{L}'' = \{ \beta \in \mathcal{A} \mid \beta \alpha \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}''$. אז $\beta \alpha \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\beta \alpha \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \alpha \in \mathcal{L}$.
 לכן $\beta \gamma \in \mathcal{L}''$.
 לכן $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.

$$\sqrt{r} \approx \sqrt{-\sum r \leq -\sum r \geq r} \mid r - \sum r \neq \mid$$

לפיכך, נקבע כי $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$.

✓: $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$?

נניח כי $\mathcal{L}$ אינו ריק. נבחר $\alpha \in \mathcal{L}$.
 נגדיר $\mathcal{L}' = \{ \beta \in \mathcal{A} \mid \alpha \beta \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}'$. אז $\alpha \beta \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\alpha \beta \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \in \mathcal{L}'$.
 לכן $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נגדיר $\mathcal{L}'' = \{ \beta \in \mathcal{A} \mid \beta \alpha \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}''$. אז $\beta \alpha \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\beta \alpha \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \alpha \in \mathcal{L}$.
 לכן $\beta \gamma \in \mathcal{L}''$.
 לכן $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.

✓: $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$?

נניח כי $\mathcal{L}$ אינו ריק. נבחר $\alpha \in \mathcal{L}$.
 נגדיר $\mathcal{L}' = \{ \beta \in \mathcal{A} \mid \alpha \beta \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}'$. אז $\alpha \beta \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\alpha \beta \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \in \mathcal{L}'$.
 לכן $\mathcal{L}'$ הוא תת-קבוצה של $\mathcal{A}$.
 נגדיר $\mathcal{L}'' = \{ \beta \in \mathcal{A} \mid \beta \alpha \in \mathcal{L} \}$.
 נראה כי $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.
 נניח כי $\beta \in \mathcal{L}''$. אז $\beta \alpha \in \mathcal{L}$.
 נבחר $\gamma \in \mathcal{A}$. אז $\beta \alpha \gamma \in \mathcal{L}$.
 מכאן $\beta \gamma \alpha \in \mathcal{L}$.
 לכן $\beta \gamma \in \mathcal{L}''$.
 לכן $\mathcal{L}''$ הוא תת-קבוצה של $\mathcal{A}$.

✓: $\mathcal{L}$ הוא תת-קבוצה של $\mathcal{A}$?

$\beta \leq \frac{1}{2}$ and $\beta \geq \frac{1}{2}$ are the two cases. In the first case, $\beta \leq \frac{1}{2}$, we have $\beta \leq \frac{1}{2}$ and $\beta \geq \frac{1}{2}$ are the two cases. In the second case, $\beta \geq \frac{1}{2}$, we have $\beta \geq \frac{1}{2}$ and $\beta \leq \frac{1}{2}$ are the two cases.

[illegible]

$$\sqrt{r} \approx \sqrt{-\sum_{r \leq r} \sum_{\Sigma} \{ \Sigma \geq \gamma \mid r - \Sigma r \neq \} =}$$

- TCO'03 Information
- Recycling Information for Customers
- Waste Electrical and Electronic Equipment- WEEE
- CE Declaration of Conformity
- Energy Star Declaration
- Federal Communications Commission (FCC) Notice (U. S. Only)
- FCC Declaration of Conformity
- Commission Federale de la Communication (FCC Declaration)
- EN 55022 Compliance (Czech Republic Only)
- MIC Notice (South Korea Only)
- Polish Center for Testing and Certification Notice
- North Europe (Nordic Countries) Information
- BSMI Notice (Taiwan Only) Ergonomie
- Hinweis (nur Deutschland) Philips End-of-Life Disposal
- Information for UK only
- China RoHS
- Safety Information

Regulatory Information

Model ID: 220SW8
Model No: HWS8220I

TCO'03 Information



Congratulations!

The display you have just purchased carries the TCO'03 Displays label. This means that your display is designed, manufactured and tested according to some of the strictest quality and environmental requirements in the world. This makes for a high performance product, designed with the user in focus that also minimizes the impact on our natural environment.

**Available for selective models*

Some of the features of the TCO'03 Display requirements.

Ergonomics

- Good visual ergonomics and image quality in order to improve the working environment for the user and to reduce sight and strain problems. Important parameters are luminance, contrast, resolution, reflectance, colour rendition and image stability.

Energy

- Energy-saving mode after a certain time-beneficial both for the user and the environment
- Electrical safety

Emissions

- Electromagnetic fields
- Noise emissions

Ecology

- The product must be prepared for recycling and the manufacturer must have a certified environmental management system such as EMAS or ISO 14 000
- Restrictions on
 - chlorinated and brominated flame retardants and polymers
 - heavy metals such as cadmium, mercury and lead.

The requirements included in this label have been developed by TCO Development in co-operation with scientists, experts, users as well as manufacturers all over the world. Since the end of the 1980s TCO has been involved in influencing the development of IT equipment in a more user-friendly direction. Our labelling system started with displays in 1992 and is now requested by users and IT-manufacturers all over the world.

For more information, please visit
www.tcodevelopment.com

- [Troubleshooting](#)
- [Other Related Information](#)
- [Frequently Asked Questions \(FAQs\)](#)

[RETURN TO TOP OF THE PAGE](#)

Recycling Information for Customers

Philips establishes technically and economically viable objectives to optimize the environmental performance of the organization's product, service and activities.

From the planning, design and production stages, Philips emphasizes the important of making products that can easily be recycled. At Philips, end-of-life management primarily entails participation in national take-back initiatives and recycling programs whenever possible, preferably in cooperation with competitors.

There is currently a system of recycling up and running in the European countries, such as The Netherlands, Belgium, Norway, Sweden and Denmark.

In U.S.A., Philips Consumer Electronics North America has contributed funds for the Electronic Industries Alliance (EIA) Electronics Recycling Project and state recycling initiatives for end-of-life electronics products from household sources. In addition, the Northeast Recycling Council (NERC) - a multi-state non-profit organization focused on promoting recycling market development - plans to implement a recycling program.

In Asia Pacific, Taiwan, the products can be taken back by Environment Protection Administration (EPA) to follow the IT product recycling management process, detail can be found in web site www.epa.gov.tw

The monitor contains parts that could cause damage to the nature environment. Therefore, it is vital that the monitor is recycled at the end of its life cycle.

For help and service, please contact [Consumers Information Center](#) or [F1rst Choice Contact Information Center](#) in each country or the following team of Environmental specialist can help.

Mr. WY Chen- Environment manager
Philips Multimedia Flat Display
E-mail: w.y.chen@philips.com
Tel: +886 (0) 3 222 6791

Mr. Maarten ten Houten - Senior Environmental Consultant
Philips Consumer Electronics
E-mail: marten.ten.houten@philips.com
Tel: +31 (0) 40 27 33402

Mr. Delmer F. Teglás
Philips Consumer Electronics North America
E-mail: butch.teglas@philips.com
Tel: +1 865 521 4322

[RETURN TO TOP OF THE PAGE](#)

Waste Electrical and Electronic Equipment-WEEE

Attention users in European Union private households



This marking on the product or on its packaging illustrates that, under European Directive 2002/96/EG governing used electrical and electronic appliances, this product may not be disposed of with normal household waste. You are responsible for disposal of this equipment through a designated waste electrical and electronic equipment collection. To determine the locations for dropping off such waste electrical and electronic, contact your local government office, the waste disposal organization that serves your household or the store at which you purchased the product.

Attention users in United States:

Like all LCD products, this set contains a lamp with Mercury. Please dispose of according to all Local, State and Federal laws. For the disposal or recycling information, contact www.mygreenelectronics.com or www.eiae.org.

[RETURN TO TOP OF THE PAGE](#)

CE Declaration of Conformity

Philips Consumer Electronics declare under our responsibility that the product is in conformity with the following standards

- EN60950-1:2001 (Safety requirement of Information Technology Equipment)
- EN55022:1998 (Radio Disturbance requirement of Information Technology Equipment)
- EN55024:1998 (Immunity requirement of Information Technology Equipment)
- EN61000-3-2:2000 (Limits for Harmonic Current Emission)
- EN61000-3-3:1995 (Limitation of Voltage Fluctuation and Flicker)

following provisions of directives applicable

- 73/23/EEC (Low Voltage Directive)
- 89/336/EEC (EMC Directive)
- 93/68/EEC (Amendment of EMC and Low Voltage Directive)

and is produced by a manufacturing organization on ISO9000 level.

The product also comply with the following standards

- ISO9241-3, ISO9241-7, ISO9241-8 (Ergonomic requirement for CRT Monitor)
- ISO13406-2 (Ergonomic requirement for Flat Panel Display)
- GS EK1-2000 (GS specification)
- prEN50279:1998 (Low Frequency Electric and Magnetic fields for Visual Display)
- MPR-II (MPR:1990:8/1990:10 Low Frequency Electric and Magnetic fields)
- TCO'99, TCO'03 (Requirement for Environment Labelling of Ergonomics, Energy, Ecology and Emission, TCO: Swedish Confederation of Professional Employees) for TCO versions

[RETURN TO TOP OF THE PAGE](#)

Energy Star Declaration

This monitor is equipped with a function for saving energy which supports the VESA Display Power Management Signaling (DPMS) standard. This means that the monitor must be connected to a computer which supports VESA DPMS. Time settings are adjusted from the system unit by software.

	VESA State	LED Indicator	Power Consumption
Normal operation	ON (Active)	Green	< 45W (typ.)
Power Saving Alternative 2 One step	OFF (Sleep)	Amber	< 1 W
	Switch Off	Off	< 1 W



As an ENERGY STAR[®] Partner, PHILIPS has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency.



We recommend you switch off the monitor when it is not in use for a long time.

[RETURN TO TOP OF THE PAGE](#)

Federal Communications Commission (FCC) Notice (U.S. Only)



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Use only RF shielded cable that was supplied with the monitor when connecting this monitor to a computer device.

To prevent damage which may result in fire or shock hazard, do not expose this appliance to rain or excessive moisture.


THIS CLASS B DIGITAL APPARATUS MEETS ALL REQUIREMENTS OF THE CANADIAN INTERFERENCE-CAUSING EQUIPMENT REGULATIONS.

[RETURN TO TOP OF THE PAGE](#)

FCC Declaration of Conformity

Trade Name: Philips
 Philips Consumer Electronics North America
 P.O. Box 671539
 Responsible Party: Marietta, GA 30006-0026
 1-888-PHILIPS (744-5477)

Declaration of Conformity for Products Marked with FCC Logo,
 United States Only



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

[RETURN TO TOP OF THE PAGE](#)

Commission Federale de la Communication (FCC Declaration)



Cet équipement a été testé et déclaré conforme aux limites des appareils numériques de classe B, aux termes de l'article 15 Des règles de la FCC. Ces limites sont conçues de façon à fournir une protection raisonnable contre les interférences nuisibles dans le cadre d'une installation résidentielle. CET appareil produit, utilise et peut émettre des hyperfréquences qui, si l'appareil n'est pas installé et utilisé selon les consignes données, peuvent causer des interférences nuisibles aux communications radio. Cependant, rien ne peut garantir l'absence d'interférences dans le cadre d'une installation particulière. Si cet appareil est la cause d'interférences nuisibles pour la réception des signaux de radio ou de télévision, ce qui peut être dû à ce en fermant l'équipement, puis en le remettant en fonction, l'utilisateur pourrait essayer de corriger la situation en prenant les mesures suivantes:

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la distance entre l'équipement et le récepteur.
- Brancher l'équipement sur un autre circuit que celui utilisé par le récepteur.
- Demander l'aide du marchand ou d'un technicien chevronné en radio/télévision.



Toutes modifications n'ayant pas reçu l'approbation des services compétents en matière de conformité est susceptible d'interdire à l'utilisateur l'usage de l'équipement.

N'utiliser que des câbles RF armés pour les connections avec des ordinateurs ou périphériques.

CET APPAREIL NUMERIQUE DE LA CLASSE B RESPECTE TOUTES LES EXIGENCES DU

REGLEMENT SUR LE MATERIEL BROUILLEUR DU CANADA.

[RETURN TO TOP OF THE PAGE](#)**EN 55022 Compliance (Czech Republic Only)**

This device belongs to category B devices as described in EN 55022, unless it is specifically stated that it is a Class A device on the specification label. The following applies to devices in Class A of EN 55022 (radius of protection up to 30 meters). The user of the device is obliged to take all steps necessary to remove sources of interference to telecommunication or other devices.

Pokud není na typovém štítku počítače uvedeno, že spadá do třídy A podle EN 55022, spadá automaticky do třídy B podle EN 55022. Pro zařízení zařazená do třídy A (chranné pásmo 30m) podle EN 55022 platí následující. Dojde-li k rušení telekomunikačních nebo jiných zařízení je uživatel povinen provést taková opatření, aby rušení odstranil.

[RETURN TO TOP OF THE PAGE](#)**MIC Notice (South Korea Only)**

Class B Device

장치 종류	사용자 안내문
B급 기기	이 장치는 가정용으로 전자파 적합등록을 한 장치로서 주거지역에서는 물론 모든 지역에서 사용할 수 있습니다.



Please note that this device has been approved for non-business purposes and may be used in any environment, including residential areas.

[RETURN TO TOP OF THE PAGE](#)**Polish Center for Testing and Certification Notice**

The equipment should draw power from a socket with an attached protection circuit (a three-prong socket). All equipment that works together (computer, monitor, printer, and so on) should have the same power supply source.

The phasing conductor of the room's electrical installation should have a reserve short-circuit protection device in the form of a fuse with a nominal value no larger than 16 amperes (A).

To completely switch off the equipment, the power supply cable must be removed from the power supply socket, which should be located near the equipment and easily accessible.

A protection mark "B" confirms that the equipment is in compliance with the protection usage requirements of standards PN-93/T-42107 and PN-89/E-06251.

Wymagania Polskiego Centrum Badań i Certyfikacji

Urządzenie powinno być zasilane z gniazda z przyłączonym obwodem ochronnym (gniazdo z kołkiem). Współpracujące ze sobą urządzenia (komputer, monitor, drukarka) powinny być zasilane z tego samego źródła.

Instalacja elektryczna pomieszczenia powinna zawierać w przewodzie fazowym rezerwową ochronę przed zwarciami, w postaci bezpiecznika o wartości znamionowej nie większej niż 16A (amperów).

W celu całkowitego wyłączenia urządzenia z sieci zasilania, należy wyjąć wtyczkę kabla zasilającego z gniazdka, które powinno znajdować się w pobliżu urządzenia i być łatwo dostępne.

Znak bezpieczeństwa "B" potwierdza zgodność urządzenia z wymaganiami bezpieczeństwa użytkowania zawartymi w PN-93/T-42107 i PN-89/E-06251.

Pozostałe instrukcje bezpieczeństwa

- Nie należy używać wtyczek adapterowych lub usuwać kołka obwodu ochronnego z wtyczki. Jeżeli konieczne jest użycie przedłużacza to należy użyć przedłużacza 3-żyłowego z prawidłowo połączonym przewodem ochronnym.
- System komputerowy należy zabezpieczyć przed nagłymi, chwilowymi wzrostami lub spadkami napięcia, używając eliminatora przepięć, urządzenia dopasowującego lub bezzakłócenowego źródła zasilania.
- Należy upewnić się, aby nie leżało na kablach systemu komputerowego, oraz aby kable nie były umieszczone w miejscu, gdzie można byłoby na nie nadeptywać lub potykać się o nie.
- Nie należy rozlewać napojów ani innych płynów na system komputerowy.
- Nie należy wpychać żadnych przedmiotów do otworów systemu komputerowego, gdyż może to spowodować pożar lub porażenie prądem, poprzez zwarcie elementów wewnętrznych.
- System komputerowy powinien znajdować się z dala od grzejników i źródeł ciepła. Ponadto, nie należy blokować otworów wentylacyjnych. Należy unikać kładzenia luźnych papierów pod komputer oraz umieszczania komputera w ciasnym miejscu bez możliwości cyrkulacji powietrza wokół niego.

[RETURN TO TOP OF THE PAGE](#)

North Europe (Nordic Countries) Information

Placering/Ventilation

VARNING:

F! RS; KRA DIG OM ATT HUVUDBRYTARE OCH UTTAG ; R L; TTKOMLIGA, N; R DU ST; LLER DIN UTRUSTNING PPLATS.

Placering/Ventilation

ADVARSEL:

SÑRG VED PLACERINGEN FOR, AT NETLEDNINGENS STIK OG STIKKONTAKT ER NEMT TILGØ NGELIGE.

Paikka/Ilmankierto

VAROITUS:

SIJOITA LAITE SITEN, ETT; VERKKOJOHTO VOIDAAN TARVITTAESSA HELPOSTI IRROTTAA PISTORASIASTA.

Plassering/Ventilasjon

ADVARSEL:

NØR DETTE UTSTYRET PLASSERES, MØ DU PASSE PØ AT KONTAKTENE FOR STØMTILFØRSEL ER LETTE Ø NØ.

[RETURN TO TOP OF THE PAGE](#)

BSMI Notice (Taiwan Only)

符合乙類資訊產品之標準

[RETURN TO TOP OF THE PAGE](#)

Ergonomie Hinweis (nur Deutschland)

Der von uns gelieferte Farbmonitor entspricht den in der "Verordnung Über den Schutz vor Schöden durch Röntgenstrahlen" festgelegten Vorschriften.

Auf der Rückwand des Gerätes befindet sich ein Aufkleber, der auf die Unbedenklichkeit der Inbetriebnahme hinweist, da die Vorschriften Über die Bauart von Strahlern nach Anlage III 5 Abs. 4 der Röntgenverordnung erfüllt sind.

Damit Ihr Monitor immer den in der Zulassung geforderten Werten entspricht, ist darauf zu achten, daß

1. Reparaturen nur durch Fachpersonal durchgeführt werden.
2. nur original-Ersatzteile verwendet werden.
3. bei Ersatz der Bildröhre nur eine bauartgleiche eingebaut wird.

Aus ergonomischen Gründen wird empfohlen, die Grundfarben Blau und Rot nicht auf dunklem Untergrund zu verwenden (schlechte Lesbarkeit und erhöhte Augenbelastung bei zu geringem Zeichenkontrast wären die Folge).

Der arbeitsplatzbezogene Schalldruckpegel nach DIN 45 635 beträgt 70dB (A) oder weniger.



ACHTUNG: BEIM AUFSTELLEN DIESES GERÄTES DARAUF ACHTEN, DAß NETZSTECKER UND NETZKABELANSCHLUß LEICHT ZUGÄNGLICH SIND.

[RETURN TO TOP OF THE PAGE](#)

End-of-Life Disposal

Your new monitor contains materials that can be recycled and reused. Specialized companies can

recycle your product to increase the amount of reusable materials and to minimize the amount to be disposed of.

Please find out about the local regulations on how to dispose of your old monitor from your local Philips dealer.

(For customers in Canada and U.S.A.)

This product may contain lead and/or mercury. Dispose of in accordance to local-state and federal regulations.

For additional information on recycling contact www.eia.org (Consumer Education Initiative)

[RETURN TO TOP OF THE PAGE](#)


Information for UK only

WARNING - THIS APPLIANCE MUST BE GROUNDING.

Important:

This apparatus is supplied with an approved moulded 13A plug. To change a fuse in this type of plug proceed as follows:

1. Remove fuse cover and fuse.
2. Fit new fuse which should be a BS 1362 5A, A.S.T.A. or BSI approved type.
3. Refit the fuse cover.



If the fitted plug is not suitable for your socket outlets, it should be cut off and an appropriate 3-pin plug fitted in its place.

If the mains plug contains a fuse, this should have a value of 5A. If a plug without a fuse is used, the fuse at the distribution board should not be greater than 5A.

Note: The severed plug must be destroyed to avoid a possible shock hazard should it be inserted into a 13A socket elsewhere.


How to connect a plug

The wires in the mains lead are coloured in accordance with the following code:

BLUE - "NEUTRAL" ("N")

BROWN - "LIVE" ("L")

GREEN & YELLOW - "GROUND" ("G")



1. The GREEN AND YELLOW wire must be connected to the terminal in the plug which is marked with the letter "G" or by the Ground symbol  or coloured GREEN or GREEN AND YELLOW.
2. The BLUE wire must be connected to the terminal which is marked with the letter "N" or coloured BLACK.
3. The BROWN wire must be connected to the terminal which marked with the letter "L" or coloured RED.

Before replacing the plug cover, make certain that the cord grip is clamped over the sheath of the lead - not simply over the three wires.

[RETURN TO TOP OF THE PAGE](#)

China RoHS

The People's Republic of China released a regulation called "Management Methods for Controlling Pollution by Electronic Information Products" or commonly referred to as China RoHS. All products including CRT and LCD monitor which are produced and sold for China market have to meet China RoHS request.

中国大陆RoHS

根据中国大陆《电子信息产品污染控制管理办法》（也称为中国大陆RoHS），以下部分列出了本产品中可能包含的有毒有害物质或元素的名称和含量

本表适用之产品

显示器（液晶及CRT）

有毒有害物质或元素

部件名称	有毒有害物质或元素					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6+)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
外壳	○	○	○	○	○	○
CRT显示屏	×	○	○	○	○	○
液晶显示屏/灯管	×	×	○	○	○	○
电路板组件*	×	○	○	○	○	○
电源适配器	×	○	○	○	○	○
电源线/连接线	×	○	○	○	○	○
*：电路板组件包括印刷电路板及其构成的零部件，如电阻、电容、集成电路、连接器等 ○：表示该有毒有害物质在该部件所有均质材料中的含量均在 《电子信息产品中有毒有害物质的限量要求标准》规定的限量要求以下 ×：表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 《电子信息产品中有毒有害物质的限量要求标准》规定的限量要求；但是上表中打“×”的部件， 符合欧盟RoHS法规要求（属于豁免的部分）						

[RETURN TO TOP OF THE PAGE](#)

Safety Information: Electric, Magnetic and Electromagnetic Fields ("EMF")

1. Philips Royal Electronics manufactures and sells many products targeted at consumers, which, like any electronic apparatus, in general have the ability to emit and receive electro magnetic signals.
2. One of Philips' leading Business Principles is to take all necessary health and safety measures for our products, to comply with all applicable legal requirements and to stay well within the EMF standards applicable at the time of producing the products.
3. Philips is committed to develop, produce and market products that cause no adverse health effects.
4. Philips confirms that if its products are handled properly for their intended use, they are safe to use according to scientific evidence available today.
5. Philips plays an active role in the development of international EMF and safety standards, enabling Philips to anticipate further developments in standardization for early integration in its products.

[RETURN TO TOP OF THE PAGE](#)

[illegible]

Philips

— 11 —

- [illegible]

$$\forall f \approx \forall - \exists \quad r \leq r \quad \neg \exists \quad | \quad \neg \exists \quad r \neq \vdash =$$

התאחדות המורים והתנועה הלאומית

התאמה בין המידע המודפס לבין המידע המוצג על המסך. אם המידע אינו תואם, יש להתייעץ עם ספק המכשיר.



⚡⚠️: יש להיזהר מפני פגיעה חשמלית. יש להימנע מלעבור על המכשיר או על חלקיו, ויש להימנע מלחבר או להפריד את המכשיר מהרשת החשמלית.



🔥⚠️: יש להיזהר מפני שריפת. יש להימנע מלעבור על המכשיר או על חלקיו, ויש להימנע מלחבר או להפריד את המכשיר מהרשת החשמלית.



⚠️: יש להיזהר מפני פגיעה חשמלית. יש להימנע מלעבור על המכשיר או על חלקיו, ויש להימנע מלחבר או להפריד את המכשיר מהרשת החשמלית.

המידע המודפס אינו מהווה חלק מהמכשיר. המידע המוצג על המסך הוא המידע המעודכן ביותר. יש להימנע מלעבור על המכשיר או על חלקיו, ויש להימנע מלחבר או להפריד את המכשיר מהרשת החשמלית.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \leq r - \sum_{i=1}^n r_i \mid r - \sum_{i=1}^n r_i \neq 0$$

©2007 Koninklijke Philips Electronics N.V.

המידע המודפס אינו מהווה חלק מהמכשיר. המידע המוצג על המסך הוא המידע המעודכן ביותר. יש להימנע מלעבור על המכשיר או על חלקיו, ויש להימנע מלחבר או להפריד את המכשיר מהרשת החשמלית. Philips Electronics N.V.

* ማሳሰቢያ፡ ለሁሉም የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

$$\sqrt{f} \approx \sqrt{f - \sum r \leq r - \sum \sum \geq r} \mid r - \sum r \neq \mid =$$

የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

A. ለሁሉም የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

- For 220SW8

1680 x 1050 ሽያጭ 60 ሰከንድ (የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡)

1680 x 1050 ሽያጭ 60 ሰከንድ (የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡)

B. ለሁሉም የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

- ለሁሉም 220SW8

1680 x 1050 ሽያጭ 60 ሰከንድ (የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡)

17 - ለሁሉም የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

የሽያጭ ዓመታት (ሰከንድ)	የሽያጭ ዓመታት (ሰከንድ)	የሽያጭ ዓመታት (ሰከንድ)
31.469	720*400	70.087
31.469	640*480	59.940
35.000	640*480	67.000
37.500	640*480	75.000
35.156	800*600	56.250
37.879	800*600	60.317
46.875	800*600	75.000
48.363	1024*768	60.004
60.023	1024*768	75.029
63.981	1280*1024	60.020
79.976	1280*1024	75.025
55.469	1440*900	59.901
55.935	1440*900	59.887
70.635	1440*900	74.984
66.587	1920*1080	60.000
65.29	1680*1050	60.000
64.674	1680*1050	60.000


$$\sqrt{f} \approx \sqrt{f - \sum r \leq r - \sum \sum \geq r} \mid r - \sum r \neq \mid =$$

የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡ VESA DPMS, የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

የሚገኙት የሽያጭ ዓመታት የሚገኙት የሽያጭ ዓመታት ናቸው፡፡

4 17



$\sqrt{|\approx \sqrt{-\Sigma \Gamma \leq \Gamma - \Sigma \Gamma \Sigma \geq \Gamma} \mid \Gamma - \Sigma \Gamma \neq \mid} =$





1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



50 30

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

| | |
|---------------------------|---------------------------|
| $\Delta \leq \sqrt{0.25}$ | $\Delta \leq \sqrt{0.25}$ |
| $\Delta \leq \sqrt{0.25}$ | 220SW8 |
| 1 | 3 |

SmartManage SmartControl II (Philips SmartManage SmartControl II)

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

Philips SmartManage SmartControl II

SmartManage SmartControl II (Philips SmartManage SmartControl II)



Philips SmartManage SmartControl II

Philips SmartManage SmartControl II (Philips SmartManage SmartControl II) is a software solution for managing Philips SmartManage SmartControl II devices. It is designed to be used by Philips SmartManage SmartControl II administrators (Philips SmartManage SmartControl II Administrator) and Philips SmartManage SmartControl II agents (Philips SmartManage SmartControl II Agent). The software is available in two versions: Philips SmartManage SmartControl II (Philips SmartManage SmartControl II) and Philips SmartManage SmartControl II Lite (Philips SmartManage SmartControl II Lite). Philips SmartManage SmartControl II Lite is a simplified version of the software that is designed for use by Philips SmartManage SmartControl II Lite administrators (Philips SmartManage SmartControl II Lite Administrator) and Philips SmartManage SmartControl II Lite agents (Philips SmartManage SmartControl II Lite Agent).


Philips SmartManage SmartControl II (Philips SmartManage SmartControl II) is a software solution for managing Philips SmartManage SmartControl II devices. It is designed to be used by Philips SmartManage SmartControl II administrators (Philips SmartManage SmartControl II Administrator) and Philips SmartManage SmartControl II agents (Philips SmartManage SmartControl II Agent). The software is available in two versions: Philips SmartManage SmartControl II (Philips SmartManage SmartControl II) and Philips SmartManage SmartControl II Lite (Philips SmartManage SmartControl II Lite). Philips SmartManage SmartControl II Lite is a simplified version of the software that is designed for use by Philips SmartManage SmartControl II Lite administrators (Philips SmartManage SmartControl II Lite Administrator) and Philips SmartManage SmartControl II Lite agents (Philips SmartManage SmartControl II Lite Agent).

| Функциями и Компонентами
Управление | SmartManage
Компьютер и Монитор | SmartManage Lite
Монитор |
|---|--|--|
| Пять основных функций SmartManage | | |
| Управление безопасностью | ●
SmartManage указывает перемещение с назначенного места расположения посредством предупреждающего сообщения соответствующему менеджеру либо на e-mail аккаунт. Также удаление монитора из Сети приведет к отправке сообщения на экран и отключению питания через 10 минут. | ●(Версия Lite)
IT-менеджер может проверить список для определения отсутствия дисплея. Подходит для малых и средних компаний. Также предусматривается опция защиты от некорректных действий – изображение невозможно без ввода корректного PIN-кода. |
| Управление энергосбережением | ●
Дистанционное отключение неиспользуемого дисплея | ●
Дистанционное отключение неиспользуемого дисплея |
| Дистанционное управление работой – Производительность и параметры | ●
Дистанционная регулировка либо сброс параметров дисплея | ●
Дистанционная регулировка либо сброс параметров дисплея |
| Управление контролем имущества | ●
Полная сортировка и отчет по данным для IT-менеджера, в частности, представление данных о серийных номерах, разрешении, названии модели, часам функционирования, информации об имуществе, размещении, подразделении и пр. | ●(Версия Lite)
Компактная информация, в частности, представление данных о серийных номерах, разрешении, названии модели, часам функционирования. |
| Мгновенная поддержка | ●
SMS либо мгновенное сообщение для индивидуальных пользователей или общественного вещания | ●(Версия Lite)
Общественное вещание |

SmartManage

Philips SmartManage

- 1, /
- 0,
- 1, SmartManage
- 2, ✓



<http://www.altiris.com/philips>

SmartManage Lite

<http://www.portrait.com/dtune/phl/enu/index.html>



SmartManage ñ  SmartManage 

— Philips SmartManage — Philips — Altiris Inc.

— Philips SmartControl II SmartManage Lite Philips Portrait Display, Inc.

Philips SmartControl II

SmartControl II ã RGB, SmartControl II SmartManage, SmartManage Lite, éSmartManageê éSmartManage Liteê . (| .


/, | ||| ||| ||| ||| : 2000, XP, NT 4.0, XP 64 Edition, Vista 32/64. IE Support 6.0/7.0.

[illegible]

1,  Philips,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC,  DCC, DCC

7. 7. 7. 7. 7.

1. $\int_0^1 \frac{1}{x^2} dx = \lim_{\epsilon \rightarrow 0^+} \int_{\epsilon}^1 \frac{1}{x^2} dx = \lim_{\epsilon \rightarrow 0^+} \left[-\frac{1}{x} \right]_{\epsilon}^1 = \lim_{\epsilon \rightarrow 0^+} \left(-1 + \frac{1}{\epsilon} \right) = \infty$




2. |הרשאות לשימוש ב- SmartControl II. |הרשאות לשימוש ב- SmartControl II.

- |הרשאות לשימוש ב- SmartControl II. |הרשאות לשימוש ב- SmartControl II.
- ≤|הרשאות לשימוש ב- SmartControl II. |הרשאות לשימוש ב- SmartControl II.



SmartControl II
Installer.exe



< Back

Next >


Exit Setup

4. $\int \frac{1}{x^2} dx = -\frac{1}{x} + C$. $\int \frac{1}{x^3} dx = -\frac{1}{2x^2} + C$

- $\int \frac{1}{x^2} dx = -\frac{1}{x} + C$
- $\int \frac{1}{x^3} dx = -\frac{1}{2x^2} + C$
- $\int \frac{1}{x^4} dx = -\frac{1}{3x^3} + C$




SmartControl II
Installer.exe





SmartControl II
Installer.exe



PHILIPS








SmartControl II


2007 Royal Philips Electronics
 Powered by Portrait
 Portions utilize Microsoft Windows Media Technologies.
 Copyright 1998-2002 Microsoft Corporation.
 All Rights Reserved.
 Copyright of Suppliers Acknowledged.

התוכנית מיושמת על ידי התוכנית

1. התוכנית מיושמת על ידי התוכנית

- התוכנית מיושמת על ידי התוכנית SmartControl II והתוכנית מיושמת על ידי התוכנית.
- התוכנית מיושמת על ידי התוכנית והתוכנית מיושמת על ידי התוכנית.
- התוכנית מיושמת על ידי התוכנית והתוכנית מיושמת על ידי התוכנית éPlug-inê (התוכנית מיושמת על ידי התוכנית).
- התוכנית מיושמת על ידי התוכנית והתוכנית מיושמת על ידי התוכנית éStandardê (התוכנית מיושמת על ידי התוכנית).

| | |
|--|--|
|  |  |
| Resolution () | Resolution () |
| Focus () | Contrast () |
| Brightness () | Brightness () |
| Contrast () | White Point (Color Temp) () |
| Position () | File () |
| White Point (Color Temp) () | |
| File () | |




2.  

△  **éAdjustê** ()

- √ = Adjust (Brightness) = Brightness (Brightness), Contrast (Contrast), Focus (Focus), Position (Position), Resolution (Resolution).
- | = Cancel (Cancel).
- ≤ = Cancel (Cancel).



| Adjust (Brightness) | Brightness (Brightness) | Brightness (Brightness) | Brightness (Brightness) |
|---------------------|---|---|---|
| Adjust (Brightness) | Contrast (Contrast) | Contrast (Contrast) | Contrast (Contrast) |
| Adjust (Brightness) | Focus (Clock & Clock Phase) (Focus (Clock & Clock Phase)) | Focus (Clock & Clock Phase) (Focus (Clock & Clock Phase)) | Focus (Clock & Clock Phase) (Focus (Clock & Clock Phase)) |
| Adjust (Brightness) | Position (Position) | Position (Position) | Position (Position) |
| Adjust (Brightness) | Resolution (Resolution) | Resolution (Resolution) | Resolution (Resolution) |



éColorê ().


- √ éColorê () éRGBê (), éBlack Levelê (), éWhite Pointê (), éColor Calibrationê () éSmartImageê ().
- | .
- | .

| Color () | RGB () | | |
|-----------|-----------------------|--|--|
| Color () | Black Level () | | |
| Color () | White Point () | | |
| Color () | Color Calibration () | | |
| Color () | Viewing Mode () | | |



- djic8---Nz-N]Rp_lqj_rcDjic-A7-0..5-/0-A7..143.+Ogqb_+Nfjgnq+02.QU6+AB+gIqrpsargmIq-BRN-PSQQ?L-00.QU6-npmb sar-QK?PR,FRK &/3 md 01'/0-03-0..5 1/30/33 NK

djic8---Nz-N]Rp_lqj_rcDjic-A7-0..5-/0-A7..143.+Ogqb_+Nfjgnq+02.QU6+AB+gIqrpsargmIq-BRN-PSQQ?L-00.QU6-npmb sar-QK?PR,FRK &/3 md 01'/0-03-0..5 1/30/33 NK






לכל המידע הנדרש, אנא פנה למרכז השרות הטכני של חברת פיליפס. למידע נוסף, אנא פנה למרכז השרות הטכני של חברת פיליפס.

⚠️ **éHelpê (| רפודד |)**

- ✓ ב **éHelpê (| רפודד |)** תוכלו לקבל מידע על:
 - éManualê** (—|רפודד|), **éUpdateê** (| רפודד |), **éIDê** (≠ |רפודד|), **éSystem IDê** (≠ |רפודד|).
- | רפודד | **éTech. Supportê** (| רפודד |) תוכלו לקבל מידע על:
 - Supportê** (| רפודד |) תוכלו לקבל מידע על: **Philips** ו-**√** רפודד.
- נדרש להיכנס לחשבון של חברת פיליפס כדי להשתמש ב-**éHelpê**.

למידע נוסף, אנא פנה למרכז השרות הטכני של חברת פיליפס. למידע נוסף, אנא פנה למרכז השרות הטכני של חברת פיליפס.

| רפודד | רפודד | רפודד | רפודד |
|---------------------|---------------------------|-------|-------|
| Help
(רפודד) | User Manual
(— רפודד) | רפודד | רפודד |
| Help
(רפודד) | Update
(רפודד) | רפודד | רפודד |
| Help
(רפודד) | Display ID
(≠ רפודד) | רפודד | רפודד |
| Help
(רפודד) | System ID
(≠ רפודד) | רפודד | רפודד |
| Help
(רפודד) | Version (√ רפודד) | רפודד | רפודד |



The following information is automatically generated to help our Technical Support representatives serve you better. . .

System Information: +

General Info +

Build: R2004-03-04-2146-47 -

Date: 3-18-2004 +

Version: 1.00 +

User Language: ENU +

Install Language: ENU +

Operating System: Microsoft Windows XP +

Resolution: 1280x1024 +

IE Version: 6.0.2800.1106 +

Support ID: BBAC08B4-AF83-4776-A3A0-B76A1E5D939A +

Device Description: Matrox Millennium G400 DualHead Max +

Native Driver: Matrox Millennium G400 DualHead Max +

Native Date: 6-6-2001 +













Installed Driver: mpfb_g400d +

Monitor #1 +

Company Id: Philips +



EDID Desc: 1908 +

EDID PNP: xxxxx +

- | | | | |
|--|--|--|---|
|  |  |  |  |
| Plug Ins
 | PIP (≤)  |  |  |
| Plug Ins
 | Zoning
 |  |  |
| Plug Ins
 | Asset Management
 |  |  |
| Plug Ins
 | Theft Deterrence
 |  |  |
| Plug Ins
 | Wizard
 |  |  |



éPIPê (≤_q 1), éZoningê (≈_q 1), éAsset Managementê (≈_q 1), éTheft Deterrenceê (≈_q 1).



Enter PIN to enable Theft Deterrence: PIN- 1234567890



$$\sqrt{A \cdot B} = \sqrt{A} \cdot \sqrt{B}$$

✓ 1. SmartManage SmartControl?

SmartManage ñ

SmartControl ñ 

$\sqrt{\| \mathbf{A} - \mathbf{B} \|_F} \leq \sqrt{\| \mathbf{A} - \mathbf{C} \|_F} + \sqrt{\| \mathbf{C} - \mathbf{B} \|_F}$ (SmartControl = $\mathbf{C}$)

SmartControl. SmartControl

3. SmartControl

- $\frac{1}{2} \frac{d}{dt} \left(\frac{1}{2} m v^2 \right) = \frac{1}{2} m v \frac{dv}{dt}$;
- $\frac{1}{2} m v \frac{dv}{dt} = \frac{1}{2} m v \frac{dv}{dt}$;
- $\frac{1}{2} m v \frac{dv}{dt} = \frac{1}{2} m v \frac{dv}{dt}$;
- $\frac{1}{2} m v \frac{dv}{dt} = \frac{1}{2} m v \frac{dv}{dt}$ Windows Update
- $\frac{1}{2} m v \frac{dv}{dt} = \frac{1}{2} m v \frac{dv}{dt}$ Windows

SmartControl. Plug and Play.

✓ **התורה 5.** תן דף לדף ודע מהו "Product Information" (≠ כללית אלא מידע על המוצר) והוא חלק מהמידע הכללי על המוצר?

התאם את המערכת שלך לפרמטרים המומלצים של DDC/CI. SmartControl.



✓ **7.** SmartImage vs SmartControl, sRGB vs Adobe RGB?

The diagram illustrates the proposed architecture. It starts with two input images on the left. These are processed by a series of blocks, including a 'SmartImage' block and an 'sRGB' block. The final output is a pair of images labeled 'sRGB' on the right. The architecture is designed to handle different input types and produce high-quality sRGB outputs.


SmartImage

$$\leq r - \sum_i \sum_j \gamma_i \mid \neg \sum_i r \neq \vdash =$$

1. **Power**
 2. **Menu**
 3. **Up/Down**
 4. **Brightness**
 5. **Input**
 6. **Auto**
 7. **SmartImage**

Philips LCD Monitor

Philips LCD Monitor




- Power**
- MENU / OK**
- Up/Down**
- Brightness**
- Input**
- AUTO /**
- SmartImage**

$$\sqrt{f} \approx \sqrt{-\Sigma f} \leq r \Sigma f \Sigma \geq r \mid r \Sigma r \neq \mid =$$

Philips LCD Monitor

(f1, ..., f8, 7, ..., 8, 5)



*

2) $\int \frac{1}{x^2} dx = -\frac{1}{x} + C$

- [illegible]

$$\sqrt{\cdot} \approx \sqrt{-\sum \Gamma \leq -\sum \mid \sum \geq \gamma \mid \mid \Gamma - \sum \Gamma \neq \mid} =$$



VESA

VESA


VESA

- VESA

2, 4, 6, 8, 10, 12, 16, 20, 24, 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, 68, 72, 76, 80, 84, 88, 92, 96, 100, 104, 108, 112, 116, 120, 124, 128, 132, 136, 140, 144, 148, 152, 156, 160, 164, 168, 172, 176, 180, 184, 188, 192, 196, 200, 204, 208, 212, 216, 220, 224, 228, 232, 236, 240, 244, 248, 252, 256, 260, 264, 268, 272, 276, 280, 284, 288, 292, 296, 300, 304, 308, 312, 316, 320, 324, 328, 332, 336, 340, 344, 348, 352, 356, 360, 364, 368, 372, 376, 380, 384, 388, 392, 396, 400, 404, 408, 412, 416, 420, 424, 428, 432, 436, 440, 444, 448, 452, 456, 460, 464, 468, 472, 476, 480, 484, 488, 492, 496, 500, 504, 508, 512, 516, 520, 524, 528, 532, 536, 540, 544, 548, 552, 556, 560, 564, 568, 572, 576, 580, 584, 588, 592, 596, 600, 604, 608, 612, 616, 620, 624, 628, 632, 636, 640, 644, 648, 652, 656, 660, 664, 668, 672, 676, 680, 684, 688, 692, 696, 700, 704, 708, 712, 716, 720, 724, 728, 732, 736, 740, 744, 748, 752, 756, 760, 764, 768, 772, 776, 780, 784, 788, 792, 796, 800, 804, 808, 812, 816, 820, 824, 828, 832, 836, 840, 844, 848, 852, 856, 860, 864, 868, 872, 876, 880, 884, 888, 892, 896, 900, 904, 908, 912, 916, 920, 924, 928, 932, 936, 940, 944, 948, 952, 956, 960, 964, 968, 972, 976, 980, 984, 988, 992, 996, 1000.



VESA-
100x100



$$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \{ \sum \geq \gamma \mid r - \sum r \neq \mid =}$$

4, ✓ 'Start', 'Control Panel'.
 5, ✓ 'Control Panel' 'Display'.
 6, ✓ 'Control Panel' 'Settings'.
 7, ✓ 'Control Panel' 'Advanced...'.
 /., ✓ 'Control Panel' 'Monitor'.
 //, ✓ 'Control Panel' 'Change...'.
 1, ✓ 'Control Panel' 'Specify the location of the driver(Advanced)', 'Next'.
 2, ✓ 'Control Panel' 'Display a list of all the drivers in a specific location, so you can select the driver you want.', 'Next', 'Have Disk...'.
 3, ✓ 'Control Panel' 'Browse...', (CD-ROM), 'OK'.
 4, ✓ 'Control Panel' 'OK', 'Next', 'Close'.
 /., ✓ 'Control Panel' 'Finish', 'Close'.

Windows® Me




/, ≈ Windows® Me
 0, 'Start', 'Control Panel'.
 1, 'Display'.
 2, ✓ 'Control Panel' 'Settings'.
 3, ✓ 'Control Panel' 'Advanced...'.
 4, ✓ 'Control Panel' 'Monitor'.
 5, ✓ 'Control Panel' 'Change...'.
 6, ✓ 'Control Panel' 'Specify the location of the driver(Advanced)', 'Next'.
 7, ✓ 'Control Panel' 'Display a list of all the drivers in a specific location, so you can select the driver you want.', 'Next', 'Have Disk...'.
 /., ✓ 'Control Panel' 'Browse...', (CD-ROM), 'OK'.
 //, ✓ 'Control Panel' 'OK', 'Next', 'Close'.
 /., ✓ 'Control Panel' 'Finish', 'Close'.

Windows® XP

/, ≈ Windows® XP
 0, 'Start', 'Control Panel'.
 1, 'Printers and Other Hardware'.
 2, 'Display'.
 3, ✓ 'Control Panel' 'Settings'.
 4, ✓ 'Control Panel' 'Monitor'.
 - 'Control Panel' 'Properties'.
 - 'Control Panel' 'Properties'.
 5, 'Control Panel' 'Driver'.
 6, ✓ 'Control Panel' 'Update Driver...'.
 7, ✓ 'Control Panel' 'Install from a list or specific location [advanced]', 'Next'.
 8, ✓ 'Control Panel' 'Don't Search. I will choose the driver to install.', 'Next'.
 /., 'Control Panel' 'Have disk...', 'Browse...'.
 //, 'Control Panel' 'Open', 'OK'.
 /0, ✓ 'Control Panel' 'Next'.
 - 'Control Panel' 'has not passed Windows® Logo testing to verify its compatibility with Windows® XP' (Windows® XP), 'Continue Anyway'.
 /1, 'Control Panel' 'Finish', 'Close'.
 /2, 'Control Panel' 'OK', 'Close'.

Windows® Vista

Windows Vista

- 0, 
- 1, 
- 2, 
- 3, 
- 4, 
- 5, 
- 6, 
- 7, 
- /. , 

Windows® 95/98/2000/Me/XP/Vista, Windows® 95/98/2000/Me/XP/Vista.

$$\forall \Gamma \approx \forall - \sum \Gamma \leq r - \sum \mid \sum \geq \gamma \mid \mid \Gamma - \sum \Gamma \neq \mid =$$

?

[illegible]

$$\forall r \approx \forall - \sum r \leq r \quad \sum \neg \mid \sum \geq r \quad \mid \quad \neg \sum r \neq \vdash =$$





www.philips.com/support

Philips
www.philips.com/support.

Philips

- Philips
- Philips
- ()
- ,
 - 286/386/486/Pentium Pro/
 - (Windows, DOS, OS/2, Apple Macintosh)
 - / ≠
-

- [illegible]

" Philips F1rst Choice.

[illegible]

√    <http://www.philips.com/support>

Consumer Information Centers

[Antilles](#) • [Argentina](#) • [Australia](#) • [Bangladesh](#) • [Brasil](#) • [Canada](#) • [Chile](#) • [China](#) • [Colombia](#) • [Belarus](#) • [Bulgaria](#) • [Croatia](#) • [Czech Republic](#) • [Estonia](#) • [Dubai](#) • [Hong Kong](#) • [Hungary](#) • [India](#) • [Indonesia](#) • [Korea](#) • [Latvia](#) • [Lithuania](#) • [Malaysia](#) • [Mexico](#) • [Morocco](#) • [New Zealand](#) • [Pakistan](#) • [Paraguay](#) • [Peru](#) • [Philippines](#) • [Romania](#) • [Russia](#) • [Serbia & Montenegro](#) • [Singapore](#) • [Slovakia](#) • [Slovenia](#) • [South Africa](#) • [Taiwan](#) • [Thailand](#) • [Turkey](#) • [Ukraine](#) • [Uruguay](#) • [Venezuela](#)

Eastern Europe

[BELARUS](#)

Technical Center of JV IBA
M. Bogdanovich str. 155
BY - 220040 Minsk
Tel: +375 17 217 33 86

[BULGARIA](#)

LAN Service
140, Mimi Balkanska Str.
Office center Translog
1540 Sofia, Bulgaria
Tel: +359 2 960 2360
www.lan-service.bg

[CZECH REPUBLIC](#)

General Consumer Information Center
800 142100

Xpectrum
Lu.n" 591/4
CZ - 160 00 Praha 6 Tel: 800 100 697
Email: info@xpectrum.cz
www.xpectrum.cz

[CROATIA](#)

Renoprom d.o.o.
Mlinska 5, Strmec
HR - 41430 Samobor
Tel: +385 1 333 0974

ESTONIA

FUJITSU SERVICES OU
Akadeemia tee 21G
EE-12618 Tallinn
Tel: +372 6519900
www.ee.invia.fujitsu.com

HUNGARY

General Consumer Information Center
0680018544 (Local call tariff)

Serware Szerviz
Vizimolnár u. 2-4
HU - 1031 Budapest
Tel: +36 1 2426331
Email: inbox@serware.hu
www.serware.hu

HUNGARY

General Consumer Information Center
0680018544 (Local call tariff)

Profi Service Center Ltd.
123 Kulso-Vaci Street ,
H-1044 Budapest (Europe Center)
Hungary

Tel: +36 1 814 8080
m.andras@psc.hu

LATVIA

ServiceNet LV
Jelgavas iela 36
LV - 1055 Riga,
Tel: +371 7460399
Email: serviss@servicenet.lv

LITHUANIA

ServiceNet LT
Gaiziunu G. 3
LT - 3009 KAUNAS
Tel: +370 7400088
Email: servisas@servicenet.lt
www.servicenet.lt

ROMANIA

Blue Ridge Int'l Computers SRL
115, Mihai Eminescu St., Sector 2
RO - 020074 Bucharest
Tel: +40 21 2101969

SERBIA & MONTENEGRO

Tehnicom Service d.o.o.
Viline vode bb
Slobodna zona Beograd , L12/4
Belgrade 11000
Tel. +381 11 2070 664
Serbia

SLOVAKIA

General Consumer Information Center
0800004551

Datalan Servisne Stredisko
Puchovska 8
SK - 831 06 Bratislava
Tel: +421 2 49207155
Email: servis@datalan.sk

SLOVENIA

PC HAND
Brezovce 10
SI - 1236 Trzin
Tel: +386 1 530 08 24
Email: servis@pchand.si

RUSSIA

Tel: +7 095 961-1111
Tel: 8-800-200-0880
Website: www.philips.ru

TURKEY

TÁrk Philips Ticaret A.S.
Yukari Dudullu Org.San.Bolgesi
2.Cadde No:22
34776-Umraniye/Istanbul
Tel: (0800)-261 33 02

UKRAINE

Comel
Shevchenko street 32
UA - 49030 Dnepropetrovsk
Tel: +380 562320045
www.csp-comel.com

Latin America

ANTILLES

Philips Antillana N.V.
Kaminda A.J.E. Kusters 4
Zeelandia, P.O. box 3523-3051
Willemstad, Curacao
Phone: (09)-4612799
Fax : (09)-4612772

ARGENTINA

Philips Antillana N.V.
Vedia 3892 Capital Federal
CP: 1430 Buenos Aires
Phone/Fax: (011)-4544 2047

BRASIL

Philips da Amaz»nia Ind. Elet. Ltda.
Rua Verbo Divino, 1400-S»o Paulo-SP
CEP-04719-002
Phones: 11 21210203 -S»o Paulo & 0800-701-0203-Other Regions without S»o Paulo City

CHILE

Philips Chilena S.A.
Avenida Santa Maria 0760
P.O. box 2687 Santiago de Chile
Phone: (02)-730 2000
Fax : (02)-777 6730

COLOMBIA

Industrias Philips de Colombia
S.A.-Division de Servicio
CARRERA 15 Nr. 104-33
Bogota, Colombia
Phone:(01)-8000 111001 (toll free)
Fax : (01)-619-4300/619-4104

MEXICO

Consumer Information Centre
Norte 45 No.669
Col. Industrial Vallejo
C.P.02300, -Mexico, D.F.
Phone: (05)-3687788 / 9180050462
Fax : (05)-7284272

PARAGUAY

Av. Rca. Argentina 1780 c/Alfredo Seiferheld
P.O. Box 605
Phone: (595 21) 664 333
Fax: (595 21) 664 336
Customer Desk:
Phone: 009 800 54 1 0004

PERU

Philips Peruana S.A.
Customer Desk
Comandante Espinar 719
Casilla 1841
Limab18
Phone: (01)-2136200
Fax : (01)-2136276

URUGUAY

Rambla O'Higgins 5303 Montevideo
Uruguay
Phone: (598) 619 66 66
Fax: (598) 619 77 77
Customer Desk:
Phone: 0004054176

VENEZUELA

Industrias Venezolanas Philips S.A.
Apartado Postal 1167
Caracas 1010-A
Phone: (02) 2377575
Fax : (02) 2376420

Canada

CANADA

Philips Electronics Ltd.
281 Hillmount Road
Markham, Ontario L6C 2S3
Phone: (800) 479-6696

Pacific

AUSTRALIA

Philips Consumer Electronics
Consumer Care Center
Level 1, 65 Epping Rd
North Ryde NSW 2113
Phone: 1300 363 391
Fax : +61 2 9947 0063

NEW ZEALAND

Philips New Zealand Ltd.
Consumer Help Desk
2 Wagener Place, Mt. Albert
P.O. box 1041
Auckland
Phone: 0800 477 999 (toll free)
Fax : 0800 288 588

Asia

BANGLADESH

Philips Service Centre
100 Kazi Nazrul Islam
Avenue Kawran Bazar C/A
Dhaka-1215
Phone: (02)-812909
Fax : (02)-813062

CHINA

SHANGHAI

Rm 1007, Hongyun Building, No. 501 Wuning road,
200063 Shanghai P.R. China
Phone: 4008 800 008
Fax: 21-52710058

HONG KONG

Philips Electronics Hong Kong Limited
Consumer Service
Unit A, 10/F. Park Sun Building
103-107 Wo Yi Hop Road
Kwai Chung, N.T.
Hong Kong
Phone: (852)26199663
Fax: (852)24815847

INDIA

Phone: 91-20-712 2048 ext: 2765
Fax: 91-20-712 1558

BOMBAY

Philips India
Customer Relation Centre
Bandbox House
254-D Dr. A Besant Road, Worli
Bombay 400 025

CALCUTTA

Customer Relation Centre
7 justice Chandra Madhab Road
Calcutta 700 020

MADRAS

Customer Relation Centre
3, Haddows Road
Madras 600 006

NEW DELHI

Customer Relation Centre
68, Shivaji Marg
New Dehli 110 015

INDONESIA

Philips Group of Companies in Indonesia
Consumer Information Centre
Jl.Buncit Raya Kav. 99-100
12510 Jakarta
Phone: (021)-7940040 ext: 2100
Fax : (021)-794 7511 / 794 7539

KOREA

Philips Consumer Service
Jeong An Bldg. 112-2
Banpo-dong, Seocho-Ku
Seoul, Korea
Customer Careline: 080-600-6600
Phone: (02) 709-1200
Fax : (02) 595-9688

MALAYSIA

After Market Solutions Sdn Bhd,
Philips Authorised Service Center,
Lot 6, Jalan 225, Section 51A,
46100 Petaling Jaya,
Selangor Darul Ehsan,
Malaysia.
Phone: (603)-7954 9691/7956 3695
Fax: (603)-7954 8504
Customer Careline: 1800-880-180

PAKISTAN

Philips Consumer Service
Mubarak manzil,
39, Garden Road, Saddar,
Karachi-74400
Tel: (9221) 2737411-16
Fax: (9221) 2721167
E-mail: care@philips.com
Website: www.philips.com.pk

PHILIPPINES

PHILIPS ELECTRONICS & LIGHTING, INC.

Consumer Electronics

48F PBCOM tower

6795 Ayala Avenue cor VA Rufino St.

Salcedo Village

1227 Makati City, PHILS

Phone: (02)-888 0572, Domestic Toll Free: 1-800-10-PHILIPS or 1-800-10-744 5477

Fax: (02)-888 0571

SINGAPORE

Accord Customer Care Solutions Ltd

Authorized Philips Service Center

Consumer Service

620A Lorong 1 Toa Rayoh

Singapore 319762

Tel: +65 6882 3999

Fax: +65 6250 8037

TAIWAN

Philips Taiwan Ltd.

Consumer Information Centre

13F, No. 3-1 Yuan Qu St., Nan Gang Dist.,

Taipei 115, Taiwan

Phone: 0800-231-099

Fax : (02)-3789-2641

THAILAND

Philips Electronics (Thailand) Ltd.

26-28th floor, Thai Summit Tower

1768 New Petchburi Road

Khwaeng Bangkapi, Khet Huaykhwang

Bangkok10320 Thailand

Tel: (66)2-6528652

E-mail: cic Thai@philips.com

Africa

MOROCCO

Philips Electronique Maroc
304,BD Mohamed V
Casablanca
Phone: (02)-302992
Fax : (02)-303446

SOUTH AFRICA

PHILIPS SA (PTY) LTD
Customer Care Center
195 Main Road
Martindale, Johannesburg
P.O. box 58088
Newville 2114
Telephone: +27 (0) 11 471 5194
Fax: +27 (0) 11 471 5123
E-mail: customercare.za@philips.com

Middle East

DUBAI

Philips Middle East B.V.
Consumer Information Centre
P.O.Box 7785
DUBAI
Phone: (04)-335 3666
Fax : (04)-335 3999

<http://www.philips.com>

Philips F1rst Choice(| τ Σ)

Philips



Philips

Click here to access the [Warranty Registration Card](#).

Philips

Philips

Philips

Philips

Philips

Philips

Philips (877) 835-1838 (919) 573-7855 .

...

...

...

Philips:

Philips

(877) 835-1838 (919) 573-7855

...

...

Philips

(800) 479-6696

Philips Canada

Philips



A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A

Active matrix ($\sum$  $\neq$ )

Active matrix TFT (Thin-Film Transistor) is a type of TFT used in active matrix displays. It consists of a thin layer of semiconductor material (usually silicon) deposited on a substrate, with a gate electrode patterned on top. The gate electrode is connected to a driving circuit, which applies a voltage to the gate, turning the transistor on or off. This allows for precise control of the current flowing through the pixel, resulting in high contrast and fast response times. Active matrix TFTs are commonly used in LCDs and OLEDs.

Amorphous silicon (a-Si) ($\sum$  $\neq$ )

Amorphous silicon (a-Si) is a type of silicon used in TFTs. It is characterized by its disordered atomic structure, which results in lower carrier mobility compared to crystalline silicon. However, a-Si is easier to deposit and can be used in a wider range of applications, including flexible displays. It is commonly used in TFTs for active matrix displays.

Aspect ratio ($\neq$ )

Aspect ratio is the ratio of the width to the height of a display. Common aspect ratios include 4:3, 16:9, and 16:10. A higher aspect ratio indicates a wider display. Aspect ratio is an important consideration when choosing a display for a specific application, as it affects the viewing experience and the amount of content that can be displayed.

$$\sqrt{r} \approx \sqrt{-\sum r \leq -\sum r \geq r} \mid r - \sum r \neq \mid =$$

B

Backlight ($\neq$ )

Backlight is the light source used to illuminate the display. It is typically located behind the display panel and provides the light that passes through the display to create the image. Backlighting is essential for LCDs, which do not emit their own light. Backlighting can be achieved using various technologies, including CCFL (Cold Cathode Fluorescent Lamp) and LED (Light Emitting Diode). Backlighting is a key factor in determining the brightness and contrast of the display.

Brightness ($\neq$ )

Brightness is the measure of the intensity of light emitted by the display. It is typically measured in nits (cd/m²). Brightness is an important consideration when choosing a display, as it affects the visibility of the image in different environments. Higher brightness displays are better suited for use in bright environments, while lower brightness displays are better suited for use in dim environments.

C

Figure 1: A diagram illustrating the structure of the 2×2 matrix $\mathbf{M}$ in the 2×2 case. The matrix is partitioned into four blocks: $\mathbf{M}_{11}$ (top-left), $\mathbf{M}_{12}$ (top-right), $\mathbf{M}_{21}$ (bottom-left), and $\mathbf{M}_{22}$ (bottom-right). The blocks are represented by different patterns: $\mathbf{M}_{11}$ is a grid of small squares, $\mathbf{M}_{12}$ is a grid of small circles, $\mathbf{M}_{21}$ is a grid of small triangles, and $\mathbf{M}_{22}$ is a grid of small diamonds. The matrix is shown as a whole, with the blocks labeled accordingly.

$\frac{1}{n} \sum_{i=1}^n \left(\frac{\partial L(\theta)}{\partial \theta_i} \right)^2 = \frac{1}{n} \sum_{i=1}^n \left(\frac{\partial L(\theta)}{\partial \theta_i} \right)^2$

[illegible]


$\sqrt{\lambda_{\text{max}}}$ 2400Å, 9300Å $\tilde{n}$ Philips 9300Å, 6504Å $\tilde{n}$ 6500Å.

$$\forall r \approx \forall - \sum r \leq r \quad \sum \neg \sum \geq r \quad | \quad \neg \sum r \neq \vdash =$$


$$\sqrt{| \approx \sqrt{-\sum r \leq r \sum | \sum \geq \gamma} \mid \Gamma \Sigma r \neq \vdash =$$

G

Gamma (∞=| |)




Grayscale (| |)



$$\sqrt{| \approx \sqrt{-\sum r \leq r \sum | \sum \geq \gamma} \mid \Gamma \Sigma r \neq \vdash =$$

H

Hue (| |)



$$\sqrt{| \approx \sqrt{-\sum r \leq r \sum | \sum \geq \gamma} \mid \Gamma \Sigma r \neq \vdash =$$

I

IPS (In Plane Switching - | |)



$$\sqrt{| \approx \sqrt{-\sum r \leq r \sum | \sum \geq \gamma} \mid \Gamma \Sigma r \neq \vdash =$$

Picture Element $\tilde{n}$

90

$$\sqrt{r} \approx \sqrt{-\sum_{r \leq -\gamma} 1 - \sum_{r \geq \gamma} 1} \quad | \quad \neg \sum_{r \neq \gamma} 1 =$$


Refresh rate (Hz) 144

[illegible]


$$\sqrt{r} \approx \sqrt{-\sum_{r \leq -\sqrt{r}} 1 - \sum_{r \geq \sqrt{r}} 1} \quad | \quad \neg \sum_{r \neq \sqrt{r}} 1 =$$

SmartContrast

SmartControl II

SmartControl II - 

[illegible][illegible][illegible][illegible][illegible]



✓

✓

✓

✓

$$\sqrt{f} \approx \sqrt{f - \sum_{r \leq r} \sum_{\Sigma \geq \gamma} |r - \Sigma| \neq 1} =$$

V

Vertical refresh rate

✓

✓

$$\sqrt{f} \approx \sqrt{f - \sum_{r \leq r} \sum_{\Sigma \geq \gamma} |r - \Sigma| \neq 1} =$$



...

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^k r_i} \mid \sum_{i=1}^k r_i \neq 0$$