# PHILIPS



# Q-Line Display

## Signage Solutions

65"

### **Direct LED Backlight**

Ultra HD



65BDL3550Q

# Stand out

# Easy-setup 18/7 display.

Inform and enthral with a Philips Q-Line Professional Ultra HD Display. This reliable solution can be up and running as quickly as you need.

#### **Cost-effective system solution**

- Integrated media player. Easily schedule USB content
- FailOver ensures that content is always playing
- Easy control. Remotely manage networked displays

#### Effortless setup. Total control.

- Operate, monitor and maintain with CMND and Control
- CMND and Create. Develop and launch your own content

#### **Smart and powerful**

- Android SoC processor. Native and web apps
- Connect and control your content via the cloud

#### Superb picture. Ultra-high brightness.

• Ultra-HD. Rich images. Stunning contrast

## **Signage Solutions**

Q-Line Display

# Highlights

#### **CMND** and Control



Run your display network over a local (LAN) connection. CMND and Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

#### **Integrated media player**

Easily schedule content to play from USB. Your Philips Professional Display will wake from standby to play the content you want, and then return to standby once playback has finished.

#### FailOver



From waiting room to meeting room, never show a blank screen. FailOver lets your Philips Professional Display switch automatically between primary and secondary inputs, ensuring that content keeps playing even if the primary source goes down. Simply set a list of alternative inputs to be sure your business is always on.

#### **CMND and Create**



Take control of your content with CMND and Create. A drag-and-drop interface makes it simple to publish your own content, whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure that your stills, text and video will be up and running in no time.

#### **Powered by Android 8**

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimised for native Android apps and you can install web apps directly to the display too. A new Android 8 OS ensures the software is kept secure and stays up to date with the latest specification for longer.

#### **SmartBrowser**

Connect and control your content via the cloud with the integrated HTML5 browser. Using the Chromium-based browser, design your content online and connect either a single display or your complete network. Show content in both landscape and portrait mode, with fullHD resolution. Simply connect the display to the Internet using WiFi or with an RJ45 cable, and enjoy your own curated playlists.





## **Signage Solutions**

Q-Line Display

# Specifications

#### **Picture/Display**

Diagonal screen size (metric): 163.9 cm Diagonal screen size (inch): 64.5 inch Aspect ratio: 16:9 Panel resolution: 3840 x 2160 Pixel pitch: 0.372 x 0.372 mm Optimum resolution: 3840 x 2160 @ 60 Hz Brightness: 400 cd/m<sup>2</sup> **Display colours: 1.07 Billion** Contrast ratio (typical): 1300:1 Dynamic contrast ratio: 500,000:1 Response time (typical): 9 ms Viewing angle (horizontal): 178 degree Viewing angle (vertical): 178 degree Picture enhancement: 3/2 - 2/2 motion pull down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement Panel technology: IPS

Operating system: Android 8.0 Clinical image: D-Image preset (dicom part 14 compatible)

#### Connectivity

Audio output: 3.5 mm jack Video input: DVI-D (x 1), HDMI 2.0 (x 3), USB 2.0 (x 2), VGA (Analogue D-Sub) (x 1) Audio input: 3.5 mm jack External control: RS232C (in/out) 2.5 mm jack, IR (in/out) 3.5 mm jack, RJ45

#### Convenience

Placement: Landscape (18/7), Portrait (18/7) Tiled Matrix: Up to 15 x 15 Keyboard control: Hidden, Lockable Remote control signal: Lockable Signal loop through: RS232, IR Loop through Ease of installation: Smart Insert Energy-saving functions: Smart Power Network controllable: RS232, RJ45 Start-up: Switch on delay, Switch on status, Boot on source

Start-up window: enable/disable Philips logo

#### Sound

Built-in speakers: 2 x 10 W RMS


#### Power

Mains power: 100–240 V~, 50/60 Hz Consumption (Typical): 155 W Consumption (Max): 210 W Standby power consumption: <0.5 W Power Saving Features: Smart Power Energy Label Class: G

#### **Supported Display Resolution**

Computer formats: 1920 x 1080, 60 Hz, 1680 x 1050, 60 Hz, 1600 x 1200, 60 Hz, 1440 x 900, 60 Hz, 1280 x 1024, 60 Hz, 1280 x 800, 60 Hz, 1280 x 720, 60 Hz, 1152 x 870, 75 Hz, 1024 x 768, 60, 70, 75 Hz, 800 x 600, 56, 60, 72, 75 Hz, 720 x 400, 70 Hz, 640 x 480, 60, 67, 72, 75 Hz, 1152 x 864, 75 Hz, 832 x 624, 75 Hz

Video formats: 3840 x 2160, 60 Hz, 3840 x 2160, 30Hz, 576p, 50 Hz, 576i, 50 Hz, 480p, 60 Hz, 480i, 60 Hz, 1080p, 50, 60 Hz, 1080i, 50, 60 Hz, 720p, 50,60 Hz



© 2025 Koninklijke Philips N.V. All Rights reserved. Issue date 2025-02-10 Version: 7.1.1

EAN: 87 12581 76544 6

PHILIPS

65BDL3550Q/00

#### Dimensions

Set Width: 1462.3 mm Product weight: 27.80 kg Set Height: 837.3 mm Set Depth: 68.9 mm(D@wall mount)/89.9 mm(D@handle) mm Set Width (inch): 57.57 inch Set Height (inch): 32.96 inch Wall Mount: 400 x 400 mm, M8 Set Depth (inch): 2.71(@ wall mount)/3.54(@ handle) inch Bezel width: 14.9 mm (Even bezel) Product weight (lb): 61.29 lb

#### **Operating conditions**

Altitude: 0 ~ 3000 m Temperature range (operation): 0 ~ 40 °C MTBF: 30,000 hour(s) Temperature range (storage): -20 ~ 60 °C Humidity range (operation)[RH]: 20~80% RH (No condensation) Humidity range (storage) [RH]: 5~95% RH (No condensation)

#### **Multimedia Applications**

USB Playback Video: MPEG, H.264, H.263, H.265 USB Playback Picture: BMP, JPEG, PNG USB Playback Audio: AAC, HEAAC, MPEG

#### **Internal Player**

CPU: Dual core cortex A53 1.1 GHz, Dual core cortex A73 1.15 GHz GPU: ARM Mali G51 Memory: 2 GB DDR3, 8 GB

#### Accessories

Included accessories: AC Power Cord, RS232 cable, Remote Control, Batteries for remote control, Quick start guide Included Accessories: IR sensor cable (1.8 m) (x 1), RS232 daisy-chain cable, M3 screw (x 2), Philips logo (x 1), USB Cover (x 1)

#### Miscellaneous

On-Screen Display Languages: Simplified Chinese, Traditional Chinese, English, French, German, Italian, Polish, Russian, Spanish, Turkish, Japanese, Arabic Warranty: 3 year warranty

Regulatory approvals: CE, CB, BSMI, CU, EPA, ETL, FCC, Class A, PSB, VCCI, J-Moss

Specifications are subject to change without notice. Trademarks are the

without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com