

Philips LCD Monitor Electronic User's Manual[Home](#)[Техника безопасности, поиск
и устранение неисправностей](#)[Описание данного
Руководства](#)[Информация
об изделиях](#)[Настройка
монитора](#)[Отображение на
экране монитора](#)[Обслуживание
заказчика и гарантия](#)[Словарь
терминов](#)[Загрузка и
распечатка](#)

LCD Monitor **170B7**




- **הפרדת המינים**
 - **מבחינת גיל**: 5-35 & 41-95
 - **מבחינת מין**: 20-80%

ᠤᠯᠤᠰᠡᠨᠢᠶᠦᠭᠦᠨᠵᠢᠨᠠᠳᠣᠷ᠎ᠠ

- [illegible]

[illegible]

$$\forall \Gamma \approx \forall \neg \sum \Gamma \leq r \neg \sum \mid \sum \geq 1 \mid \mid \neg \sum \Gamma \neq \mid =$$

✓: 
 "Cannot display this video mode"(
)?

Philips 17": 1280 x 1024, 60 ∞ .

- 1, WindowsE Start (≈ Settings/Control Panel (≈ Control Panel (≈ Display (≈ Settings (≈ Settings (≈ "desktop area" (≈ 1280 x 1024 (17") Advanced Properties(≈ 60 OK.
- 2, 2 3, 1280 x 1024@60.
- 3, Philips ≤
- 4, √ - | ≤.

✓: $\frac{1}{n} \sum_{i=1}^n \left(\frac{\partial L(\theta)}{\partial \theta_i} \right)^2 \leq \epsilon$

[illegible][illegible][illegible][illegible]

Philips. $\sqrt{f} \approx \sqrt{-\Sigma r \leq r - \Sigma f \Sigma \geq \gamma} \mid r - \Sigma r \neq \vdash =$	

- TCO'03 Information
- Recycling Information for Customers
- Waste Electrical and Electronic Equipment-WEEE
- CE Declaration of Conformity
- Energy Star Declaration
- Federal Communications Commission (FCC) Notice (U. S. Only)
- FCC Declaration of Conformity
- Commission Federale de la Communication (FCC Declaration)
- EN 55022 Compliance (Czech Republic Only)
- MIC Notice (South Korea Only)
- Polish Center for Testing and Certification Notice
- North Europe (Nordic Countries) Information
- BSMI Notice (Taiwan Only)
- Ergonomie Hinweis (nur Deutschland)
- Philips End-of-Life Disposal Information for UK only
- Troubleshooting
- Other Related Information

Regulatory Information

Model ID: 170B7
Model No: HNB7170T

TCO'03 Information



Congratulations!

The display you have just purchased carries the TCO'03 Displays label. This means that your display is designed, manufactured and tested according to some of the strictest quality and environmental requirements in the world. This makes for a high performance product, designed with the user in focus that also minimizes the impact on our natural environment.

Some of the features of the TCO'03 Display requirements.

Ergonomics

- Good visual ergonomics and image quality in order to improve the working environment for the user and to reduce sight and strain problems. Important parameters are luminance, contrast, resolution, reflectance, colour rendition and image stability.

Energy

- Energy-saving mode after a certain time-beneficial both for the user and the environment
- Electrical safety

Emissions

- Electromagnetic fields
- Noise emissions

Ecology

- The product must be prepared for recycling and the manufacturer must have a certified environmental management system such as EMAS or ISO 14 000
- Restrictions on
 - chlorinated and brominated flame retardants and polymers
 - heavy metals such as cadmium, mercury and lead.

The requirements included in this label have been developed by TCO Development in co-operation with scientists, experts, users as well as manufacturers all over the world. Since the end of the 1980s TCO has been involved in influencing the development of IT equipment in a more user-friendly direction. Our labelling system started with displays in 1992 and is now requested by users and IT-manufacturers all over the world.

For more information, please visit
www.tcodevelopment.com

[RETURN TO TOP OF THE PAGE](#)

Recycling Information for Customers

Philips establishes technically and economically viable objectives to optimize the environmental performance of the organization's product, service and activities.

From the planning, design and production stages, Philips emphasizes the important of making products that can easily be recycled. At Philips, end-of-life management primarily entails participation in national take-back initiatives and recycling programs whenever possible, preferably in cooperation with competitors.

There is currently a system of recycling up and running in the European countries, such as The Netherlands, Belgium, Norway, Sweden and Denmark.

In U.S.A., Philips Consumer Electronics North America has contributed funds for the Electronic Industries Alliance (EIA) Electronics Recycling Project and state recycling initiatives for end-of-life electronics products from household sources. In addition, the Northeast Recycling Council (NERC) - a multi-state non-profit organization focused on promoting recycling market development - plans to implement a recycling program.

In Asia Pacific, Taiwan, the products can be taken back by Environment Protection Administration (EPA) to follow the IT product recycling management process, detail can be found in web site www.epa.gov.tw

For help and service, please contact [Consumers Information Center](#) or [F1rst Choice Contact Information Center](#) in each country or the following team of Environmental specialist can help.

Mr. WY Chen- Environment manager
Philips Multimedia Flat Display
E-mail: w.y.chen@philips.com
Tel: +886 (0) 3 222 6791

Mr. Maarten ten Houten - Senior Environmental Consultant
Philips Consumer Electronics
E-mail: marten.ten.houten@philips.com
Tel: +31 (0) 40 27 33402

Mr. Delmer F. Teglas
Philips Consumer Electronics North America
E-mail: butch.teglas@philips.com
Tel: +1 865 521 4322

[RETURN TO TOP OF THE PAGE](#)

Waste Electrical and Electronic Equipment-WEEE

Attention users in European Union private households



This marking on the product or on its packaging illustrates that, under European Directive 2002/96/EG governing used electrical and electronic appliances, this product may not be disposed of with normal household waste. You are responsible for disposal of this equipment through a designated waste electrical and electronic equipment collection. To determine the locations for dropping off such waste electrical and electronic, contact your local government office, the waste disposal organization that serves your household or the store at which you purchased the product.

[RETURN TO TOP OF THE PAGE](#)

CE Declaration of Conformity

Philips Consumer Electronics declare under our responsibility that the product is in conformity with the following standards

- EN60950-1:2001 (Safety requirement of Information Technology Equipment)
- EN55022:1998 (Radio Disturbance requirement of Information Technology Equipment)
- EN55024:1998 (Immunity requirement of Information Technology Equipment)
- EN61000-3-2:2000 (Limits for Harmonic Current Emission)
- EN61000-3-3:1995 (Limitation of Voltage Fluctuation and Flicker)

following provisions of directives applicable

- 73/23/EEC (Low Voltage Directive)
- 89/336/EEC (EMC Directive)
- 93/68/EEC (Amendment of EMC and Low Voltage Directive)

and is produced by a manufacturing organization on ISO9000 level.

The product also comply with the following standards

- ISO9241-3, ISO9241-7, ISO9241-8 (Ergonomic requirement for CRT Monitor)
- ISO13406-2 (Ergonomic requirement for Flat Panel Display)
- GS EK1-2000 (GS specification)
- prEN50279:1998 (Low Frequency Electric and Magnetic fields for Visual Display)
- MPR-II (MPR:1990:8/1990:10 Low Frequency Electric and Magnetic fields)
- TCO'99, TCO'03 (Requirement for Environment Labelling of Ergonomics, Energy, Ecology and Emission, TCO: Swedish Confederation of Professional Employees) for TCO versions

[RETURN TO TOP OF THE PAGE](#)

Energy Star Declaration

This monitor is equipped with a function for saving energy which supports the VESA Display Power Management Signaling (DPMS) standard. This means that the monitor must be connected to a computer which supports VESA DPMS. Time settings are adjusted from the system unit by software.

	VESA State	LED Indicator	Power Consumption
Normal operation	ON (Active)	Green	< 34 W (typ.)

Power Saving
Alternative 2
One step

OFF (Sleep)

Amber

< 1 W

Switch Off

Off

< 1 W



As an ENERGY STAR[®] Partner, PHILIPS has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency.



We recommend you switch off the monitor when it is not in use for a long time.

[RETURN TO TOP OF THE PAGE](#)

Federal Communications Commission (FCC) Notice (U.S. Only)



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Use only RF shielded cable with ferrite core that supplied with the monitor when connecting this monitor to a computer device .

If your RF shield cable without ferrite core, we recommend to contact with Philips Customer & Service center for more information.

To prevent damage which may result in fire or shock hazard, do not expose this appliance to rain or excessive moisture.


THIS CLASS B DIGITAL APPARATUS MEETS ALL REQUIREMENTS OF THE CANADIAN INTERFERENCE-CAUSING EQUIPMENT REGULATIONS.

[RETURN TO TOP OF THE PAGE](#)

FCC Declaration of Conformity

Trade Name: Philips
 Philips Consumer Electronics North America
 P.O. Box 671539
 Responsible Party: Marietta, GA 30006-0026
 1-888-PHILIPS (744-5477)

Declaration of Conformity for Products Marked with FCC Logo,
 United States Only



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

[RETURN TO TOP OF THE PAGE](#)

Commission Federale de la Communication (FCC Declaration)



Cet équipement a été testé et déclaré conforme aux limites des appareils numériques de classe B, aux termes de l'article 15 Des règles de la FCC. Ces limites sont conçues de façon à fournir une protection raisonnable contre les interférences nuisibles dans le cadre d'une installation résidentielle. CET appareil produit, utilise et peut émettre des hyperfréquences qui, si l'appareil n'est pas installé et utilisé selon les consignes données, peuvent causer des interférences nuisibles aux communications radio. Cependant, rien ne peut garantir l'absence d'interférences dans le cadre d'une installation particulière. Si cet appareil est la cause d'interférences nuisibles pour la réception des signaux de radio ou de télévision, ce qui peut être dû à ce en fermant l'équipement, puis en le remettant en fonction, l'utilisateur pourrait essayer de corriger la situation en prenant les mesures suivantes:

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la distance entre l'équipement et le récepteur.
- Brancher l'équipement sur un autre circuit que celui utilisé par le récepteur.
- Demander l'aide du marchand ou d'un technicien chevronné en radio/télévision.



Toutes modifications n'ayant pas reçu l'approbation des services compétents en matière de conformité est susceptible d'interdire à l'utilisateur l'usage du présent équipement.

N'utiliser que des câbles RF armés pour les connections avec des ordinateurs ou périphériques.

CET APPAREIL NUMERIQUE DE LA CLASSE B RESPECTE TOUTES LES EXIGENCES DU
 REGLEMENT SUR LE MATERIEL BROUILLEUR DU CANADA.

[RETURN TO TOP OF THE PAGE](#)

EN 55022 Compliance (Czech Republic Only)

This device belongs to category B devices as described in EN 55022, unless it is specifically stated that it is a Class A device on the specification label. The following applies to devices in Class A of EN 55022 (radius of protection up to 30 meters). The user of the device is obliged to take all steps necessary to remove sources of interference to telecommunication or other devices.

Pokud není na typovém štítku počítače uvedeno, že spadá do do třídy A podle EN 55022, spadá automaticky do třídy B podle EN 55022. Pro zařízení zařazená do třídy A (chranné pásmo 30m) podle EN 55022 platí následující. Dojde-li k rušení telekomunikačních nebo jiných zařízení je uživatel povinen provést taková opatření, aby rušení odstranil.

[RETURN TO TOP OF THE PAGE](#)

MIC Notice (South Korea Only)

Class B Device

장치 종류	사용자 안내문
B급 기기	이 장치는 가정용으로 전자파 적합등록을 한 장치로서 주거지역에서는 물론 모든 지역에서 사용할 수 있습니다.



Please note that this device has been approved for non-business purposes and may be used in any environment, including residential areas.

[RETURN TO TOP OF THE PAGE](#)

Polish Center for Testing and Certification Notice

The equipment should draw power from a socket with an attached protection circuit (a three-prong socket). All equipment that works together (computer, monitor, printer, and so on) should have the same power supply source.

The phasing conductor of the room's electrical installation should have a reserve short-circuit protection device in the form of a fuse with a nominal value no larger than 16 amperes (A).

To completely switch off the equipment, the power supply cable must be removed from the power supply socket, which should be located near the equipment and easily accessible.

A protection mark "B" confirms that the equipment is in compliance with the protection usage requirements of standards PN-93/T-42107 and PN-89/E-06251.

Wymagania Polskiego Centrum Badań i Certyfikacji

Urządzenie powinno być zasilane z gniazda z przyłączonym obwodem ochronnym (gniazdo z kolkiem). Współpracujące ze sobą urządzenia (komputer, monitor, drukarka) powinny być zasilane z tego samego źródła.

Instalacja elektryczna pomieszczenia powinna zawierać w przewodzie fazowym rezerwową ochronę przed zwarciami, w postaci bezpiecznika o wartości znamionowej nie większej niż 16A (amperów).

W celu całkowitego wyłączenia urządzenia z sieci zasilania, należy wyjąć wtyczkę kabla zasilającego z gniazdka, które powinno znajdować się w pobliżu urządzenia i być łatwo dostępne.

Znak bezpieczeństwa "B" potwierdza zgodność urządzenia z wymaganiami bezpieczeństwa użytkownika zawartymi w PN-93/T-42107 i PN-89/E-06251.

Pozostałe instrukcje bezpieczeństwa

- Nie należy używać wtyczek adapterowych lub usuwać kołka obwodu ochronnego z wtyczki. Jeżeli konieczne jest użycie przedłużacza to należy użyć przedłużacza 3-żyłowego z prawidłowo połączonym przewodem ochronnym.
- System komputerowy należy zabezpieczyć przed nagłymi, chwilowymi wzrostami lub spadkami napięcia, używając eliminatora przepięć, urządzenia dopasowującego lub bezzakłócenowego źródła zasilania.
- Należy upewnić się, aby nie leżało na kablach systemu komputerowego, oraz aby kable nie były umieszczone w miejscu, gdzie można byłoby na nie nadeptywać lub potykać się o nie.
- Nie należy rozlewać napojów ani innych płynów na system komputerowy.
- Nie należy wpychać żadnych przedmiotów do otworów systemu komputerowego, gdyż może to spowodować pożar lub porażenie prądem, poprzez zwarcie elementów wewnętrznych.
- System komputerowy powinien znajdować się z dala od grzejników i źródeł ciepła. Ponadto, nie należy blokować otworów wentylacyjnych. Należy unikać kładzenia luźnych papierów pod komputer oraz umieszczania komputera w ciasnym miejscu bez możliwości cyrkulacji powietrza wokół niego.

[RETURN TO TOP OF THE PAGE](#)

North Europe (Nordic Countries) Information

Placering/Ventilation

VARNING:

F! RS; KRA DIG OM ATT HUVUDBRYTARE OCH UTTAG ; R L; TTKOMLIGA, N; R DU ST; LLER DIN UTRUSTNING PPLATS.

Placering/Ventilation

ADVARSEL:

SÑRG VED PLACERINGEN FOR, AT NETLEDNINGENS STIK OG STIKKONTAKT ER NEMT TILGØ NGELIGE.

Paikka/Ilmankierto

VAROITUS:

SIJOITA LAITE SITEN, ETT; VERKKOJOHTO VOIDAAN TARVITTAESSA HELPOSTI IRROTTAA PISTORASIESTA.

Plassering/Ventilasjon

ADVARSEL:

NØR DETTE UTSTYRET PLASSERES, MØ DU PASSE PØ AT KONTAKTENE FOR STØMTILFØRSEL ER LETTE Ø NØ.

[RETURN TO TOP OF THE PAGE](#)

BSMI Notice (Taiwan Only)

符合乙類資訊產品之標準

[RETURN TO TOP OF THE PAGE](#)

Ergonomie Hinweis (nur Deutschland)

Der von uns gelieferte Farbmonitor entspricht den in der "Verordnung Über den Schutz vor Schöden durch Röntgenstrahlen" festgelegten Vorschriften.

Auf der Rückwand des Gerätes befindet sich ein Aufkleber, der auf die Unbedenklichkeit der Inbetriebnahme hinweist, da die Vorschriften Über die Bauart von Strahlern nach Anlage III 5 Abs. 4 der Röntgenverordnung erfüllt sind.

Damit Ihr Monitor immer den in der Zulassung geforderten Werten entspricht, ist darauf zu achten, daß

1. Reparaturen nur durch Fachpersonal durchgeführt werden.
2. nur original-Ersatzteile verwendet werden.
3. bei Ersatz der Bildröhre nur eine bauartgleiche eingebaut wird.

Aus ergonomischen Gründen wird empfohlen, die Grundfarben Blau und Rot nicht auf dunklem Untergrund zu verwenden (schlechte Lesbarkeit und erhöhte Augenbelastung bei zu geringem Zeichenkontrast wären die Folge).

Der arbeitsplatzbezogene Schalldruckpegel nach DIN 45 635 beträgt 70dB (A) oder weniger.



ACHTUNG: BEIM AUFSTELLEN DIESER GERÄTES DARAUF ACHTEN, DAß NETZSTECKER UND NETZKABELANSCHLUß LEICHT ZUGÄNGLICH SIND.

[RETURN TO TOP OF THE PAGE](#)

End-of-Life Disposal

Your new monitor contains materials that can be recycled and reused. Specialized companies can

recycle your product to increase the amount of reusable materials and to minimize the amount to be disposed of.

Please find out about the local regulations on how to dispose of your old monitor from your local Philips dealer.

(For customers in Canada and U.S.A.)

This product may contain lead and/or mercury. Dispose of in accordance to local-state and federal regulations.

For additional information on recycling contact www.eia.org (Consumer Education Initiative)

[RETURN TO TOP OF THE PAGE](#)


Information for UK only

WARNING - THIS APPLIANCE MUST BE GROUNDING.

Important:

This apparatus is supplied with an approved moulded 13A plug. To change a fuse in this type of plug proceed as follows:

1. Remove fuse cover and fuse.
2. Fit new fuse which should be a BS 1362 5A, A.S.T.A. or BSI approved type.
3. Refit the fuse cover.



If the fitted plug is not suitable for your socket outlets, it should be cut off and an appropriate 3-pin plug fitted in its place.

If the mains plug contains a fuse, this should have a value of 5A. If a plug without a fuse is used, the fuse at the distribution board should not be greater than 5A.

Note: The severed plug must be destroyed to avoid a possible shock hazard should it be inserted into a 13A socket elsewhere.


How to connect a plug

The wires in the mains lead are coloured in accordance with the following code:

BLUE - "NEUTRAL" ("N")

BROWN - "LIVE" ("L")

GREEN & YELLOW - "GROUND" ("G")



1. The GREEN AND YELLOW wire must be connected to the terminal in the plug which is marked with the letter "G" or by the Ground symbol  or coloured GREEN or GREEN AND YELLOW.


2. The BLUE wire must be connected to the terminal which is marked with the letter "N" or coloured BLACK.

3. The BROWN wire must be connected to the terminal which marked with the letter "L" or coloured RED.

Before replacing the plug cover, make certain that the cord grip is clamped over the sheath of the lead - not simply over the three wires.

[RETURN TO TOP OF THE PAGE](#)

SmartManage









170B7

-  SmartManage 
 -  SmartManage 
 -  SmartManage 
 -  SmartManage 
- x 
 -  SXGA 1280x1024 
 -  ISO 13406-2 
 -  VGA 
 -  DVI 
- x 
 -  Ergo Base 
- x 
 -  USB 
 -  Philips SmartControl 
 -  

rr + 19-7 + F-ll= b777-FT d |f





H r l = f	
	
	17 
	0,264 x 0,264 
	1280 x 1024 
	337,9 x 270,3 
	16,2 
	
	56 - 76 
	30  83 





- π ·          
-   170B7
- 1280 x 1024   76      
- 1280 x 1024   76      
- B.          
-   170B7
- 1280 x 1024   60      

17               

       	      	      
31.469	720*400	70.087
31.469	640*480	59.940
37.861	640*480	72.809
37.500	640*480	75.000
35.156	800*600	56.250
37.879	800*600	60.317
48.077	800*600	72.188
46.875	800*600	75.000
48.363	1024*768	60.004
56.476	1024*768	70.069

60.023	1024*768	75.029
67.500	1152*870	75.000
60.000	1280*960	60.000
63.981	1280*1024	60.020
79.976	1280*1024	75.025
35.000	640*480	67.000
49.700	832*624	75.000

rr + 19-7 + F-ll= b777-FT d k



	50K (CCFL 50K)
	170B7CG: 170B7CB: 170B7CS:


*

* 1280 x 1024, 50%, 6500Å,


2. DVI 24 8






1	T.M.D.S. 2 -	9	T.M.D.S. 1 -	17	T.M.D.S. 0 -
2	T.M.D.S. 2 +	10	T.M.D.S. 1 +	18	T.M.D.S. 0 +
3	T.M.D.S. 2	11	T.M.D.S. 1	19	T.M.D.S. 0
4		12		20	
C1	* R	C2	* G	C3	* B
C4	* H-				

5		13		21		C5	* .GND (Analog R, G, B)
6	DDC	14	+5V	22	T.M.D.S.		
7	DDC	15		23	T.M.D.S.		
8	*	16		24	T.M.D.S.		






2. 15- D-sub ()



			
1		9	+5 ⌈
2	 /SOG	10	
3		11	
4	Sense ()	12	 (SDA)
5		13	
6		14	
7		15	 (SCL)
8			


⌈ ⌈ 19-9 ⌈ ⌈ = 6777-77 ⌈ ⌈


    


         


2) 



3) 



2) FlexiHolder



nm + m + f = k - d f

Philips SmartManage Administrator (Σ)

Philips SmartControl (Σ)

Philips SmartControl (Σ)

SmartManage



Philips SmartManage Administrator (Σ)

Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. The Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.

Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.

Philips SmartManage Administrator (Σ)

Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. The Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.


- 1, Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.
- 0, Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.
- 1, SmartControl (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.
- 2, Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.

Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.


Philips SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.




SmartManage Administrator (Σ) is a software application that manages the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network. It is used to manage the Philips SmartControl (Σ) and Philips SmartManage Agent (Σ) on a network.



- Position



- Product Information



Philips

Philips

Philips

Philips

XGA (0,0004%

Philips

| 𐎧 | 𐎧𐏁𐎥𐎶 | 𐎧𐏁𐎥𐎶 | 𐎧𐏁𐎥𐎶 |


[illegible]

Figure 1. Schematic diagram of the experimental setup.

A complex musical score for a string quartet, featuring four staves with various musical notations including notes, rests, and dynamic markings. The notation is dense and includes many accidentals and dynamic markings such as *pp*, *f*, and *ppp*. The score is written in a modern, possibly atonal style, with frequent chromaticism and complex rhythmic patterns. The staves are arranged in a traditional four-part setting, with each staff representing a different instrument. The overall appearance is that of a professional musical manuscript.





1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.



50 30

1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.



1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.

1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.



1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.

1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.


1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.

1. The first patch is a grayscale target with 11 steps from black to white. The second patch is a color target with 24 patches including primary and secondary colors. The third patch is a grayscale target with 11 steps from black to white.

$L_n L_n \leq \sqrt{n} \geq \sqrt{n}$	$L_n L_n \leq \sqrt{n} \geq \sqrt{n}$
$\Delta \sqrt{L_n \geq}$	170B7
1	0



- 1  √              
- 2  √              
- 3               



- 1 Kensington lock
- 2 VGA
- 3 DVI-D
- 4 Audio in
- 5 Audio out
- 6 Power

$$\vee \Gamma \approx \vee - \sum \Gamma \leq r - \sum \Gamma \geq r \mid \neg \sum r \neq \vdash =$$

- 1280x1024, 60fps.




 Main Controls (Resolution)

- Flat Panel Adjust (FP Adjust) (—)

FP_setup4.3.exe

$$\vee \Gamma \approx \vee - \sum \Gamma \leq r - \sum \Gamma \geq r \quad | \quad \Gamma - \sum r \neq \vdash =$$

የብሔራዊ ትምህርት ሚኒስቴር

የትምህርት ሚኒስቴር
 ስልክ: 011-551-1111
 ኢሜል: info@minedu.gov.et
 አድራሻ: አዲስ አበባ
 የትምህርት ሚኒስቴር
 የብሔራዊ ትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር

የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር
 የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር



የትምህርት ሚኒስቴር

የትምህርት ሚኒስቴር DVI (የትምህርት ሚኒስቴር)

(የትምህርት ሚኒስቴር: DD 7G , የትምህርት ሚኒስቴር: DD7B)



የትምህርት ሚኒስቴር VGA

የትምህርት ሚኒስቴር E-DFU





የትምህርት ሚኒስቴር

የትምህርት ሚኒስቴር USB

የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር

የትምህርት ሚኒስቴር

1) የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር (የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር Philips የትምህርት ሚኒስቴር የትምህርት ሚኒስቴር VGA.)



2) የብርሃን ምንጭ ማግኘት

- (a) ✓ የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
- (b) የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
- (c) ✓ የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
- (d) የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
- (e) የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
 - (1) የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
 - (2) የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡
- (f) ✓ የብርሃን ምንጭ ማግኘት ይቻላል፡፡ የብርሃን ምንጭ ማግኘት ይቻላል፡፡

$$\sqrt{f} \approx \sqrt{-\sum r \leq -r \sum - \sum \geq r} \mid r - \sum r \neq \mid =$$

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

Philips VESA DDC2B,
Plug & Play Windows®
95/98/2000/Me/XP. Philips
"△" Windows® 95/98/2000/Me/XP
& Plug
& Play (.inf).
Windows® '95 OEM Release 2 , 98 ,
Me, XP 2000:

Windows '95

0, 2. Windows® 98
1, L
2, √
3, √
4, √
5,
6, OK',
7,

Windows 2000

0, 1, 2, 3, -

4. ✓ ☐ **לחץ על 'OK'.**
5. ✓ ☐ **לחץ על 'OK'.**
6. **לחץ על 'OK'.**
7. **לחץ על 'OK'.**
- /. ✓ ☐ **לחץ על 'OK'.**
- // **לחץ על 'OK'.**

Windows® Me

- /. **לחץ על 'OK'.**
0. **לחץ על 'Start'.**
1. **לחץ על 'Control Panel'.**
2. **לחץ על 'Display'.**
3. ✓ ☐ **לחץ על 'Settings'.**
4. ✓ ☐ **לחץ על 'Advanced...'.
לחץ על 'Change...'.
לחץ על 'Specify the location of the driver(Advanced)', לחץ על 'Next'.**
5. ✓ ☐ **לחץ על 'Display a list of all the drivers in a specific location, so you can select the driver you want.', לחץ על 'Next', לחץ על 'Have Disk...'.
לחץ על 'Browse...'. לחץ על 'OK'.**
6. **לחץ על 'OK'.**
7. **לחץ על 'OK'.**
- /. **לחץ על 'Finish', לחץ על 'Close'.**

Windows® XP

- /. **לחץ על 'OK'.**
0. **לחץ על 'Start'.**
1. **לחץ על 'Control Panel'.**
2. **לחץ על 'Printers and Other Hardware'.**
3. **לחץ על 'Display'.**
4. ✓ ☐ **לחץ על 'Settings'.**
5. ✓ ☐ **לחץ על 'Monitor'.**
6. **לחץ על 'Properties'.**
7. **לחץ על 'Advanced'.**
8. **לחץ על 'Update Driver...'.
לחץ על 'Install from a list or specific location [advanced]', לחץ על 'Next'.**
9. **לחץ על 'Don't Search. I will choose the driver to install'. לחץ על 'Next'.**
- /. **לחץ על 'Have disk...'. לחץ על 'Browse...'. לחץ על 'OK'.**
- // **לחץ על 'Open', לחץ על 'OK'.**
- /0. ✓ ☐ **לחץ על 'Next'.**
1. **לחץ על 'Finish', לחץ על 'Close'.**
2. **לחץ על 'OK'.**

Display_Properties.


Windows® 95/98/2000/Me/XP, Windows® 95/98/2000/Me/XP.

$$\sqrt{r} \approx \sqrt{-\Sigma r \leq -\Sigma r \geq r} \mid r - \Sigma r \neq \mid =$$

Only available for Europe Model

Главное меню

Вложенное меню






$$\sqrt{|\approx \sqrt{-\sum \Gamma \leq -\sum \Gamma \sum \geq 1} \mid \Gamma - \sum \Gamma \neq \mid =}$$





F1rst Choice

		
Austria	0820 901115	ü 0.20
Belgium	070 253 010	ü 0.17
Denmark	3525 8761	
Finland	09 2290 1908	
France	08 9165 0006	ü 0.23
Germany	0180 5 007 532	ü 0.12
Greece	00800 3122 1223	
Ireland	01 601 1161	
Italy	199 404 042	ü 0.25
Luxembourg	26 84 30 00	
The Netherlands	0900 0400 063	ü 0.20
Norway	2270 8250	
Portugal	2 1359 1440	
Spain	902 888 785	ü 0.15
Sweden	08 632 0016	
Switzerland	02 2310 2116	
United Kingdom	0207 949 0069	

Consumer Information Centers

[Antilles](#) • [Argentina](#) • [Australia](#) • [Bangladesh](#) • [Brasil](#) • [Canada](#) • [Chile](#) • [China](#) • [Colombia](#) • [Belarus](#) • [Bulgaria](#) • [Croatia](#) • [Czech Republic](#) • [Estonia](#) • [Dubai](#) • [Hong Kong](#) • [Hungary](#) • [India](#) • [Indonesia](#) • [Korea](#) • [Latvia](#) • [Lithuania](#) • [Malaysia](#) • [Mexico](#) • [Morocco](#) • [New Zealand](#) • [Pakistan](#) • [Paraguay](#) • [Peru](#) • [Philippines](#) • [Poland](#) • [Romania](#) • [Russia](#) • [Serbia & Montenegro](#) • [Singapore](#) • [Slovakia](#) • [Slovenia](#) • [South Africa](#) • [Taiwan](#) • [Thailand](#) • [Turkey](#) • [Ukraine](#) • [Uruguay](#) • [Venezuela](#)

Eastern Europe

BELARUS

Technical Center of JV IBA
M. Bogdanovich str. 155
BY - 220040 Minsk
Tel: +375 17 217 33 86

BULGARIA

LAN Service
140, Mimi Balkanska Str.
Office center Translog
1540 Sofia, Bulgaria
Tel: +359 2 960 2360
www.lan-service.bg

CZECH REPUBLIC

Xpectrum
Lužn" 591/4
CZ - 160 00 Praha 6 Tel: 800 100 697
Email:info@xpectrum.cz
www.xpectrum.cz

CROATIA

Renoprom d.o.o.
Mlinska 5, Strmec
HR - 41430 Samobor
Tel: +385 1 333 0974

ESTONIA

FUJITSU SERVICES OU
Akadeemia tee 21G
EE-12618 Tallinn
Tel: +372 6519900
www.ee.invia.fujitsu.com

HUNGARY

Serware Szerviz
Vizimolnár u. 2-4
HU - 1031 Budapest
Tel: +36 1 2426331
Email: inbox@serware.hu
www.serware.hu

LATVIA

ServiceNet LV
Jelgavas iela 36
LV - 1055 Riga,
Tel: +371 7460399
Email: serviss@servicenet.lv

LITHUANIA

ServiceNet LT
Gaiziunu G. 3
LT - 3009 KAUNAS
Tel: +370 7400088
Email: servisas@servicenet.lt
www.servicenet.lt

ROMANIA

Blue Ridge Int'l Computers SRL
115, Mihai Eminescu St., Sector 2
RO - 020074 Bucharest
Tel: +40 21 2101969

SERBIA & MONTENEGRO

Tehnicom Service d.o.o.
Bulevar Vojvode Misica 37B
YU - 11000 Belgrade
Tel: +381 11 3060 886

SLOVAKIA

Datalan Servisne Stredisko
Puchovska 8
SK - 831 06 Bratislava
Tel: +421 2 49207155
Email: servis@datalan.sk

SLOVENIA

PC HAND
Brezovce 10
SI - 1236 Trzin
Tel: +386 1 530 08 24
Email: servis@pchand.si

POLAND

Zolter
ul.Zytnia 1
PL - 05-500 Piaseczno
Tel: +48 22 7501766
Email: servmonitor@zolter.com.pl
www.zolter.com.pl

RUSSIA

Tel: +7 095 961-1111
Tel: 8-800-200-0880
Website: www.philips.ru

TURKEY

TÁrk Philips Ticaret A.S.
Yukari Dudullu Org.San.Bolgesi
2.Cadde No:22
34776-Umraniye/Istanbul
Tel: (0800)-261 33 02

UKRAINE

Comel
Shevchenko street 32
UA - 49030 Dnepropetrovsk
Tel: +380 562320045
www.csp-comel.com

Latin America

ANTILLES

Philips Antillana N.V.
Kaminda A.J.E. Kusters 4
Zeelandia, P.O. box 3523-3051
Willemstad, Curacao
Phone: (09)-4612799
Fax : (09)-4612772

ARGENTINA

Philips Antillana N.V.
Vedia 3892 Capital Federal
CP: 1430 Buenos Aires
Phone/Fax: (011)-4544 2047

BRASIL

Philips da Amaz»nia Ind. Elet. Ltda.
Rua Verbo Divino, 1400-S»o Paulo-SP
CEP-04719-002
Phones: 11 21210203 -S»o Paulo & 0800-701-0203-Other Regions without S»o Paulo City

CHILE

Philips Chilena S.A.
Avenida Santa Maria 0760
P.O. box 2687Santiago de Chile
Phone: (02)-730 2000
Fax : (02)-777 6730

COLOMBIA

Industrias Philips de Colombia
S.A.-Division de Servicio
CARRERA 15 Nr. 104-33
Bogota, Colombia
Phone:(01)-8000 111001 (toll free)
Fax : (01)-619-4300/619-4104

MEXICO

Consumer Information Centre
Norte 45 No.669
Col. Industrial Vallejo
C.P.02300, -Mexico, D.F.
Phone: (05)-3687788 / 9180050462
Fax : (05)-7284272

PARAGUAY

Av. Rca. Argentina 1780 c/Alfredo Seiferheld
P.O. Box 605
Phone: (595 21) 664 333
Fax: (595 21) 664 336
Customer Desk:
Phone: 009 800 54 1 0004

PERU

Philips Peruana S.A.
Customer Desk
Comandante Espinar 719
Casilla 1841
Limab18
Phone: (01)-2136200
Fax : (01)-2136276

URUGUAY

Rambla O'Higgins 5303 Montevideo
Uruguay
Phone: (598) 619 66 66
Fax: (598) 619 77 77
Customer Desk:
Phone: 0004054176

VENEZUELA

Industrias Venezolanas Philips S.A.
Apartado Postal 1167
Caracas 1010-A
Phone: (02) 2377575
Fax : (02) 2376420

Canada

CANADA

Philips Electronics Ltd.
281 Hillmount Road
Markham, Ontario L6C 2S3
Phone: (800) 479-6696

Pacific

AUSTRALIA

Philips Consumer Electronics
Consumer Care Center
Level 1, 65 Epping Rd
North Ryde NSW 2113
Phone: 1300 363 391
Fax : +61 2 9947 0063

NEW ZEALAND

Philips New Zealand Ltd.
Consumer Help Desk
2 Wagener Place, Mt. Albert
P.O. box 1041
Auckland
Phone: 0800 477 999 (toll free)
Fax : 0800 288 588

Asia

BANGLADESH

Philips Service Centre
100 Kazi Nazrul Islam
Avenue Kawran Bazar C/A
Dhaka-1215
Phone: (02)-812909
Fax : (02)-813062

CHINA

SHANGHAI
Rm 1007, Hongyun Building, No. 501 Wuning road,
200063 Shanghai P.R. China
Phone: 4008 800 008
Fax: 21-52710058

HONG KONG

Philips Electronics Hong Kong Limited
Consumer Service
Unit A, 10/F. Park Sun Building
103-107 Wo Yi Hop Road
Kwai Chung, N.T.
Hong Kong
Phone: (852)26199663
Fax: (852)24815847

INDIA

Phone: 91-20-712 2048 ext: 2765
Fax: 91-20-712 1558

BOMBAY

Philips India
Customer Relation Centre
Bandbox House
254-D Dr. A Besant Road, Worli
Bombay 400 025

CALCUTTA

Customer Relation Centre
7 justice Chandra Madhab Road
Calcutta 700 020

MADRAS

Customer Relation Centre
3, Haddows Road
Madras 600 006

NEW DELHI

Customer Relation Centre
68, Shivaji Marg
New Dehli 110 015

INDONESIA

Philips Group of Companies in Indonesia
Consumer Information Centre
Jl.Buncit Raya Kav. 99-100
12510 Jakarta
Phone: (021)-7940040 ext: 2100
Fax : (021)-794 7511 / 794 7539

KOREA

Philips Consumer Service
Jeong An Bldg. 112-2
Banpo-dong, Seocho-Ku
Seoul, Korea
Customer Careline: 080-600-6600
Phone: (02) 709-1200
Fax : (02) 595-9688

MALAYSIA

After Market Solutions Sdn Bhd,
Philips Authorised Service Center,
Lot 6, Jalan 225, Section 51A,
46100 Petaling Jaya,
Selangor Darul Ehsan,
Malaysia.
Phone: (603)-7954 9691/7956 3695
Fax: (603)-7954 8504
Customer Careline: 1800-880-180

PAKISTAN

Philips Consumer Service
Mubarak manzil,
39, Garden Road, Saddar,
Karachi-74400
Tel: (9221) 2737411-16
Fax: (9221) 2721167
E-mail: care@philips.com
Website: www.philips.com.pk

PHILIPPINES

PHILIPS ELECTRONICS & LIGHTING, INC.
Consumer Electronics
48F PBCOM tower
6795 Ayala Avenue cor VA Rufino St.
Salcedo Village
1227 Makati City, PHILS
Phone: (02)-888 0572, Domestic Toll Free: 1-800-10-PHILIPS or 1-800-10-744 5477
Fax: (02)-888 0571

SINGAPORE

Accord Customer Care Solutions Ltd
Authorized Philips Service Center
Consumer Service
620A Lorong 1 Toa Rayoh
Singapore 319762
Tel: +65 6882 3999
Fax: +65 6250 8037

TAIWAN

Philips Taiwan Ltd.
Consumer Information Centre
13F, No. 3-1 Yuan Qu St., Nan Gang Dist.,
Taipei 115, Taiwan
Phone: 0800-231-099
Fax : (02)-3789-2641

THAILAND

Philips Electronics (Thailand) Ltd.
26-28th floor, Thai Summit Tower
1768 New Petchburi Road
Khwaeng Bangkapi, Khet Huaykhwang
Bangkok 10320 Thailand
Tel: (66)2-6528652
E-mail: cic Thai@philips.com

Africa

MOROCCO

Philips Electronique Maroc
304, BD Mohamed V
Casablanca
Phone: (02)-302992
Fax : (02)-303446

SOUTH AFRICA

PHILIPS SA (PTY) LTD
Customer Care Center
195 Main Road
Martindale, Johannesburg
P.O. box 58088
Newville 2114
Telephone: +27 (0) 11 471 5194
Fax: +27 (0) 11 471 5123
E-mail: customercare.za@philips.com

Middle East

DUBAI

Philips Middle East B.V.
Consumer Information Centre
P.O.Box 7785
DUBAI
Phone: (04)-335 3666
Fax : (04)-335 3999

dqjc---Nz-NlRp lqj rcDqjc-A7-0..4-1-Fcjin-?MA-.106-/5.@5-K ls j-PS00?L-u pp lrw-U?Pj?LRJ,FRK &/ md 0'1-07-0..4 18/0801 NK

<http://www.philips.com>

Philips F1rst Choice(| τ Σ)

Philips



Philips

Click here to access the [Warranty Registration Card](#).

Philips

Philips

Philips

Philips

Philips

Philips

$\sqrt{r \neq \Delta} \sum r \neq n \dots \approx$                   

$\equiv \Delta \int \ln z \neq$ _____

$\approx \Sigma \sqrt{\int \lfloor \leq \int \equiv \equiv}$ _____

-  Philips
- $\approx$  Philips
-  ( )
-  $\leq$:

- 286/386/486/Pentium Pro/ $\approx$
-  (Windows, DOS, OS/2, Apple Macintosh)
-   $\neq$ 

-               
- $\sqrt{\neq}$          
-               

$\leq$   

Philips                

$\sqrt{\neq}$  <http://www.philips.com>



C

$\int \leq$


[illegible][illegible][illegible]

$$\mathcal{V} \models \approx \mathcal{V} - \sum \Gamma \leq r - \sum \mid \Sigma \geq \gamma \mid \mid \Gamma - \sum \Gamma \neq \mid \models$$

L

A complex musical score for a string quartet, featuring four staves with various musical notations including notes, rests, and dynamic markings. The notation is dense and includes many accidentals and dynamic markings such as *pp*, *ff*, and *sfz*. The score is written in a modern, possibly contemporary style, with a focus on rhythmic and melodic complexity.

The diagram is a complex arrangement of mathematical symbols and letters, organized into a grid-like structure. The symbols include various letters (A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z), numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, 10), and mathematical operators (plus, minus, multiplication, division, less than or equal to, greater than or equal to, etc.). The symbols are arranged in a way that suggests a sequence or a flow, with some symbols appearing multiple times. The overall structure is dense and intricate, with a clear pattern of repetition and variation.



N

P

PICture Element $\tilde{n}$

[illegible]

Polarizer ()

90Å

$$\forall r \approx \forall - \sum r \leq r - \sum \mid \sum \geq r \mid \mid \neg \sum r \neq \mid =$$

R

Refresh rate (Hz) 144 165 180 240 360 480 600 720 840 960 1080 1200 1440 1680 1920 2160 2400 2700 3000 3600 4800 6000 7200 8400 9600 10800 12000 14400 16800 19200 21600 24000 27000 30000 36000 48000 60000 72000 84000 96000 108000 120000 144000 168000 192000 216000 240000 270000 300000 360000 480000 600000 720000 840000 960000 1080000 1200000 1440000 1680000 1920000 2160000 2400000 2700000 3000000 3600000 4800000 6000000 7200000 8400000 9600000 10800000 12000000 14400000 16800000 19200000 21600000 24000000 27000000 30000000 36000000 48000000 60000000 72000000 84000000 96000000 108000000 120000000 144000000 168000000 192000000 216000000 240000000 270000000 300000000 360000000 480000000 600000000 720000000 840000000 960000000 1080000000 1200000000 1440000000 1680000000 1920000000 2160000000 2400000000 2700000000 3000000000 3600000000 4800000000 6000000000 7200000000 8400000000 9600000000 10800000000 12000000000 14400000000 16800000000 19200000000 21600000000 24000000000 27000000000 30000000000 36000000000 48000000000 60000000000 72000000000 84000000000 96000000000 108000000000 120000000000 144000000000 168000000000 192000000000 216000000000 240000000000 270000000000 300000000000 360000000000 480000000000 600000000000 720000000000 840000000000 960000000000 1080000000000 1200000000000 1440000000000 1680000000000 1920000000000 2160000000000 2400000000000 2700000000000 3000000000000 3600000000000 4800000000000 6000000000000 7200000000000 8400000000000 9600000000000 10800000000000 12000000000000 14400000000000 16800000000000 19200000000000 21600000000000 24000000000000 27000000000000 30000000000000 36000000000000 48000000000000 60000000000000 72000000000000 84000000000000 96000000000000 108000000000000 120000000000000 144000000000000 168000000000000 192000000000000 216000000000000 240000000000000 270000000000000 300000000000000 360000000000000 480000000000000 600000000000000 720000000000000 840000000000000 960000000000000 1080000000000000 1200000000000000 1440000000000000 1680000000000000 1920000000000000 2160000000000000 2400000000000000 2700000000000000 3000000000000000 3600000000000000 4800000000000000 6000000000000000 7200000000000000 8400000000000000 9600000000000000 10800000000000000 12000000000000000 14400000000000000 16800000000000000 19200000000000000 21600000000000000 24000000000000000 27000000000000000 30000000000000000 36000000000000000 48000000000000000 60000000000000000 72000000000000000 84000000000000000 96000000000000000 108000000000000000 120000000000000000 144000000000000000 168000000000000000 192000000000000000 216000000000000000 240000000000000000 270000000000000000 300000000000000000 360000000000000000 480000000000000000 600000000000000000 720000000000000000 840000000000000000 960000000000000000 1080000000000000000 1200000000000000000 1440000000000000000 1680000000000000000 1920000000000000000 2160000000000000000 2400000000000000000 2700000000000000000 3000000000000000000 3600000000000000000 4800000000000000000 6000000000000000000 7200000000000000000 8400000000000000000 9600000000000000000 10800000000000000000 12000000000000000000 14400000000000000000 16800000000000000000 19200000000000000000 21600000000000000000 24000000000000000000 27000000000000000000 30000000000000000000 36000000000000000000 48000000000000000000 60000000000000000000 72000000000000000000 84000000000000000000 96000000000000000000 108000000000000000000 120000000000000000000 144000000000000000000 168000000000000000000 192000000000000000000 216000000000000000000 240000000000000000000 270000000000000000000 300000000000000000000 360000000000000000000 480000000000000000000 600000000000000000000 720000000000000000000 840000000000000000000 960000000000000000000 1080000000000000000000 1200000000000000000000 1440000000000000000000 1680000000000000000000 1920000000000000000000 2160000000000000000000 2400000000000000000000 2700000000000000000000 3000000000000000000000 3600000000000000000000 4800000000000000000000 6000000000000000000000 7200000000000000000000 8400000000000000000000 9600000000000000000000 10800000000000000000000 12000000000000000000000 14400

[illegible]

$$\mathcal{V} \models \approx \mathcal{V} \vdash \neg \sum r \leq r \vdash \neg \sum r \geq r \quad | \quad \neg \sum r \neq \vdash =$$

S

sRGB


SRGB $\tilde{n}$ 

Figure 1: Comparison of color calibration methods. The figure shows three rows of color calibration charts. The top row is labeled 'sRGB' and shows a standard sRGB color bar. The middle row is labeled 'sRGB-Philips' and shows a color bar with additional colors. The bottom row is labeled 'sRGB' and shows a standard sRGB color bar. The charts are used to compare the color calibration methods.

[illegible]

OK, Color (sRGB).

6500K.

$$\forall r \approx \forall -\sum r \leq r \text{ } \neg \sum | \sum \geq 1 \quad | \quad \neg \sum r \neq \vdash =$$

T

TFT (

$$\forall r \approx \forall r \leq r \vee \neg \exists r \geq r \quad | \quad \neg \exists r \neq r \models$$

U

Universal Serial Bus (USB)

(ג) $\mathcal{H}_1$ ו- $\mathcal{H}_2$ הם תת-חלליות של $\mathcal{H}$ ו- $\mathcal{H}_1 \cap \mathcal{H}_2 = \{0\}$.

[illegible]

- [illegible]

[illegible]

[illegible]

החוקרים מצאו כי ישנן שתי קבוצות עיקריות של אנשים: קבוצה אחת של אנשים שיש להם רמת חסינות גבוהה יותר, וקבוצה שנייה של אנשים שיש להם רמת חסינות נמוכה יותר. קבוצה זו היא זו שיש לה רמת חסינות נמוכה יותר, וקבוצה זו היא זו שיש לה רמת חסינות גבוהה יותר.

$\sum_{j=1}^n \frac{1}{\lambda_j} = \frac{n}{\lambda}$, $\sum_{j=1}^n \frac{1}{\lambda_j^2} = \frac{n}{\lambda^2}$, $\sum_{j=1}^n \frac{1}{\lambda_j^3} = \frac{n}{\lambda^3}$, $\dots$

$\neq$

[illegible][illegible]

Figure 1

[illegible]

$$\sqrt{\mid} \approx \sqrt{-\Sigma \Gamma \leq \Gamma \Sigma \mid \Sigma \geq \gamma \mid \mid \Gamma \Sigma \Gamma \neq \mid} =$$

dajc8---Nz-NlRp lqj rcDajc-A7-0..4-1-Fcjin-?MA-.106/5.@5-K l s j-PS006?L-bmuljm b-bmuljm b,frk &/ md 1'1-07-0..4 18/18.6 NK



$$\forall \gamma \approx \forall - \sum \gamma \leq r - \sum \mid \sum \geq \gamma \mid \mid \neg \sum r \neq \mid =$$

FPadjust

[illegible]

- $\mathbb{J} \leq \mathbb{T} \leq \mathbb{U} \leq \mathbb{V} \leq \mathbb{W} \leq \mathbb{X} \leq \mathbb{Y} \leq \mathbb{Z}$ Windows® 95, Windows® 98, Windows® 2000, Windows® Me, Windows® XP $\mathbb{A} \leq \mathbb{B} \leq \mathbb{C} \leq \mathbb{D} \leq \mathbb{E} \leq \mathbb{F} \leq \mathbb{G} \leq \mathbb{H} \leq \mathbb{I} \leq \mathbb{J} \leq \mathbb{K} \leq \mathbb{L} \leq \mathbb{M} \leq \mathbb{N} \leq \mathbb{O} \leq \mathbb{P} \leq \mathbb{Q} \leq \mathbb{R} \leq \mathbb{S} \leq \mathbb{T} \leq \mathbb{U} \leq \mathbb{V} \leq \mathbb{W} \leq \mathbb{X} \leq \mathbb{Y} \leq \mathbb{Z}$.

 *FPadjust Program:*

- F-adjustment, Win95/98/2000/Me/XP

FP_setup4.3.exe

- ✓ **Save Link As...** (**S**ave **L**ink **A**s...), **Save Target As...** (**S**ave **T**arget **A**s...), **Download Link to Disk** (**D**ownload **L**ink **t**o **D**isk).
- ✓ **Save** (**S**ave) (**S**ave **S**ource **T**ext) (**S**ave **S**ource **T**ext).
source (source), target (target).
- ✓ **FPadjust** (**F**P **a**djust).

```
J T W U L F Y Z P D J H G E I B C A S X N Q R V O  
M L K J I H G F E D C B A S X N Q R V O M L K J I H G F E D C B A S X N Q R V O  
"FP_Readme4.3.txt".
```

$$\forall \mid \approx \forall - \Sigma \Gamma \leq \Gamma - \Sigma \mid \Sigma \geq \gamma \mid \mid \Gamma - \Sigma \Gamma \neq \mid =$$