

LCD monitor with Ultra Wide-Color

- 24 (23.8" / 60.5 cm diag.) Full HD (1920 x 1080)

246E9OIAB/00

Stunning color, stylish design

The Philips E line monitor features stylish design with extraordinary picture performance. A narrow border Full HD display with Ultra Wide-Color brings you to real true-to-life visuals. Enjoy superior viewing in a stylish design.

Benefits

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- Effortlessly smooth gameplay with AMD FreeSync ™ technology

Features designed for you

- Narrow border display for a seamless appearance
- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

- · HDMI ensures universal digital connectivity
- Built-in stereo speakers for multimedia
- DisplayPort connection for maximum visuals

Greener everyday

- Eco-friendly materials meet major international standards
- · Low power consumption saves energy bills



Features

Ultra Wide-Color Technology





Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 \times 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Ultra-smooth gaming



Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync $^{\mathsf{TM}}$ technology, smooth quick refresh and ultra-fast response time.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or

tiling setup like gaming, graphic design and professional applications, the ultranarrow border display gives you the feeling of using one large display.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Built-in stereo speakers

A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

DisplayPort connection



DisplayPort is a digital link from PC to Monitor without any conversion. With higher capabilities than DVI standard, it is fully capable to support up to 15meter cables and 10.8 Gbps/sec data transfer. With this high performance and zero latency, you get the fastest imaging and refresh rates - making DisplayPort the best choice for not only general office or home use, but also for the demanding gaming and movies, video editing and more. It also keeps interoperability in mind via use of various adapters.

Eco-friendly materials

"Philips is committed to use sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilize upto 65% post consumer recycled plastics. Strict adherence to RoHS standards ensure

substantial reduction or elimination of toxic substances like Lead, for example. Mercury content in monitors with CCFL backlight has been reduced significantly, while eliminated in monitors with LED backlight completely.

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type IPS technology Backlight type W-LED system Panel Size 23.8 inch / 60.5 cm Anti-Glare, 3H, Haze 25% Display Screen

Coating

527.04 (H) x 296.46 (V) Effective viewing area

Aspect ratio

Maximum resolution 1920 x 1080 @ 75 Hz* Pixel Density 93 PPI 4 ms (Gray to Gray)* Response time

(typical) Brightness 250 cd/m² Contrast ratio 1000:1

(typical)

SmartContrast 20,000,000:1 Pixel pitch $0.275 \times 0.275 \text{ mm}$ Viewing angle 178° (H) / 178° (V) @ C/R > 10

Flicker-free Yes

Picture enhancement SmartImage game Color gamut (typical) NTSC 108%*, sRGB 129%*

16.7 M Display colors

Scanning Frequency 30 - 83 kHz (H) / 50 - 76 Hz (V)

LowBlue Mode Yes FreeSync Yes sRGB Yes

Connectivity

Sync Input

Signal Input

VGA (Analog) HDMI (digital, HDCP)

DisplayPort Separate Sync

Sync on Green Audio (In/Out) PC audio-in Headphone out

Convenience

Built-in Speakers

3 W x 2 Power On/Off User convenience

Menu **Brightness** Input

SmartImage Game OSD Languages Brazil Portuguese

Czech Dutch English

Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian

Simplified Chinese

Spanish Swedish

Traditional Chinese

Turkish Ukranian

Other convenience Kensington lock

VESA mount (75×75mm)

Plug & Play Compatibility

DDC/CI Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

12.25 W (typ.) (EnergyStar 7.0 test On mode

method) Standby mode < 0.5 W (typ.) < 0.3 W (typ.) Off mode

Energy Label Class

Power LED indicator Operation - White

Standby mode- White (blinking)

Power supply External

100-240VAC, 50-60Hz

Dimensions

Product with stand 540 x 416 x 190 mm

(mm) Product without

540 x 326 x 39 mm stand (mm)

586 x 477 x 141 mm Packaging in mm

(WxHxD)

Weight

Product with stand 3.01 kg

(kg)

Product without 2.45 kg

stand (kg)

4.51 kg Product with pack-

aging (kg)

Operating conditions

Temperature range (operation)

Temperature range

-20 to 60 °C

(storage)

Relative humidity

20%-80 %

Altitude

Operation: +12,000ft (3,658m), Nonoperation: +40.000ft (12.192m)

0 to 40 °C

50,000 hrs (excluding backlight)

hour(s)

Sustainability

MTBF

Environmental and

energy

EnergyStar 7.0 **EPEAT** Silver RoHS Lead-free Mercury Free WEEE 100 %

Recyclable packaging

material

Compliance and standards

CE Mark Regulatory Approvals

FCC Class B CU-EAC

TUV/ISO9241-307

VCCI **RCM BSMI MEPS**

> data subject to change 2019, April 20

What's in the box?

Cabinet
Color Black / Silver

Glossy

Finish

Monitor with stand Cables User Documentation Yes HDMI cable, Power cable

Yes

* "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

 $[\]ensuremath{^{*}}$ The monitor may look different from feature images.



data subject to change 2019, April 20

Version: 4.0.1 EAN: 8712581750701 © 2019 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

^{*} The maximum resolution works for either HDMI input or DP input.

st Response time value equal to SmartResponse

^{* 2015} Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, FreeSync and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other names are for informational purposes only and may be trademarks of their respective owners.

^{*} NTSC Area based on CIE1976

^{*} sRGB Area based on CIE 1931