

Full HD LCD monitor

- V Line
- 24 (23.8" / 60.5 cm diag.) Full HD (1920 x 1080)

243V7OHSB/89

# Vivid, crisp images, from edge-to-edge

A perfect all around display with stunning images that stretch from edge-to edge, made easy on the eyes, in a compact slim design.

## **Benefits**

## Experience true multimedia

• HDMI-ready for Full HD entertainment

## Vivid pictures every time

- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- Narrow border display for a seamless appearance
- SmartContrast for rich black details
- SmartImage presets for easy optimized image settings

## Perfectly designed for your space

- · Compact design saves space
- VESA mount allows for flexibility

## Easy on the eyes

- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity
- · EasyRead mode for a paper-like reading experience



## **Features**

## IPS technology




IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

#### 16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

#### UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

## SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

## SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

#### Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

#### LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

## EasyRead mode



## **HDMI** Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

## **Specifications**

## [field not found 'disclaimer\_text']

#### Picture/Display

LCD panel type IPS technology Backlight type W-LED system Panel Size 23.8 inch / 60.5 cm Display Screen Anti-Glare, 3H, Haze 25% Coating

Effective viewing area 527.04 (H) x 296.46 (V)

Aspect ratio 16:9

1920 x 1080 @ 75 Hz\* Maximum resolution

Pixel Density 93 PPI 5 ms (GtG)\* Response time (typical) Brightness 250 cd/m<sup>2</sup>

20,000,000:1 SmartContrast 1000:1 Contrast ratio

(typical)

Pixel pitch 0.275 x 0.275 mm 178° (H) / 178° (V) Viewing angle @ C/R > 10

Flicker-free Yes Display colors 16.7 M

Scanning Frequency 30 -83 kHz (H) / 56 -76 Hz (V)

LowBlue Mode Yes sRGB Yes

### Connectivity

Signal Input VGA (Analog)

HDMI (digital, HDCP)

Separate Sync Sync Input Sync on Green

HDMI audio out Audio (In/Out)

## Convenience

Power On/Off User convenience

Menu/OK Brightness/UP Input/Down SmartImage/Back Brazil Portuguese

Czech

OSD Languages

Dutch English **Finnish** French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Spanish

Simplified Chinese Swedish

Turkish Traditional Chinese

Ukranian Kensington lock Other convenience

VESA mount (100x100mm)

Plug & Play Compatibility

DDC/CI Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

## Stand

Tilt -5/20 degree

#### Power

On mode 21.39 W (typ.) Standby mode 0.5 W (typ.) 0.5 W (typ.) Off mode Operation - White Power LED indicator

Standby mode- White (blinking)

Power supply

100-240VAC, 50-60Hz

540 x 325 x 45 mm

#### **Dimensions**

Product with stand 540 x 415 x 209 mm (mm)

Product without

stand (mm) Packaging in mm (WxHxD) 602 x 472 x 128 mm

3.64 kg

3.22 kg

#### Weight

Product with stand

(kg)

Product without

stand (kg)

Product with pack-5.47 kg

aging (kg)

#### Operating conditions

0°C to 40°C °C Temperature range

(operation) Temperature range

(storage)

Relative humidity

20%-80 %

Operation: +12,000ft (3,658m), Non-Altitude operation: +40,000ft (12,192m) 50,000 (Excluded backlight) hour(s)

-20°C to 60°C °C

**MTBF** 

Sustainability

Environmental and **RoHS** energy Lead-free Mercury Free

Recyclable packaging

material

## Compliance and standards

Regulatory Approvals CE Mark


CECP CCC

100 %

## Cabinet

Color Black Textured Finish

> data subject to change 2020, February 9



<sup>\*</sup> The maximum resolution works for HDMI input only.

\* Response time value equal to SmartResponse

\* The monitor may look different from feature images.



data subject to change 2020, February 9

Version: 2.0.1 EAN: 8712581757571 © 2020 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com