[field not found 'leaflet_type'] (2023, June 19)



LCD monitor

- V Line
- 27" (68.6 cm) 1920 x 1080 (Full HD)

271V8LA/89

Vivid, crisp images beyond boundaries

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode, and flicker-free for easy-on-the eyes.

Benefits

Vivid pictures every time

- VA display delivers awesome images with wide viewing angles
- · SmartImage presets for easy optimized image settings
- SmartContrast for rich black details
- Effortlessly smooth action with Adaptive-Sync technology

Easy on the eyes

- · Less eye fatigue with Flicker-free technology
- · LowBlue Mode for easy on-the-eyes productivity

· EasyRead mode for a paper-like reading experience

Experience true multimedia

- HDMI ensures universal digital connectivity
- · Built-in stereo speakers for multimedia


Perfectly designed for your space

• VESA mount allows for flexibility



Features

VA display



Philips VA LED display uses an advanced multi-domain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

Adaptive-Sync technology



Gaming shouldn't be a choice between choppy gameplay or broken frames. Get fluid, artifact-free performance at virtually any framerate with Adaptive-Sync technology, smooth quick refresh and ultra-fast response time.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

EasyRead mode



HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables highquality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Built-in stereo speakers



A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

data subject to change 2023, June 19

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type Backlight type Panel Size **Display Screen** Coating Effective viewing area Aspect ratio Maximum resolution Pixel Density Response time (typical) Brightness Contrast ratio (typical) SmartContrast Pixel pitch Viewing angle

Flicker-free Display colors Scanning Frequency LowBlue Mode EasyRead sRGB Adaptive sync

Connectivity

Signal Input

Sync Input

Audio (In/Out)

Convenience

Built-in Speakers User convenience

OSD Languages

Other convenience

Plug & Play Compati-

bility

VA LCD W-LED system 27 inch / 68.6 cm Anti-Glare, 3H, Haze 25%

597.9 (H) x 336.3 (V) 16:9 1920 x 1080 @ 75 Hz* 82 PPI 4 ms (GtG)*

250 cd/m² 3000:1

Mega Infinity DCR 0.3114 x 0.3114 mm 178° (H) / 178° (V) @ C/R > 10 Yes 16.7 M 30 -85 kHz (H) / 48 -75 Hz (V) Yes Yes Yes Yes

VGA (Analog) HDMI (digital, HDCP) Separate Sync Sync on Green Audio out

2 W x 2 Power On/Off Menu/OK Volume Input/Down SmartImage/Back Brazil Portuguese Czech Dutch English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Spanish Simplified Chinese Swedish Turkish Traditional Chinese Ukrainian Kensington lock VESA mount (100x100mm) DDC/CI Mac OS X sRGR Windows 10 / 8.1 / 8 / 7

Stand Tilt

-5/20 degree

23.3 W (typ.)

Operation - White

100-240VAC, 50-60Hz

Standby mode- White (blinking)

0.3 W (typ.) 0.3 W (typ.)

Built-in

Power

On mode Standby mode Off mode Power LED indicator

Power supply

Dimensions

Product with	613 x 456 x 231 mm
stand(max height) Product without	613 x 363 x 45 mm
stand (mm)	
Packaging in mm	730 x 446 x 123 mm
(WxHxD)	

Weight

Product with stand	3.96 kg
(kg)	
Product without	3.50 kg
stand (kg)	
Product with pack-	5.55 kg
aging (kg)	

Operating conditions

Temperature range (operation) Temperature range (storage) Relative humidity Altitude

MTBF

Sustainability

Environmental and energy Recyclable packaging material RoHS Mercury Free 100 %

20%-80 %

0°C to 40°C °C

-20°C to 60°C °C

Compliance and standards

Regulatory Approvals UKRAINIAN

CB TUV Ergo TUV/GS EAEU RoHS CU-EAC CE Mark

Cabinet

Color Finish Black Textured

50,000 (Excluded backlight) hour(s)

operation: +40,000ft (12,192m)

Operation: +12,000ft (3,658m), Non-

- * The maximum resolution works for HDMI input only. * Response time value equal to SmartResponse * The monitor may look different from feature images.



data subject to change 2023, June 19 Version: 1.0.1 EAN: 8712581781538

© 2023 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com