



LCD monitor

- E Line
- 22 (21.5" / 54.6 cm diag.)
- Full HD (1920 x 1080)

226E9QSB/00

Vivid and crisp details, design beyond boundaries

This stylish brilliance monitor gives the best viewing beyond boundaries. Wide-view display allows you to enjoy the same crisp and vivid picture quality from any front angle view. Flicker-free reduces eye fatigue after long use.

Benefits

Vivid pictures every time

- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images

Features designed for you

- Narrow border display for a seamless appearance
- Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

- EasyRead mode for a paper-like reading experience

Greener everyday

- Eco-friendly materials meet major international standards
- Low power consumption saves energy bills

PHILIPS

Features

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

Flicker-free technology




Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

EasyRead mode



Eco-friendly materials

"Philips is committed to use sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilize upto 65% post consumer recycled plastics. Strict adherence to RoHS standards ensure substantial reduction or elimination of toxic substances like Lead, for example. Mercury content in monitors with CCFL backlight has been reduced significantly, while eliminated in monitors with LED backlight completely.

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type	IPS technology
Backlight type	W-LED system
Panel Size	21.5 inch / 54.6 cm
Display Screen	Anti-Glare, 3H, Haze 25%
Coating	
Effective viewing area	476.06 (H) x 267.79 (V)

Aspect ratio	16:9
Optimum resolution	1920 x 1080 @ 60 Hz
Pixel Density	102 PPI
Response time	4 ms (Gray to Gray)*
(typical)	
Brightness	250 cd/m ²

Contrast ratio (typical)	1000:1
SmartContrast	20,000,000:1
Pixel pitch	0.248 x 0.248 mm
Viewing angle	178° (H) / 178° (V) @ C/R > 10
Flicker-free	Yes
Picture enhancement	SmartImage Lite
Display colors	16.7 M
Scanning Frequency	30 - 83 kHz (H) / 50 - 76 Hz (V)
LowBlue Mode	Yes
sRGB	Yes
EasyRead	Yes

Connectivity

Signal Input	VGA (Analog) DVI-D (digital, HDCP)
Sync Input	Separate Sync Sync on Green

Convenience

User convenience	Power On/Off Menu 4:3 / Wide Input SmartImage lite
OSD Languages	Brazil Portuguese Czech Dutch English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Simplified Chinese Spanish Swedish Traditional Chinese Turkish Ukrainian
Other convenience	Kensington lock VESA mount (75x75mm)
Plug & Play Compatibility	DDC/CI Mac OS X sRGB Windows 10 / 8.1 / 8 / 7

Stand

Tilt	-5/20 degree
------	--------------

Power

On mode	15.60 W (typ.) (EnergyStar 7.0 test method)
Standby mode	< 0.5 W (typ.)
Off mode	< 0.3 W (typ.)
Power LED indicator	Operation - White Standby mode- White (blinking)
Power supply	External 100-240VAC, 50-60Hz

Dimensions

Product with stand (mm)	490 x 385 x 190 mm
Product without stand (mm)	490 x 297 x 35 mm
Packaging in mm (WxHxD)	565 x 434 x 153 mm

Weight

Product with stand (kg)	2.50 kg
Product without stand (kg)	1.94 kg
Product with packaging (kg)	4.03 kg

Operating conditions

Temperature range (operation)	0 to 40 °C
Temperature range (storage)	-20 to 60 °C
Relative humidity	20%-80 %
Altitude	Operation: +12,000ft (3,658m), Non-operation: +40,000ft (12,192m)
MTBF	50,000 (excluding backlight) hour(s)

Sustainability

Environmental and energy	EnergyStar 7.0 EPEAT Silver RoHS Lead-free Mercury Free WEEE
Recyclable packaging material	100 %

Compliance and standards

Regulatory Approvals	CE Mark FCC Class B CU-EAC TUV/ISO9241-307 VCCI RCM CECP BSMI PSB MEPS EPA cETLus UKRAINIAN
----------------------	---

Cabinet

Color Finish	Black / Silver Glossy
-----------------	--------------------------

What's in the box?

Monitor with stand	Yes
Cables	D-Sub cable, Power cable
User Documentation	Yes

- * "IPS" word mark / trademark and related patents on technologies belong to their respective owners.
- * Response time value equal to SmartResponse
- * The monitor may look different from feature images.



data subject to change
2019, April 20

Version: 3.0.1
EAN: 8712581750749

© 2019 Koninklijke Philips N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com