[field not found 'leaflet_type'] (2020, November 12)



Q-Line Display

- 50"
- 3840 x 2160 (4K UHD) • Ultra HD

50BDL30500/00

Show more

Simple, smart, sharp 18/7 display.

Turn up the stopping power with the Q-Line UHD Android display that goes big on resolution. Benefit from fast, hardware-free installation and superb picture quality. Easily display online and local content.

Benefits

Superb picture. Smooth performance

- Android SoC processor. Native and web apps
- Ultra-HD. Rich images. Stunning contrast

Effortless setup. Total control.

- Remote system management through CMND
- Operate, monitor and maintain with CMND & Control
- CMND & Create. Develop and launch your own content
- CMND & Deploy. Install and launch apps remotely

Features

Powered by Android

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimized for native Android apps, and you can

Cost-effective system solution

- Internal memory. Upload content for instant play
- Energy-saving automatic backlight control
- Integrated HTML5 browser. Play and control online content
- Integrated media player. Easily schedule USB content

install web apps directly to the display too. A new Android OS ensures the software is kept secure and remain to the latest specification for longer.



CMND

Take control of your Philips Professional Display network. CMND lets you manage, update, maintain, and play via one easy-to-use interface. From installation to daily operation.

CMND & Control

CMND



Run your display network over a local (LAN) connection. CMND & Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

CMND & Create



Take control of your content with CMND & Create. A drag-and-drop interface makes it simple to publish your own content-whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure your stills, text, and video will be up and running in no time.

Specifications

[field not found 'disclaimer_text']

Picture/Display 1280 x 1024, 60Hz Diagonal screen size 49.5 inch 1280 x 768, 60Hz 1280 × 800, 60Hz (inch) Diagonal screen size 125.73 cm 1360 x 768, 60Hz 1600 x 1200, 60Hz (metric) 1920 x 1080, 60Hz Panel resolution 3840 x 2160 Optimum resolution 3840 x 2160 @ 60 Hz 3840 x 2160, 30, 60Hz 350 cd/m² Video formats 480i, 30, 60Hz Brightness 480p, 30, 60Hz 576i, 25, 50Hz 4000:1 Contrast ratio (typical) 576p, 25, 50Hz Response time 8 ms (typical) 720p, 50, 60Hz 16:9 1080i, 25, 30Hz Aspect ratio Viewing angle (hori-1080p, 50, 60Hz 178 degree 2160p, 30,50, 60Hz zontal) 178 degree Viewing angle (vertical) Connectivity Pixel pitch 0.2854 x0.2854 mm DVI-D Video input Display colors 1.07 Billion VGA (Analog D-Sub) Picture enhancement 3/2 - 2/2 motion pull down HDMI (x2) 3D Combfilter USB 2.0 (x2) Progressive scan Audio input 3.5 mm jack 3D MA deinterlacing Audio output Dynamic contrast enhancement External control Color Enhancement Color Temperature Adjustment **RJ45** De-interlacer Noise Reduction Convenience Smart Picture Operating system Android 5.0.1 Screen saving func-Pixel Shift, Low Brightness Panel technology AMVA tions Keyboard control Lockable Supported Display Resolution

Computer formats

640 x 480, 60, 72, 75Hz 720 x 400, 70Hz 800 x 600, 60, 75Hz 1024 x 768, 60, 75Hz

CMND & Deploy

Quickly install and launch any app-even when you're off-site and working remotely. CMND & Deploy lets you add and update your own apps, as well as apps from the Philips Professional Display App Store. Simply scan the QR code, log in to the store, and click on the app you want to install. The app is automatically downloaded and launched.

tent without the need for a permanent external player. Your al display has an internal memory, which allows you to the display for instant playback. The internal memory also ons as a cache for online streaming.

> Audio Left/Right (RCA) RS232C (in/out) 2.5 mm jack IR (in/out) 3.5 mm jack

Network controllable

Energy saving func-

tions

Placement

LAN (RJ45) RS232 Smart Power

Landscape (18/7)

data subject to change 2020, November 12

Remote control	Lockable	USB Playback Picture	BMP
signal	LOCKADIE	USB Hayback Ficture	IPEG
Ease of installation	Remote Control Lock		JPG
Memory	8GB eMMC		PNG
Other convenience	Kensington lock	USB Playback Audio	AAC
Signal loop through	VESA mount (400x400mm) IR Loopthrough		M4A MP3
5 1 5	RS232		WMA
Tiled Matrix	Up to 10 x 15	Miscellaneous	
Dimensions			
Bezel width	11.8 (Top/Left/Right) 14.3 (Bottom)	Warranty On-Screen Display	3 year warranty Arabic
	mm	Languages	Simplified Chinese
Set Width	1123.6 mm		Traditional Chinese
Set Height	646.7 mm		English
Set Depth	67.8 mm		French
Set Width (inch) Set Height (inch)	44.24 inch 25.5 inch		German Italian
Set Depth (inch)	2.67 inch		Polish
Product weight	12.8 kg		Russian
Product weight (lb)	28.16 lb		Spanish
VESA Mount	400 x 400 mm, M6		Turkish
			Japanese
Operating conditions			Czech
Altitude	0 ~ 3000 m		Danish Dutah
Temperature range	0~ 40 °C		Dutch Finnish
(operation)			Norwegian
Temperature range	-20 ~ 60 °C		Portuguese
(storage)			Swedish
Relative humidity	20 ~ 80% (operation),5 - 95% (storage) %	Regulatory approvals	BSMI
MTBF	50,000 hour(s)		СВ
			CCC CE
Power			CECP
Mains power	100 ~ 240 VAC, 50 ~ 60 Hz		EAC
Consumption (On	128 W		EMF
mode)			EnergyStar 7.0
Standby power	<0.5W		FCC, Class B
consumption			PSB
Power Saving Features	Smart Power		UL/cUL
Comsumption (Max)	180 W	Internal Player	
Consumption	140 W	· · · · · · · · · · · · · · · · · · ·	ACD MMC
(Typical)		Storage CPU	8GB eMMC ARM Quad-core processor
		Memory	2GB DDR3
Sound		· · ······	
Built-in speakers	2 x 10W RMS		
Accessories			
Included accessories	AC Power Cord		
	RS232 cable		
	Batteries for remote control		
	Quick start guide		
	Remote Control		
In all and Americanitan	IR sensor cable (1.8M)		
Included Accessories Stand	RS232 daisy-chain cable BM05923/BM02542/BM05922		
NATURE IN A DECE			
Multimedia Applications			
USB Playback Video	MKV MP4		
	MPEG		
	MPG		
	TS		
	VOB		
	WMV		
	ASF		
	AVI		
	DAT FLV		
	WEBM		

data subject to change 2020, November 12



data subject to change 2020, November 12

Version: 11.0.1 EAN: 8712581752170 © 2020 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com