

LCD monitor

- E Line 22 (21.5" / 54.6 cm diag.) Full HD (1920 x 1080)

226E9ODSB/00

Vivid and crisp details, design beyond boundaries

This stylish brilliance monitor gives the best viewing beyond boundaries. Wide-view display allows you to enjoy the same crisp and vivid picture quality from any front angle view. Flicker-free reduces eye fatigue after long use.

Benefits

Vivid pictures every time

- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- Effortlessly smooth gameplay with AMD FreeSync ™ technology

Features designed for you

- Narrow border display for a seamless appearance
- · Less eye fatigue with Flicker-free technology

- LowBlue Mode for easy on-the-eyes productivity
- HDMI-ready for Full HD entertainment

Greener everyday

- Eco-friendly materials meet major international standards
- · Low power consumption saves energy bills



Features

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Ultra-smooth gaming



Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync™ technology, smooth quick refresh and ultra-fast response time.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type IPS technology Backlight type W-LED system Panel Size 21.5 inch / 54.6 cm Display Screen Anti-Glare, 3H, Haze 25% Coating

476.06 (H) x 267.79 (V) Effective viewing area

Aspect ratio

Maximum resolution 1920 x 1080 @ 75 Hz*

102 PPI Pixel Density

tiling setup like gaming, graphic design and professional applications, the ultranarrow border display gives you the feeling of using one large display.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables highquality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Eco-friendly materials

"Philips is committed to use sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilize upto 65% post consumer recycled plastics. Strict adherence to RoHS standards ensure substantial reduction or elimination of toxic substances like Lead, for example. Mercury content in monitors with CCFL backlight has been reduced significantly, while eliminated in monitors with LED backlight completely.

4 ms (Gray to Gray)* Response time

(typical) **Brightness** 250 cd/m² Contrast ratio 1000:1

(typical) 20,000,000:1 SmartContrast. Pixel pitch $0.248 \times 0.248 \text{ mm}$ Viewing angle 178° (H) / 178° (V)

@ C/R > 10 Flicker-free Yes

SmartImage game Picture enhancement

Display colors 16.7 M

30 - 83 kHz (H) / 50 - 76 Hz (V) Scanning Frequency

LowBlue Mode Yes FreeSync Yes sRGB Yes

Connectivity

VGA (Analog) Signal Input

DVI-D (digital, HDCP)

HDMI (digital, HDCP) Separate Sync

Sync on Green

HDMI audio out Audio (In/Out)

Convenience

Sync Input

User convenience Power On/Off

Menu

Volume (HDMI Audio out)

Input

SmartImage Game OSD Languages Brazil Portuguese

Czech

Dutch English Finnish

French German Greek Hungarian Italian Japanese Korean Polish

Portuguese Russian Simplified Chinese

Spanish Swedish

Traditional Chinese

Turkish Ukranian

Other convenience Kensington lock

VESA mount (75x75mm) DDC/CI

Plug & Play Compati-

Mac OS X bility

sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

15.60 W (typ.) (EnergyStar 7.0 test On mode

method) Standby mode < 0.5 W (typ.)

< 0.3 W (typ.) Off mode Energy Label Class

Power LED indicator Operation - White

Standby mode- White (blinking)

Power supply External

100-240VAC, 50-60Hz

Dimensions

Product with stand 490 x 385 x 190 mm

(mm)

Product without 490 x 297 x 35 mm

stand (mm) Packaging in mm (WxHxD)

565 x 434 x 153 mm

1.97 kg

Weight

Product with stand 2.53 kg

(kg)

Product without

stand (kg)

Product with pack-

4.17 kg

aging (kg)

Operating conditions

Temperature range 0 to 40 $^{\circ}$ C

(operation)

-20 to 60 °C Temperature range (storage) 20%-80 % Relative humidity

Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) 50,000 (excluding backlight) hour(s)

MTBF

Altitude

Sustainability

Environmental and

energy

EnergyStar 7.0 EPEAT Silver RoHS Lead-free Mercury Free WEEE 100 %

Recyclable packaging

material

Compliance and standards

Regulatory Approvals CE Mark

FCC Class B CU-EAC

TUV/ISO9241-307

VCCI **RCM** CECP BSMI PSB MEPS EPA cETLus UKRAINIAN

Cabinet

Color Black / Silver Finish Glossy

What's in the box?

Monitor with stand Yes

Cables HDMI cable, Power cable

User Documentation Yes

* "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

- * The maximum resolution works for HDMI input only.
- * Response time value equal to SmartResponse
- * 2015 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, FreeSync and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other names are for informational purposes only and may be trademarks of their respective owners.

* The monitor may look different from feature images.



data subject to change

2019, April 20

Version: 4.0.1 EAN: 8712581750756 © 2019 Koninklijke Philips N.V.

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com