

LCD monitor with Ultra Wide-Color

- E Line
- 27" (68.6 cm) 1920 x 1080 (Full HD)

276E7ODSW/89

Vivid, true-to-life colors

in an elegant design

This brilliant wide view display with Ultra Wide-Color offers true-to-life colors wrapped in an elegance-inspired design for a light and fresh face in any home or office.

Benefits

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- · Less eye fatigue with Flicker-free technology
- SmartContrast for deep black level details
- · SmartImage Lite for easy optimized image settings
- LowBlue Mode for easy on-the-eyes productivity

Elegant Design

- EasySelect menu toggle key for quick on-screen menu access
- Elegant, slim design complements your home decor
- Superb glossy finish enhance your home decoration

Experience immersive multimedia

• MHL technology for enjoying mobile content on big screen



Features

Ultra Wide-Color Technology





Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 \times 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

SmartImage Lite

SmartImage Lite is an exclusive, leading edge Philips technology that analyzes the content displayed on your screen. Based on a scenario you select, SmartImage Lite dynamically enhances the contrast, color saturation and sharpness of images and videos for ultimate display performance - all in real time with the press on a single button.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

EasySelect Menu Toggle Key



The discreetly placed EasySelect Menu Toggle Key allows you to make quick and easy adjustments to monitor settings in the On-Screen Display menu.

MHL technology



Mobile High Definition Link (MHL) is a mobile audio/video interface for directly connecting mobile phones and other portable devices to high-definition displays. An optional MHL cable allows you to simply connect your MHL capable mobile device to this large Philips MHL display, and watch your HD videos come to life with full digital sound. Now not only you can enjoy your mobile games, photos, movies, or other apps on its big screen, you can simultaneously charge your mobile device so you never run out of power half way.

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type IPS technology Backlight type W-LED system Panel Size 27 inch / 68.6 cm Effective viewing area 597.9 (H) x 336.3 (V) Aspect ratio 16:9

20,000,000:1

Yes

16.7 M

0.311 x 0.311 mm

178° (H) / 178° (V) @ C/R > 10

SmartImage Lite

NTSC 104.4% (CIE1976)*

30 -83 kHz (H) / 56 -76 Hz (V)

1920 x 1080 @ 60Hz Optimum resolution Response time 5 ms (Gray to Gray)*

(typical) **Brightness** 250 cd/m² 1000:1 Contrast ratio

(typical) SmartContrast Pixel pitch

Viewing angle Flicker-free

Picture enhancement Color gamut (typical) Display colors

Scanning Frequency MHL

1080P @ 30Hz sRGB Yes LowBlue Mode Yes

Connectivity

Signal Input

VGA (Analog) DVI-D (digital, HDCP) MHL-HDMI (digital, HDCP) Separate Sync

Sync Input Sync on Green Audio (In/Out) HDMI audio out

Convenience

User convenience Power On/Off

Menu

Volume (HDMI Audio out)

Input

SmartImage lite OSD Languages Brazil Portuguese

Czech Dutch English Finnish French German Greek Hungarian

Italian Japanese Korean Polish Portuguese Russian Simplified Chinese

Spanish Swedish

Traditional Chinese

Turkish Ukranian

Kensington lock Other convenience VESA mount (100x100mm)

Plug & Play Compati-

bility

DDC/CI Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 17.03 W (typ.) (EnergyStar 7.0 test

method) 0.5 W (typ.) 0.3 W (typ.)

Off mode Power LED indicator Operation - White

Standby mode- White (blinking) Power supply External

4.33 kg

4.08 kg

6.81 kg

100-240VAC, 50-60Hz

616 x 468 x 179 mm

616 x 370 x 52 mm

676 x 544 x 113 mm

Dimensions

Product with stand

(mm)

Product without stand (mm)

Standby mode

Packaging in mm

(WxHxD)

Weight

Product with stand

(kg) Product without stand (kg) Product with pack-

aging (kg)

Operating conditions

Temperature range (operation)

Temperature range

(storage)

Relative humidity

Altitude

MTBF

0°C to 40°C °C

-20°C to 60°C °C

20%-80 % Operation: +12,000ft (3,658m), Non-

operation: +40,000ft (12,192m) 50,000 (excluding backlight) hour(s)

Sustainability

Environmental and

energy

EnergyStar 7.0 RoHS Mercury Free 100 %

Recyclable packaging

material

Compliance and standards

CE Mark Regulatory Approvals

FCC Class B CU-EAC TCO Certified TUV/ISO9241-307

VCCI **RCM** WFFF CECP

Cabinet

Color White Finish Glossy

> data subject to change 2021, May 19

- * This Philips display is MHL certified. However, in case your MHL device does not connect or work correctly, check with your MHL device FAQ or vendor directly for direction. The policy of your device manufacturer may require you to purchase their brand specific MHL cable or adapter in order to work.
- direction. The policy of your device manufacturer may require you to purchase their brand specific MHL cable or adapter in order to work

 * Requires optional MHL certified mobile device and MHL cable. (not included) Please check with your MHL device vendor for compatibility.
- ${\rm *Standby/Off\ energy\ saving\ of\ ErP\ is\ not\ applicable\ for\ the\ MHL\ charging\ functionality}$
- * For complete list of MHL-enabled products refer to www.mhlconsortiun.org
- * HDMI cables vary depending on region and models.
- * Response time value equal to SmartResponse
- * NTSC 85% (CIE1931), sRGB: 122.9%
- * "IPS" word mark / trademark and related patents on technologies belong to their respective owners.



data subject to change 2021, May 19

Version: 3.0.1 EAN: 8712581752392 © 2021 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com