PHILIPS

LCD monitor

E Line 27" (68.6 cm) 1920 x 1080 (Full HD)

271E1D



Simply stunning

The 27" E Line monitor features stunning visuals and elegant design for a stylish enhancement to your workspace. Experience crisp Full HD visuals, and smooth action with AMD FreeSync technology.

Features designed for you

- HDMI ensures universal digital connectivity
- Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity
- Zero Bezel for a full picture and modern look
- Cable management reduces cable clutter for neat workspace

Greener everyday


• Mercury Free eco-friendly display

Superb Picture Quality

- SmartContrast for rich black details
- 16:9 Full HD display for crisp detailed images
- IPS LED wide view technology for image and color accuracy
- SmartImage game mode optimized for gamers
- Effortlessly smooth gameplay with AMD FreeSync[™] technology

Highlights

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Ultra-smooth gaming



AMD FreeSync[™] OFI

Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any

framerate with AMD FreeSvnc[™] technology. smooth quick refresh and ultra-fast response time

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

SmartImage Game mode



The new Philips gaming display has quick access OSD fine tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts display with fastest response time, high color, along with image adjustments. "RTS" mode (Real time strategy) has a special SmartFrame mode which enables highlighting of specific area and allows for size and image

adjustments. Gamer 1 and Gamer 2 enable you to save personal customized settings based on different games, ensuring best performance.

Zero Bezel



Eliminating the surrounding frame in our Zero Bezel design offers an expansive picture with a modern look, and a virtually seamless experience for multi-monitor setups.

Concealed cables



For a cleaner workspace, this monitor features an elegant solution for cable management. No need to bundle cables with extra ties. An elongated slot provides a hidden storage for cables. It conceals cables and looks great in most environments, especially for a small space or the desk that faces a wall or a window. This design cleans up messy cables, for a more organized desk

Flicker-free technology



Due to the way brightness is controlled on LEDbacklit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

















Flicker-free

Highlights

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables

high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Mercury Free

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its life-cycle, from manufacturing to disposal.













Specifications

Picture/Display Panel Size: 27 inch / 68.6 cm Aspect ratio: 16:9 LCD panel type: IPS technology Backlight type: W-LED system Pixel pitch: 0.311 x 0.311 mm Brightness: 250 cd/m² Display colors: 16.7 M Color gamut (typical): NTSC 88%*, sRGB 102%* Contrast ratio (typical): 1000:1 SmartContrast: Mega Infinity DCR Response time (typical): 4 ms (Gray to Gray)* Viewing angle: 178° (H) / 178° (V), @ C/R > 10 Picture enhancement: SmartImage game Maximum resolution: 1920 x 1080 @ 75 Hz* Effective viewing area: 597.9 (H) x 336.3 (V) mm Scanning Frequency: 30 - 85 kHz (H) / 48 - 75 Hz (V) sRGB Flicker-free Pixel Density: 82 PPI LowBlue Mode Display Screen Coating: Anti-Glare, 3H, Haze 25% AMD FreeSync[™] technology

Connectivity

Signal Input: VGA (Analog), DVI-D (digital, HDCP), HDMI (digital, HDCP) Sync Input: Separate Sync, Sync on Green Audio (In/Out): HDMI audio out

Convenience

Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7 User convenience: Power On/Off, Menu, Brightness, Input, SmartImage Game OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian Other convenience: Kensington lock, VESA mount (100x100mm)

Stand

Tilt: -5/20 degree

Power

Power supply: External, 100-240VAC, 50-60Hz Off mode: < 0.3 W (typ.) On mode: 14.90 W (typ.) (EnergyStar 7.0 test method) Standby mode: < 0.5 W (typ.) Power LED indicator: Operation - White, Standby

Power LED indicator: Operation - White, Standb mode- White (blinking)

Dimensions

Product with stand (mm): 610 x 460 x 205 mm Packaging in mm (WxHxD): 660 x 519 x 135 mm Product without stand (mm): 610 x 362 x 39 mm

Weight

Product with packaging (kg): 6.02 kg Product with stand (kg): 4.10 kg Product without stand (kg): 3.52 kg

Operating conditions

Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) Temperature range (operation): 0 to 40 °C MTBF: 50,000 hrs (excluding backlight) hour(s) Relative humidity: 20%-80 % Temperature range (storage): -20 to 60 °C

Sustainability

Environmental and energy: EnergyStar 7.0, RoHS, Mercury Free Recyclable packaging material: 100 %

Compliance and standards

Regulatory Approvals: CE Mark, FCC Class B, ICES-003, MEPS, RCM

Cabinet

Color: Black Finish: Textured

© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the

property of Koninklijke Philips N.V. or

their respective owners.

Issue date 2025-03-25 Version: 2.0.3

EAN: 87 12581 75955 1

www.philips.com



* "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

- * The maximum resolution works for HDMI input only.
- * Response time value equal to SmartResponse
- * NTSC Area based on CIE1976
- * sRGB Area based on CIE1931
- * 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.
- * The monitor may look different from feature images.

271E1D/75