



Clear image, efficient performance

for maximum productivity

Get your best work done with the Philips 27" Full HD monitor. Crisp and vivid Full HD gives you the space and clarity to see your work. Features like height adjustment, Flicker-free and LowBlue mode make work easy on the eyes.

Brilliant performance

- SmartImage pre-sets for easy optimised image settings
- IPS technology for full colours and wide viewing angles
- 16:9 Full HD display for crisp, detailed images

Features for the way you work

- Built-in stereo speakers for multimedia
- Webcam pops up when you need it; secures down when you don't
- USB 3.0 enables fast data transfers and smart phone charging

Sustainable Eco-design

• Designed to meet environmental standards


Designed for comfortable productivity

- SmartErgoBase enables user-friendly ergonomic adjustments
- EasyRead mode for a paper-like reading experience
- Less eye fatigue with Flicker-Free technology
- LowBlue Mode for easy-on-the-eyes productivity

LCD monitor 271B8QJKEB/00

Highlights

IPS technology



IPS displays use advanced technology that gives you extra-wide viewing angles of 178/178 degrees, making it possible to view the display from almost any angle — even in 90-degree Pivot mode! Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colours, making it ideal not only for Photos, films and web browsing, but also for professional applications that demand colour accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colours, expect a true-to-life picture.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave-length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, the Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Flicker-Free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-Free technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

SmartErgoBase



The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The base can swivel, tilt and

rotate to various angles to ensure maximum comfort. The height-adjustable stand guarantees the optimal viewing level, reducing the physical strains of a long workday, while cable management reduces cable clutter and keeps the workspace neat and professional.

EasyRead mode



EasyRead mode for a paper-like reading experience

Built-in stereo speakers



A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.

















LCD monitor 271B8QJKEB/00

Highlights

Pop-up webcam



Webcams are great for connecting with others and collaborating on that important project. Sometimes, though, you don't want a webcam looking down on your desk. Our ingenious new pop-up webcam design pops up when it's time for meetings and for security tucks away nicely when you are not using it.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and optimises your display performance. This user-friendly interface allows you to select various modes, like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos

for ultimate display performance. The Economy mode option offers you major power savings. All in real time at the touch of a single button!

USB 3.0 super speed

Super Speed USB 3.0 deploys a 5.0 Gbit/s transfer rate, which is about 10 times faster than USB 2.0 standard, significantly reducing data transfer time and saving you time and money. With more bandwidth, super-speed transfer rates, better power management and superior overall performance, USB 3.0 sets the global standard, allowing you to use large-capacity storage devices. Sync-N-Go technology ensures that you no longer have to wait for bandwidth to be freed up. Your investment in USB 2.0 devices is protected as it is backwards compatible.













Specifications

Picture/Display

Panel Size: 27 inch/68.6 cm

Aspect ratio: 16:9

LCD panel type: IPS technology Backlight type: W-LED system Pixel pitch: 0.311 x 0.311 mm

Optimum resolution: 1920 x 1080 @ 60 Hz

Brightness: 250 cd/m² Display colours: 16.7 M

Colour gamut (typical): NTSC 78%*, sRGB 100%*

Contrast ratio (typical): 1000:1 SmartContrast: 50,000,000:1

Response time (typical): 5 ms (Grey to Grey)* Viewing angle: 178° (H)/ 178° (V), @ C/R > 10

Picture enhancement: SmartImage

Effective viewing area: 597.89 (H) x 336.31 (V) Scanning Frequency: 30–83 kHz (H)/50–76 Hz

(V) sRGB Flicker-free Pixel Density: 82 PPI LowBlue Mode

Display Screen Coating: Anti-Glare, 3H, Haze

25% EasyRead Adaptive sync

Connectivity

Signal Input: VGA (Analogue), DVI-D (digital, HDCP), DisplayPort 1.2, HDMI 1.4

USB: USB 3.1 x 2 (1 w/fast charging)*, USB 2.0 x 1

Sync Input: Separate Sync, Sync on Green

Audio (In/Out): PC audio-in, Headphone out

Convenience

Built-in Speakers: 2W x 2
Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7
User convenience: SmartImage, Input,
Brightness, Menu, Power On/Off
OSD Languages: Brazil Portuguese, Czech, Dutch,
English, Finnish, French, German, Greek,
Hungarian, Italian, Japanese, Korean, Polish,
Portuguese, Russian, Simplified Chinese, Spanish,
Swedish, Traditional Chinese, Turkish, Ukrainian

Other convenience: Kensington lock, VESA

mount (100 x 100 mm)

Control software: SmartControl

Built-in webcam: Pop-up 2.0 megapixel FHD camera with microphone and LED indictor

Stand

Height adjustment: 150 mm Pivot: -/+ 90 degree Swivel: -175/175 degree Tilt: -5/30 degree

Power

ECO mode: 11.5 W (typ.)

Power supply: Built-in, 100–240 VAC, 50–60 Hz Off mode: Zero watts with Zero switch On mode: 14.99 W (typ.) (EnergyStar test

method)

Standby mode: < 0.5 W (typ.)

Power LED indicator: Operation - White, Standby

mode - White (flashing)
Energy Label Class: D

Dimensions

Packaging in mm (W x H x D): 699 x 454 x

242 mm

Product without stand (mm): 625 x 370 x 51 mm Product with stand (max height): 625 x 552 x

224 mm

Weight

Product with packaging (kg): 9.89 kg Product with stand (kg): 6.91 kg Product without stand (kg): 4.49 kg

Operating conditions

Altitude: Operation: +12,000 ft (3658 m), Nonoperation: +40,000 ft (12,192 m)

Temperature range (operation): 0°C to 40 °C

Relative humidity: 20%-80 %

Temperature range (storage): -20°C to 60 °C MTBF (demonstrated): 70,000 hrs (excluded

backlight)

Sustainability

Environmental and energy: EnergyStar 8.0, EPEAT*, TCO Certified Edge, RoHS, WEEE Post-consumer recycled plastic: 85% Recyclable packaging material: 100 % Specific Substances: PVC/BFR free housing,

Mercury free

Compliance and standards

Regulatory Approvals: CE Mark, FCC Class B, CETLus, CU-EAC, UKRAINIAN, ICES-003, TUV Ergo, TUV/GS


Cabinet

Finish: Texture Foot: Black Front bezel: Black Rear cover: Black

What's in the box?

Cables: D-Sub cable, HDMI cable, DP cable, USB cable, Audio cable, Power cable

Monitor with stand User Documentation



© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

Issue date 2025-02-19 Version: 4.4.1

EAN: 87 12581 75676 5

www.philips.com



- * "IPS" word mark / trademark and related patents on technologies belong to their respective owners.
- * Fast charging complies with USB BC 1.2 standard
- * Response time value equal to SmartResponse
- * NTSC Area based on CIE 1976
- * sRGB Area based on CIE1931
- * EPEAT rating is valid only where Philips registers the product. Please visit https://www.epeat.net/ for registration status in your country.
- * The monitor may look different from feature images.