

Philips Brilliance LCD monitor with LED backlight

LightFrame 2TM 23.6"/60 cm



248X3LFHSB

Relax your eyes

Innovative LightFrame display reduces eye fatigue

The innovative Philips LightFrame 2 display with its unique bezel emits specific wavelength cool blue light, which reduces your eye fatigue and improves concentration, giving you a greater sense of well-being.

Elegant design to fit your home

- · Aluminium die-cast base embodies purity of form
- Sophisticated design that expresses your lifestyle
- Superb high gloss dual tone finish

Greener every day

- Eco-friendly materials that meet international standards
- Mercury Free eco-friendly display

Your eyes, the route to relaxation

- Cool blue lighted bezel helps improve concentration
- LED technology for brilliant images
- \bullet Innovative LightFrame $\ensuremath{^{\text{TM}}}$ technology relaxes your eyes
- SmartImage optimised for ease of use
- SmartKolor for rich vibrant images
- SmartTxt for an optimised reading experience
- HDMI-ready for 16:9 Full HD entertainment



Highlights

LightFrame™

With its unique LightFrame technology, Philips has continued in the long tradition of putting innovation to meaningful use. LightFrame technology is based on the scientific principle that blue light passed through the eye's third receptor refreshes your biological clock, energizes you and gives you a greater sense of well-being. By using specially developed exclusive materials, Philips LightFrame display emits a specific wavelength blue light from its bezel, helping you to reduce eye fatigue and improving your concentration even after long periods of time in front of the screen.

LED technology

White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content, which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of the LCD backlight, resulting in a super high contrast ratio. It also gives superior colour reproduction thanks to consistent brightness across the screen.

SmartImage







With SmartImage

Without SmartImage

SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and optimises your display performance. This user-friendly interface allows you to select various modes, like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time at the touch of a single button!

SmartKolor





SmartKolor is a sophisticated colour extension technology that is able to enhance the visual colour range of the display. By boosting the RGB gain level of the display, you can achieve rich, vibrant images to experience outstanding photos and videos.

SmartTxt





SmartTxt On

SmartTxt Off

SmartTxt is a sophisticated algorithm that enhances reading of text-based applications such as PDF documents or ebooks, which usually require more focus and concentration.

HDMI-ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input, high quality digital video and audio signals all transmitted over a single cable from a PC or any number of AV sources including set-top boxes, DVD players and A/V receivers and video cameras.

Eco-friendly materials

"Philips is committed to using sustainable, ecofriendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilise up to 65% post-consumer recycled plastics. Strict adherence to RoHS standards ensures substantial reduction or elimination of toxic substances such as lead. Mercury content in monitors with CCFL backlight has been reduced significantly, while eliminated in monitors with LED backlight completely. Visit Philips @ http://www.asimpleswitch.com/ global/ to learn more."

Mercury Free

Philips monitors with LED backlighting are free from Mercury, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its lifecycle, from manufacturing to disposal.

Sophisticated design

Sophisticated design that expresses your lifestyle

Blue lighted bezel

Cool blue lighted bezel helps improve concentration

Superb gloss dual tone finish

Superb high gloss dual tone finish

Aluminium die-cast base

Aluminium die-cast base embodies purity of form





















Specifications

Connectivity

- Signal Input: HDMI x 2, VGA (Analogue)
- Sync Input: Separate Sync, Sync on Green
- · Audio (In/Out): HDMI audio out

Picture/Display

- Panel Size: 23.6"/59.9 cm
- · Aspect ratio: 16:9
- LCD panel type: TFT-LCD
- Backlight type: W-LED system
- Pixel pitch: 0.272 x 0.272 mm
- Optimum resolution: 1920 x 1080 @ 60 Hz
- Brightness: 300 cd/m²
- Display colours: 16.7 M
- Contrast ratio (typical): 1000:1
- SmartContrast: 20,000,000:1
- Response time (typical): 5 ms
- Viewing angle: 170° (H)/160° (V), @ C/R > 10
- Picture enhancement: SmartImage
- SmartResponse: 2 ms (Grey to Grey)
- Scanning Frequency: 30–83 kHz (H)/56–75 Hz (V)
- sRGB

Convenience

- Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 7/Vista/XP
- User convenience: SmartImage, Input, Power On/ Off, LightFrame, Menu/OK
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish
- Other convenience: Kensington lock

Stand

• Tilt: -5/+20 degree

Power

Power supply: 100-240 VAC, 50/60 Hz, External

- Off mode: <:0.3 W
- On mode: 16.72 W (EnergyStar 5.0 test method)
- Standby mode: <0.3 W
- Power LED indicator: Operation White, Standby mode - White (flashing)

Dimensions

- Product with stand (mm): $578 \times 443 \times 194$ mm
- Packaging in mm (W x H x D): 630 x 518 x 120 mm
- Product without stand (mm): 578 x 369 x 40 mm

Weight

- Product with packaging (kg): 6.30 kg
- Product with stand (kg): 5.10 kg
- Product without stand (kg): 3.60 kg

Operating conditions

- Temperature range (operation): 0°C to 40°C °C
- MTBF: 30,000 hour(s)
- Relative humidity: 20%-80% %
- Temperature range (storage): -20°C to 60°C °C

Sustainability

- Environmental and energy: EPEAT Silver, EnergyStar 5.0, RoHS
- Recyclable packaging material: 100 %

Compliance and standards

 Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, SASO, SEMKO, TCO 5.2, TUV Ergo, TUV/GS, UL/cUL, WEEE

Cabinet

- Finish: Glossy
- Foot: Black with Aluminium die cast base
- Front bezel: Blue light
- Rear cover: Black



Issue date 2024-04-02

© 2024 Koninklijke Philips N.V. All Rights reserved.

Version: 1.0.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

EAN: 87 12581 60165 2

www.philips.com