

Q-Line Display

- 65"
- Direct LED Backlight
- Ultra HD

65BDL3550Q/00

Stand out

Easy-setup 18/7 display.

Inform and enthrall with a Philips Q-Line Professional Ultra HD Display. This reliable solution can be up and running as quickly as you need.

Benefits

Effortless setup. Total control.

- Operate, monitor and maintain with CMND & Control
- CMND & Create. Develop and launch your own content

Cost-effective system solution

- Integrated media player. Easily schedule USB content
- FailOver ensures content is always playing
- Easy control. Remotely manage networked displays

Smart and powerful

- Android SoC processor. Native and web apps
- Connect and control your content via the cloud


Superb picture. Ultra-high brightness.

- Ultra-HD. Rich images. Stunning contrast

PHILIPS

Features

CMND & Control



Run your display network over a local (LAN) connection. CMND & Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

Integrated media player

Easily schedule content to play from USB. Your Philips Professional Display will wake from standby to play the content you want, and then return to standby once playback is done.

FailOver



From waiting room to meeting room, never show a blank screen. FailOver lets your Philips Professional Display switch automatically between primary and secondary inputs ensuring content keeps playing even if the primary

source goes down. Simply set a list of alternate inputs to be sure your business is always on.



Take control of your content with CMND & Create. A drag-and-drop interface makes it simple to publish your own content-whether it's a daily specials board or branded corporate information. Preloaded templates and integrated widgets ensure your stills, text, and video will be up and running in no time.

Powered by Android 8

Control your display via an Internet connection. Android-powered Philips Professional Displays are optimized for native Android apps, and you can install web apps directly to the display too. A new Android 8 ensures the software is kept secure and remain to the latest specification for longer.

SmartBrowser

Connect and control your content via the cloud with the integrated HTML5 browser. Using the Chromium based browser, design your content online and connect a single display, or your complete network. Show content in both landscape and portrait mode, with fullHD resolution. Simply connect the display to the internet using WiFi or with an RJ45 cable, and enjoy your own created playlists.

Specifications

[field not found 'disclaimer_text']

Picture/Display

Diagonal screen size (inch)	64.5 inch
Diagonal screen size (metric)	163.9 cm
Panel resolution	3840 x 2160
Optimum resolution	3840 x 2160 @ 60 Hz
Brightness	400 cd/m ²
Contrast ratio (typical)	1300:1
Dynamic contrast ratio	500,000:1
Response time (typical)	9 ms
Aspect ratio	16:9
Viewing angle (horizontal)	178 degree
Viewing angle (vertical)	178 degree
Pixel pitch	0.372 x 0.372 mm
Display colors	1.07 Billion
Picture enhancement	3/2 - 2/2 motion pull down 3D Combfilter Motion compens. deinterlacing Progressive scan 3D MA deinterlacing Dynamic contrast enhancement
Panel technology	IPS
Clinical image	D-Image preset (dicom part 14 compatible)
Operating system	Android 8.0

Video formats	1600 x 1200, 60Hz
	1440 x 900, 60Hz
Video formats	1280 x 1024, 60Hz
	1280 x 800, 60Hz
	1280 x 720, 60Hz
	1152 x 870, 75Hz
	1024 x 768, 60, 70, 75Hz
	800 x 600, 56, 60, 72, 75Hz
	720 x 400, 70Hz
	640 x 480, 60, 67, 72, 75Hz
	1152 x 864, 75Hz
	832 x 624, 75Hz
	3840 x 2160, 60Hz
	3840 x 2160, 30Hz
	576p, 50Hz
	576i, 50Hz
	480p, 60Hz
	480i, 60Hz
Video formats	1080p, 50, 60Hz
	1080i, 50, 60Hz
	720p, 50, 60 Hz

Connectivity

Video input	DVI-D (x1) HDMI 2.0 (x3) USB 2.0 (x2) VGA (Analog D-Sub) (x1)
Audio input	3.5 mm jack
Audio output	3.5mm jack
External control	RS232C (in/out) 2.5 mm jack IR (in/out) 3.5 mm jack RJ45

Convenience

Keyboard control	Hidden
------------------	--------

Supported Display Resolution

Computer formats	1920 x 1080, 60Hz 1680 x 1050, 60Hz
------------------	--

Network controllable	Lockable RS232 RJ45				
Signal loop through	RS232 IR Loopthrough				
Energy saving functions	Smart Power				
Remote control signal	Lockable				
Tiled Matrix Placement	Up to 15 x 15 Landscape (18/7) Portrait (18/7)				
Start-up	Switch on delay Switch on status Boot on source				
Start-up window	enable / disable Philips logo				
Ease of installation	Smart Insert				
Dimensions					
Bezel width	14.9 mm (Even bezel)				
Set Width	1462.3 mm				
Set Height	837.3 mm				
Set Depth	68.9mm(D@wall mount) / 89.9mm(D@handle) mm				
Set Width (inch)	57.57 inch				
Set Height (inch)	32.96 inch				
Set Depth (inch)	2.71(@ wall mount) / 3.54(@ handle) inch				
Product weight	27.80 kg				
Product weight (lb)	61.29 lb				
Wall Mount	400 x 400 mm, M8				
Operating conditions					
Altitude	0 ~ 3000 m				
Temperature range (operation)	0 ~ 40 °C				
Temperature range (storage)	-20 ~ 60 °C				
MTBF	30,000 hour(s)				
Humidity range (operation)[RH]	20 ~ 80% RH (No condensation)				
Humidity range (storage) [RH]	5 ~ 95% RH (No condensation)				
Power					
Mains power	100 - 240V~, 50/60Hz				
Standby power consumption	<0.5W				
Power Saving Features	Smart Power				
Consumption (Max)	210 W				
Consumption (Typical)	155 W				
Energy Label Class	G				
Sound					
Built-in speakers	2 x 10W RMS				
Accessories					
Included accessories	AC Power Cord RS232 cable Remote Control Batteries for remote control Quick start guide				
Included Accessories	IR sensor cable (1.8 m) (x1) RS232 daisy-chain cable M3 screw (x2) Philips logo (x1) USB Cover (x1)				
Multimedia Applications					
USB Playback Video	MPEG H.264 H.263 H.265				
USB Playback Picture	BMP JPEG PNG				
USB Playback Audio	AAC HEAAC MPEG				
Miscellaneous					
Warranty	3 year warranty				
On-Screen Display Languages	Simplified Chinese Traditional Chinese English French German Italian Polish Russian Spanish Turkish Japanese Arabic				
Regulatory approvals	CE CB BSMI CU EPA ETL FCC, Class A PSB VCCI J-Moss				
Internal Player					
CPU	Dual core cortex A53 1.1G Hz Dual core cortex A73 1.15G Hz				
GPU	ARM Mali G51				
Memory	2GB DDR3 8GB				



data subject to change
2023, June 21

Version: 7.1.1
EAN: 8712581765446

© 2023 Koninklijke Philips N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com