

Full HD Curved LCD monitor

- E Line
- 24 (23.6" / 59.9 cm diag.) 1920 x 1080 (Full HD)

241E1SCA/00

Simply immersive

The 24" curved E line display offers a truly immersive experience in a stylish design. Experience crisp Full HD visuals, and smooth action with AMD FreeSync technology.

Benefits

Curved design inspired by the world around us

• Curved display design for more immersive experience

Superb Picture Quality

- VA display delivers awesome images with wide viewing angles
- 16:9 Full HD display for crisp detailed images
- Effortlessly smooth gameplay with AMD FreeSync[™] technology
- SmartImage game mode optimized for gamers
- SmartContrast for rich black details

Features designed for you

- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity
- · HDMI ensures universal digital connectivity
- Built-in stereo speakers for multimedia

Greener everyday

• Mercury Free eco-friendly display




Features

Curved display design



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

VA display



Philips VA LED display uses an advanced multi-domain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Ultra-smooth gaming



Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync $^{\text{TM}}$ technology, smooth quick refresh and ultra-fast response time.

SmartImage Game mode



The new Philips gaming display has quick access OSD fine tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts display with fastest response time, high color, along with image adjustments. "RTS" mode (Real time strategy) has a special SmartFrame

mode which enables highlighting of specific area and allows for size and image adjustments. Gamer 1 and Gamer 2 enable you to save personal customized settings based on different games, ensuring best performance.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Built-in stereo speakers



A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when

playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

Mercury Free

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its life-cycle, from manufacturing to disposal.

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type VA LCD Backlight type W-LED system Panel Size 23.6 inch / 59.9 cm Anti-Glare, 3H, Haze 25% Display Screen Coating

521.4 (H) x 293.3 (V) mm - at a Effective viewing area

1500R curvature* 16:9

Aspect ratio

1920 x 1080 @ 75 Hz* Maximum resolution

Pixel Density 93 PPI

4 ms (Gray to Gray)* Response time

(typical) Brightness 250 cd/m² 3000:1 Contrast ratio

(typical) Mega Infinity DCR SmartContrastPixel pitch 0.272 x 0.272 mm Viewing angle 178° (H) / 178° (V)

@ C/R > 10SmartImage game NTSC 83.87%*, sRGB 100.78%* Picture enhancement

Color gamut (typical) Display colors 16.7 M Scanning Frequency 30 - 85 kHz (H) / 48 - 76 Hz (V)

sRGB Yes Flicker-free Yes LowBlue Mode Yes AMD FreeSync™ Yes

technology

Connectivity

VGA (Analog) Signal Input HDMI (digital, HDCP) Sync Input Separate Sync Sync on Green Audio (In/Out) PC audio-in Headphone out

Convenience

3 W x 2 **Built-in Speakers** Power On/Off User convenience Menu

Volume Input

SmartImage Game

OSD Languages Brazil Portuguese Czech

Dutch English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Simplified Chinese Spanish Swedish

Traditional Chinese Turkish

Ukrainian Kensington lock Other convenience

VESA mount (100x100mm) DDC/CI

Plug & Play Compatibility Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 27.9 W (typ.) Standby mode < 0.5 W (typ.) < 0.3 W (typ.) Off mode Energy Label Class

Operation - White Power LED indicator

Standby mode- White (blinking)

Power supply External

100-240VAC, 50-60Hz

536 x 322 x 66 mm

Dimensions

Product with stand 536 x 413 x 202 mm (mm)

Product without stand (mm)

Packaging in mm 595 x 475 x 154 mm

(WxHxD)

Weight

Product with stand 3.54 kg (kg)

Product without stand (kg) Product with pack2.86 kg 5.37 kg

aging (kg)

Operating conditions

Temperature range (operation)

0 to 40 °C

Temperature range (storage)

-20 to 60 °C

Relative humidity Altitude

20%-80 % Operation: +12,000ft (3,658m), Non-

operation: +40,000ft (12,192m) MTBF 50,000 hrs (excluding backlight)

hour(s)

Sustainability

Environmental and energy

RoHS 100 %

Recyclable packaging material Specific Substances

Mercury free

PVC / BFR free housing

data subject to change 2023, June 18

Monitor

Compliance and standards

Regulatory Approvals CE Mark

CU-EAC TUV-BAUART

Cabinet

Color Black

Finish Textured

What's in the box?

Monitor with stand Yes

Cables HDMI cable, Audio cable, Power

cable

User Documentation Yes

^{*} The monitor may look different from feature images.



data subject to change 2023, June 18

Version: 4.0.1 EAN: 8712581759377 © 2023 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

^{*} Radius of the arc of the display curvature in mm

^{*} The maximum resolution works for HDMI input only.

^{*} Response time value equal to SmartResponse

^{*} NTSC Area based on CIE1976

^{*} sRGB Area based on CIE1931

^{* 2020} Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.