



Philips Brilliance
LCD monitor, LED
backlight with SmartImage

- Moda
- 23.6" / 59.9 cm, white,
- Full HD

Brilliance



248C3LHSW

The Art of Elegance and Performance

Feel a new level of cool sophistication that embodies purity of form. With an elegant slim body and a stylish Aluminum base, the new Moda is a work of art.

Art of elegance

- Sophisticated design that expresses your lifestyle
- Aluminum die-cast base embodies purity of form

Art of performance

- LED technology for brilliant images
- SmartContrast 20000000:1 for incredible rich black details
- SmartImage optimized for ease of use
- SmartKolor for rich vibrant images
- SmartTxt for a optimized reading experience
- HDMI-ready for 16:9 Full HD entertainment
- Fast response time up to 2ms

Greener everyday

- Mercury Free eco-friendly display
- Lead-free design safeguards our environment



product
design award

2012


PHILIPS

Highlights

LED technology

White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of LCD backlight, resulting in super high contrast ratio. It also gives superior color reproduction thanks to consistent brightness across the screen.

SmartContrast ratio 20000000:1




You want the LCD flat display with the highest contrast and most vibrant images. Philips advanced video processing combined with unique extreme dimming and backlight boosting technology results in vibrant images. SmartContrast will increase the contrast with excellent blacklevel and accurate rendition of dark shades and colors. It gives a bright, lifelike picture with high contrast and vibrant colors.

SmartKolor



SmartKolor is a sophisticated color extension technology that is able to enhance visual color range of the display. By boosting RGB gain level of the display, this feature enables you to have rich, vibrant images for experiencing outstanding photos and videos.

SmartTxt




SmartTxt is a sophisticated algorithm that enhances reading of text based application such as PDF documents or ebooks which usually requires more focus and concentration.

HDMI-ready



A HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input, high quality digital video and audio signals all transmitted over a single cable from a PC or any number of AV sources including set-top boxes, DVD players and A/V receivers and video cameras.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the

application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

2ms GtG response time



SmartResponse is an exclusive Philips overdrive technology that when turned on, automatically adjusts response times to specific application requirements like gaming and movies which require faster response times in order to produce judder, time-lag and ghost image free images

Mercury Free

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances which affects humans and animals. This allows for an eco-friendly display through out its life-cycle from manufacturing to disposal.



iF Product Design Award

Excellent product design. The Art of Elegance and Performance. With their super-slender bodies and

their ultra-stable, sleek aluminium die-cast bases the new Philips Moda monitors exudes exquisite craftsmanship that underpins their tag line "Design and Performance perfected to an art"

Specifications

Picture/Display

- LCD panel type: TFT-LCD
- Backlight type: W-LED system
- Panel Size: 23.6 inch/59.9 cm
- Effective viewing area: 521.28 (H) x 293.22 (V)
- Aspect ratio: 16:9
- Optimum resolution: 1920 x 1080 @ 60 Hz
- SmartResponse (typical): 2 ms (Gray to Gray)
- Response time (typical): 5 ms
- Brightness: 300 cd/m²
- SmartContrast: 20,000,000:1
- Contrast ratio (typical): 1000:1
- Pixel pitch: 0.272 x 0.272 mm
- Viewing angle: 170° (H) / 160° (V), @ C/R > 10
- Picture enhancement: SmartImage
- Display colors: 16.7 M
- Scanning Frequency: 30 - 83 kHz (H) / 56 -75 Hz (V)
- sRGB

Connectivity

- Audio In/Out: HDMI audio out
- Signal Input: VGA (Analog), HDMIx2
- Sync Input: Separate Sync, Sync on Green

Convenience

- User convenience: SmartImage, Input, Power On/Off, Turbo, Menu
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish
- Other convenience: Kensington lock
- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 7

Stand

- Tilt: -5/+20 degree

Power

- On mode: 16.6W (EnergyStar 5.0 test method)
- Standby mode: <0.3W
- Off mode: <0.3W
- Power LED indicator: Operation - White, Standby/sleep-white (blinking)
- Power supply: External, 100-240VAC, 50/60Hz

Dimensions

- Product with stand (mm): 579 x 443 x 194 mm
- Product without stand (mm): 579 x 369 x 33 mm
- Packaging in mm (WxHxD): 625 x 504 x 101 mm

Weight

- Product with stand (kg): 4.5 kg
- Product without stand (kg): 3.0 kg
- Product with packaging (kg): 5.7 kg

Operating conditions

- Temperature range (operation): 0 to 40 °C
- Temperature range (storage): -20 to 60 °C
- Relative humidity: 20%-80 %
- MTBF: 30,000 hour(s)

Sustainability

- Environmental and energy: RoHS, EPEAT Silver, EnergyStar 5.0, Lead-free, Mercury Free
- Recyclable packaging material: 100 %

Compliance and standards

- Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, SASO, SEMKO, TCO 5.2, TUV Ergo, TUV/GS, UL/cUL, WEEE

Cabinet

- Color: White(front bezel) / White(rear cover)
- Finish: Glossy



Issue date 2013-06-21

Version: 2.1.1

12 NC: 8670 000 80734
EAN: 87 12581 61734 9

© 2013 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com