

Philips Monitor LCD monitor with USB-C

C Line 27" (68.47 cm) 2560 x 1440 (QHD)

276C8

# Simplicity that stands out

The Red Dot Design Award winning monitor delivers sharp QHD stand-out visuals in an ultra-slim bezel-free display. Trimmed with all ports and one-cable USB-C connectivity in a sleek geometric base for a clean set-up.

### **Superb Design**

- UltraSlim for a stylish look
- Zero Bezel for a full picture and modern look

# Single cable USB-C connection

- Connect your notebook with one USB-C cable
- Power and re-charge compatible notebook from the monitor
- USB 3.2 high speed data transfer
- View Crystalclear QHD 2560x1440 images

### **Superb Picture Quality**

- IPS LED wide view technology for image and color accuracy
- Ultra Wide-Color wider range of colors for a vivid picture
- LowBlue Mode for easy on-the-eyes productivity
- Effortlessly smooth gameplay with AMD FreeSync<sup>™</sup> technology
- High Dynamic Range (HDR) for more lifelike colorful visuals



# Highlights

### **Zero Bezel**



Eliminating the surrounding frame in our Zero Bezel design offers an expansive picture with a modern look, and a virtually seamless experience for multi-monitor setups.

### UltraSlim for a stylish look



Our new display is impossibly thin! The UltraSlim profile offers a minimalistic look that looks great in living spaces and desks.

### **USB-C** connection



This Philips display features a USB type-C connector with power delivery. With intelligent and flexible power management, you can power charge your compatible device directly. Its slim, reversible USB-C allows for easy, one-cable connection. You can watch high resolution video and transfer data at a super-speed, while powering up and re-

charging your compatible device at the same time.

# Power & re-charge notebook

This monitor features a built in USB-C connector which meets USB Power Delivery standard. With intelligent and flexible power management, you can now power up and or re-charge your compatible\* Notebook directly from the Monitor using a single USB-C cable.

### **Crystalclear QHD images**

These Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high density pixel count, enabled by high bandwidth sources like USB-C, Displayport, HDMI, Dual link DVI, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

# High speed data transfer

USB 3.2 high speed data transfer

# **Ultra Wide-Color Technology**



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

# High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating color, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colors never before seen on display, giving you a visual experience that engages your senses and inspires emotions.

### Ultra-smooth gaming





AMD FreeSync™ OFI (simulation)

AMD FreeSync™ Of

Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync™ technology, smooth quick refresh and ultra-fast response time.



















# Specifications

#### Connectivity

- Signal Input: HDMI 1.4 x 1, HDMI 2.0 x 1, USB-C 3.2 Gen1 x 1 (power delivery up to 65W)
- Sync Input: Separate Sync, Sync on Green
- Audio (In/Out): Audio out

### Picture/Display

- Panel Size: 27 inch / 68.47 cm
- Aspect ratio: 16:9
- LCD panel type: IPS technology
- Backlight type: W-LED system
- Pixel pitch: 0.233 x 0.233 mm
- Brightness: 350 cd/m<sup>2</sup>
- Display colors: 16.7 M
- Color gamut (typical): NTSC 114%\*, sRGB 131%\*
- Contrast ratio (typical): 1000:1
- SmartContrast: Mega Infinity DCR
- Response time (typical): 4 ms (Gray to Gray)\*
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Picture enhancement: SmartImage
- Maximum resolution: 2560 x 1440 @ 75 Hz\*
- Effective viewing area: 596.74 (H) x 335.66 (V)
- Scanning Frequency: 30 114 kHz (H) / 48 75 Hz (V)
- sRGB
- · Flicker-free
- Pixel Density: 109 PPI
- · LowBlue Mode
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- EasyRead
- AMD FreeSync™ technology
- HDR: HDR 10 (HDMI 2.0)

### **Convenience**

- Plug & Play Compatibility: DDC/Cl, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7
- User convenience: Power On/Off, Menu, Brightness, Input, SmartImage
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
- Other convenience: Kensington lock
- Control software: SmartControl
- MultiView: PIP/PBP mode

### **Stand**

• Tilt: -5/20 degree

### **Power**

- Power supply: External, 100-240VAC, 50-60Hz
- Off mode: 0.3 W (typ.)
- On mode: 21.58 W (typ.) (EnergyStar test method)
- Standby mode: 0.5 W (typ.)
- Power LED indicator: Operation White, Standby mode- White (blinking)

### **Dimensions**

- Product with stand (mm):  $611 \times 455 \times 185$  mm
- Packaging in mm (WxHxD): 680 x 525 x 225 mm
- Product without stand (mm): 611 x 362 x 20 mm

# Weight

- Product with packaging (kg): 6.81 kg
- Product with stand (kg): 4.26 kg
- Product without stand (kg): 3.18 kg

# **Operating conditions**

- Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)
- $\bullet$  Temperature range (operation): 0 to 40  $^{\circ}\text{C}$
- MTBF: 50,000 hrs (Excluding backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20 to 60 °C

#### **Sustainability**

- Environmental and energy: EnergyStar 7.0, RoHS, TCO Certified, WEEE
- Recyclable packaging material: 100 %
- Specific Substances: Mercury free, PVC / BFR free housing

### Compliance and standards

 Regulatory Approvals: CE Mark, FCC Class B RCM, CU, SASO, KUCAS, cETLus, TUV/ISO9241-

### **Cabinet**

- Color: Black
- Finish: Textured



Issue date 2024-03-24

Version: 4.0.1

© 2024 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

EAN: 87 12581 75919 3 www.philips.com

- "IPS" word mark / trademark and related patents on technologies
- belong to their respective owners.

  Response time value equal to SmartResponse
- \* NTSC Area based on CIE1976 \* sRGB Area based on CIE1931
- \* 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may
- be trademarks of their respective companies.

  \* For USB-C power and charging function, your Notebook/device must support USB-C standard Power Delivery specifications. Please check with your Notebook user manual or manufacturer for more
- \* The monitor may look different from feature images.