

Philips LCD Monitor Electronic User's Manual[Home](#)[Техника безопасности, поиск
и устранение неисправностей](#)[Описание данного
Руководства](#)[Информация
об изделиях](#)[Настройка
монитора](#)[Отображение на
экране монитора](#)[Обслуживание
заказчика и гарантия](#)[Словарь
терминов](#)[Загрузка и
распечатка](#)

LCD Monitor

190V7



dojc8---Nz-N]Rp lqj rcDjic-A7-0..5-3-Fcin-?MA-.3.7-O...#0.@?OC'-jab-k ls j-PS006?L-/7.T5-q dcrw-0?D]D?O,FRK &/ md 6'3-7-0..5 38/1826 NK

לכן נ-אלי להקטין את ϵ ולקבל את δ מתוך ϵ .
 לכן δ נקבע על ידי ϵ .
 (הערות: ϵ יכול להיות $\epsilon < 1$ או $\epsilon \geq 1$.)

✓: האם δ תלוי ב ϵ ?

[: δ תלוי ב ϵ (הערות: ϵ יכול להיות $\epsilon < 1$ או $\epsilon \geq 1$).

✓: δ תלוי ב ϵ או δ תלוי ב x_0 ?

[: δ תלוי ב ϵ ו x_0 .
 נניח $\epsilon = 1$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.5$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.1$. אז δ תלוי ב x_0 .

נניח δ תלוי ב ϵ (או δ תלוי ב x_0).

✓: האם δ תלוי ב ϵ או δ תלוי ב x_0 ?

[: δ תלוי ב ϵ ו x_0 .
 נניח $\epsilon = 1$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.5$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.1$. אז δ תלוי ב x_0 .

✓: δ תלוי ב ϵ או δ תלוי ב x_0 ?

[: δ תלוי ב ϵ ו x_0 .
 נניח $\epsilon = 1$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.5$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.1$. אז δ תלוי ב x_0 .

✓: δ תלוי ב ϵ או δ תלוי ב x_0 ?

[: δ תלוי ב ϵ ו x_0 .
 נניח $\epsilon = 1$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.5$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.1$. אז δ תלוי ב x_0 .

✓: δ תלוי ב ϵ או δ תלוי ב x_0 ?

[: δ תלוי ב ϵ ו x_0 .
 נניח $\epsilon = 1$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.5$. אז δ תלוי ב x_0 .
 נניח $\epsilon = 0.1$. אז δ תלוי ב x_0 .

$\int_{\mathbb{R}^n} f(x) dx = \int_{\mathbb{R}^n} f(x) dx$

[illegible]

✓: $\int \frac{1}{x} dx = \ln|x| + C$?

⌈ : Δ Philips MPR-II TCO 99/03

⌋ $\frac{1}{x} = \frac{1}{x} + \frac{1}{x} = \frac{2}{x}$

$$\sqrt{1-x^2} = \frac{1}{2} \left(\sqrt{1-x^2} + \sqrt{1-x^2} \right)$$

djic---Nz-N]Rp_lqj_rcDjic-A7-0..5-3-Fcjn-?MA-.3.7-O5,,,0.@?QC'-jab-k_Is_j-PSQQ?L-/7.T5-q_dcrw-q_d]rpms`,frk &1 md 1'3-7-0..5 38/1835 NK

- TCO'03 Information
- Recycling Information for Customers
- Waste Electrical and Electronic Equipment-WEEE
- CE Declaration of Conformity
- Energy Star Declaration
- Federal Communications Commission (FCC) Notice (U. S. Only)
- FCC Declaration of Conformity
- Commission Federale de la Communication (FCC Declaration)
- EN 55022 Compliance (Czech Republic Only)
- MIC Notice (South Korea Only)
- Polish Center for Testing and Certification Notice
- North Europe (Nordic Countries) Information
- BSMI Notice (Taiwan Only)
- Ergonomie Hinweis (nur Deutschland)
- Philips End-of-Life Disposal Information for UK only
- China RoHS
- Troubleshooting
- Other Related Information

Regulatory Information

Model ID: 190V7
Model No: HNS7190T

TCO'03 Information



Congratulations!

The display you have just purchased carries the TCO'03 Displays label. This means that your display is designed, manufactured and tested according to some of the strictest quality and environmental requirements in the world. This makes for a high performance product, designed with the user in focus that also minimizes the impact on our natural environment.

Some of the features of the TCO'03 Display requirements.

Ergonomics

- Good visual ergonomics and image quality in order to improve the working environment for the user and to reduce sight and strain problems. Important parameters are luminance, contrast, resolution, reflectance, colour rendition and image stability.

Energy

- Energy-saving mode after a certain time-beneficial both for the user and the environment
- Electrical safety

Emissions

- Electromagnetic fields
- Noise emissions

Ecology

- The product must be prepared for recycling and the manufacturer must have a certified environmental management system such as EMAS or ISO 14 000
- Restrictions on
 - chlorinated and brominated flame retardants and polymers
 - heavy metals such as cadmium, mercury and lead.

The requirements included in this label have been developed by TCO Development in co-operation with scientists, experts, users as well as manufacturers all over the world. Since the end of the 1980s TCO has been involved in influencing the development of IT equipment in a more user-friendly direction. Our labelling system started with displays in 1992 and is now requested by users and IT-manufacturers all over the world.

For more information, please visit
www.tcodevelopment.com

[RETURN TO TOP OF THE PAGE](#)

Recycling Information for Customers

Philips establishes technically and economically viable objectives to optimize the environmental performance of the organization's product, service and activities.

From the planning, design and production stages, Philips emphasizes the important of making products that can easily be recycled. At Philips, end-of-life management primarily entails participation in national take-back initiatives and recycling programs whenever possible, preferably in cooperation with competitors.

There is currently a system of recycling up and running in the European countries, such as The Netherlands, Belgium, Norway, Sweden and Denmark.

In U.S.A., Philips Consumer Electronics North America has contributed funds for the Electronic Industries Alliance (EIA) Electronics Recycling Project and state recycling initiatives for end-of-life electronics products from household sources. In addition, the Northeast Recycling Council (NERC) - a multi-state non-profit organization focused on promoting recycling market development - plans to implement a recycling program.

In Asia Pacific, Taiwan, the products can be taken back by Environment Protection Administration (EPA) to follow the IT product recycling management process, detail can be found in web site www.epa.gov.tw

For help and service, please contact [Consumers Information Center](#) or [F1rst Choice Contact Information Center](#) in each country or the following team of Environmental specialist can help.

Mr. WY Chen- Environment manager
Philips Multimedia Flat Display
E-mail: w.y.chen@philips.com
Tel: +886 (0) 3 222 6791

Mr. Maarten ten Houten - Senior Environmental Consultant
Philips Consumer Electronics
E-mail: marten.ten.houten@philips.com
Tel: +31 (0) 40 27 33402

Mr. Delmer F. Teglas
Philips Consumer Electronics North America
E-mail: butch.teglas@philips.com
Tel: +1 865 521 4322

[RETURN TO TOP OF THE PAGE](#)

Waste Electrical and Electronic Equipment-WEEE

Attention users in European Union private households



This marking on the product or on its packaging illustrates that, under European Directive 2002/96/EG governing used electrical and electronic appliances, this product may not be disposed of with normal household waste. You are responsible for disposal of this equipment through a designated waste electrical and electronic equipment collection. To determine the locations for dropping off such waste electrical and electronic, contact your local government office, the waste disposal organization that serves your household or the store at which you purchased the product.

[RETURN TO TOP OF THE PAGE](#)

CE Declaration of Conformity

Philips Consumer Electronics declare under our responsibility that the product is in conformity with the following standards

- EN60950-1:2001 (Safety requirement of Information Technology Equipment)
- EN55022:1998 (Radio Disturbance requirement of Information Technology Equipment)
- EN55024:1998 (Immunity requirement of Information Technology Equipment)
- EN61000-3-2:2000 (Limits for Harmonic Current Emission)
- EN61000-3-3:1995 (Limitation of Voltage Fluctuation and Flicker)

following provisions of directives applicable

- 73/23/EEC (Low Voltage Directive)
- 89/336/EEC (EMC Directive)
- 93/68/EEC (Amendment of EMC and Low Voltage Directive)

and is produced by a manufacturing organization on ISO9000 level.

The product also comply with the following standards

- ISO9241-3, ISO9241-7, ISO9241-8 (Ergonomic requirement for CRT Monitor)
- ISO13406-2 (Ergonomic requirement for Flat Panel Display)
- GS EK1-2000 (GS specification)
- prEN50279:1998 (Low Frequency Electric and Magnetic fields for Visual Display)
- MPR-II (MPR:1990:8/1990:10 Low Frequency Electric and Magnetic fields)
- TCO'99, TCO'03 (Requirement for Environment Labelling of Ergonomics, Energy, Ecology and Emission, TCO: Swedish Confederation of Professional Employees) for TCO versions

[RETURN TO TOP OF THE PAGE](#)

Energy Star Declaration

This monitor is equipped with a function for saving energy which supports the VESA Display Power Management Signaling (DPMS) standard. This means that the monitor must be connected to a computer which supports VESA DPMS. Time settings are adjusted from the system unit by software.

	VESA State	LED Indicator	Power Consumption
Normal operation	ON (Active)	Green	< 34 W (typ.)

Power Saving
Alternative 2
One step

OFF (Sleep)

Amber

< 1 W

Switch Off

Off

< 1 W



As an ENERGY STAR[®] Partner, PHILIPS has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency.



We recommend you switch off the monitor when it is not in use for a long time.

[RETURN TO TOP OF THE PAGE](#)

Federal Communications Commission (FCC) Notice (U.S. Only)



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Use only RF shielded cable with ferrite core that supplied with the monitor when connecting this monitor to a computer device .

If your RF shield cable without ferrite core, we recommend to contact with Philips Customer & Service center for more information.

To prevent damage which may result in fire or shock hazard, do not expose this appliance to rain or excessive moisture.


THIS CLASS B DIGITAL APPARATUS MEETS ALL REQUIREMENTS OF THE CANADIAN INTERFERENCE-CAUSING EQUIPMENT REGULATIONS.

[RETURN TO TOP OF THE PAGE](#)

FCC Declaration of Conformity

Trade Name: Philips
 Philips Consumer Electronics North America
 P.O. Box 671539
 Responsible Party: Marietta, GA 30006-0026
 1-888-PHILIPS (744-5477)

Declaration of Conformity for Products Marked with FCC Logo,
 United States Only



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

[RETURN TO TOP OF THE PAGE](#)

Commission Federale de la Communication (FCC Declaration)



Cet équipement a été testé et déclaré conforme aux limites des appareils numériques de classe B, aux termes de l'article 15 Des règles de la FCC. Ces limites sont conçues de façon à fournir une protection raisonnable contre les interférences nuisibles dans le cadre d'une installation résidentielle. CET appareil produit, utilise et peut émettre des hyperfréquences qui, si l'appareil n'est pas installé et utilisé selon les consignes données, peuvent causer des interférences nuisibles aux communications radio. Cependant, rien ne peut garantir l'absence d'interférences dans le cadre d'une installation particulière. Si cet appareil est la cause d'interférences nuisibles pour la réception des signaux de radio ou de télévision, ce qui peut être dû à cet équipement, puis en le remettant en fonction, l'utilisateur pourrait essayer de corriger la situation en prenant les mesures suivantes:

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la distance entre l'équipement et le récepteur.
- Brancher l'équipement sur un autre circuit que celui utilisé par le récepteur.
- Demander l'aide du marchand ou d'un technicien chevronné en radio/télévision.



Toutes modifications n'ayant pas reçu l'approbation des services compétents en matière de conformité est susceptible d'interdire à l'utilisateur l'usage du présent équipement.

N'utiliser que des câbles RF armés pour les connexions avec des ordinateurs ou périphériques.

CET APPAREIL NUMERIQUE DE LA CLASSE B RESPECTE TOUTES LES EXIGENCES DU
 REGLEMENT SUR LE MATERIEL BROUILLEUR DU CANADA.

[RETURN TO TOP OF THE PAGE](#)

EN 55022 Compliance (Czech Republic Only)

This device belongs to category B devices as described in EN 55022, unless it is specifically stated that it is a Class A device on the specification label. The following applies to devices in Class A of EN 55022 (radius of protection up to 30 meters). The user of the device is obliged to take all steps necessary to remove sources of interference to telecommunication or other devices.

Pokud není na typovém štítku počítače uvedeno, že spadá do do třídy A podle EN 55022, spadá automaticky do třídy B podle EN 55022. Pro zařízení zařazená do třídy A (chranné pásmo 30m) podle EN 55022 platí následující. Dojde-li k rušení telekomunikačních nebo jiných zařízení je uživatel povinen provést taková opatření, aby rušení odstranil.

[RETURN TO TOP OF THE PAGE](#)

MIC Notice (South Korea Only)

Class B Device

장치 종류	사용자 안내문
B급 기기	이 장치는 가정용으로 전자파 적합등록을 한 장치로서 주거지역에서는 물론 모든 지역에서 사용할 수 있습니다.



Please note that this device has been approved for non-business purposes and may be used in any environment, including residential areas.

[RETURN TO TOP OF THE PAGE](#)

Polish Center for Testing and Certification Notice

The equipment should draw power from a socket with an attached protection circuit (a three-prong socket). All equipment that works together (computer, monitor, printer, and so on) should have the same power supply source.

The phasing conductor of the room's electrical installation should have a reserve short-circuit protection device in the form of a fuse with a nominal value no larger than 16 amperes (A).

To completely switch off the equipment, the power supply cable must be removed from the power supply socket, which should be located near the equipment and easily accessible.

A protection mark "B" confirms that the equipment is in compliance with the protection usage requirements of standards PN-93/T-42107 and PN-89/E-06251.

Wymagania Polskiego Centrum Badań i Certyfikacji

Urządzenie powinno być zasilane z gniazda z przyłączonym obwodem ochronnym (gniazdo z kolkiem). Współpracujące ze sobą urządzenia (komputer, monitor, drukarka) powinny być zasilane z tego samego źródła.

Instalacja elektryczna pomieszczenia powinna zawierać w przewodzie fazowym rezerwową ochronę przed zwarciami, w postaci bezpiecznika o wartości znamionowej nie większej niż 16A (amperów).

W celu całkowitego wyłączenia urządzenia z sieci zasilania, należy wyjąć wtyczkę kabla zasilającego z gniazdka, które powinno znajdować się w pobliżu urządzenia i być łatwo dostępne.

Znak bezpieczeństwa "B" potwierdza zgodność urządzenia z wymaganiami bezpieczeństwa użytkownika zawartymi w PN-93/T-42107 i PN-89/E-06251.

Pozostałe instrukcje bezpieczeństwa

- Nie należy używać wtyczek adapterowych lub usuwać kołka obwodu ochronnego z wtyczki. Jeżeli konieczne jest użycie przedłużacza to należy użyć przedłużacza 3-żyłowego z prawidłowo połączonym przewodem ochronnym.
- System komputerowy należy zabezpieczyć przed nagłymi, chwilowymi wzrostami lub spadkami napięcia, używając eliminatora przepięć, urządzenia dopasowującego lub bezzakłócenowego źródła zasilania.
- Należy upewnić się, aby nie leżało na kablach systemu komputerowego, oraz aby kable nie były umieszczone w miejscu, gdzie można byłoby na nie nadeptywać lub potykać się o nie.
- Nie należy rozlewać napojów ani innych płynów na system komputerowy.
- Nie należy wpychać żadnych przedmiotów do otworów systemu komputerowego, gdyż może to spowodować pożar lub porażenie prądem, poprzez zwarcie elementów wewnętrznych.
- System komputerowy powinien znajdować się z dala od grzejników i źródeł ciepła. Ponadto, nie należy blokować otworów wentylacyjnych. Należy unikać kładzenia luźnych papierów pod komputer oraz umieszczania komputera w ciasnym miejscu bez możliwości cyrkulacji powietrza wokół niego.

[RETURN TO TOP OF THE PAGE](#)

North Europe (Nordic Countries) Information

Placering/Ventilation

VARNING:

F! RS; KRA DIG OM ATT HUVUDBRYTARE OCH UTTAG ; R L; TTKOMLIGA, N; R DU ST; LLER DIN UTRUSTNING PPLATS.

Placering/Ventilation

ADVARSEL:

SÑRG VED PLACERINGEN FOR, AT NETLEDNINGENS STIK OG STIKKONTAKT ER NEMT TILGØ NGELIGE.

Paikka/Ilmankierto

VAROITUS:

SIJOITA LAITE SITEN, ETT; VERKKOJOHTO VOIDAAN TARVITTAESSA HELPOSTI IRROTTAA PISTORASIESTA.

Plassering/Ventilasjon

ADVARSEL:

NØR DETTE UTSTYRET PLASSERES, MØ DU PASSE PØ AT KONTAKTENE FOR STØMTILFØRSEL ER LETTE Ø NØ.

[RETURN TO TOP OF THE PAGE](#)

BSMI Notice (Taiwan Only)

符合乙類資訊產品之標準

[RETURN TO TOP OF THE PAGE](#)

Ergonomie Hinweis (nur Deutschland)

Der von uns gelieferte Farbmonitor entspricht den in der "Verordnung Über den Schutz vor Sch«den durch R«ntgenstrahlen" festgelegten Vorschriften.

Auf der R«ckwand des Ger«tes befindet sich ein Aufkleber, der auf die Unbedenklichkeit der Inbetriebnahme hinweist, da die Vorschriften Über die Bauart von St«rkestrahlern nach Anlage III 5 Abs. 4 der R«ntgenverordnung erf«llt sind.

Damit Ihr Monitor immer den in der Zulassung geforderten Werten entspricht, ist darauf zu achten, daÉ

1. Reparaturen nur durch Fachpersonal durchgef«hrt werden.
2. nur original-Ersatzteile verwendet werden.
3. bei Ersatz der Bildr«hre nur eine bauartgleiche eingebaut wird.

Aus ergonomischen Gr«nden wird empfohlen, die Grundfarben Blau und Rot nicht auf dunklem Untergrund zu verwenden (schlechte Lesbarkeit und erh«hte Augenbelastung bei zu geringem Zeichenkontrast w«ren die Folge).

Der arbeitsplatzbezogene Schalldruckpegel nach DIN 45 635 betr«gt 70dB (A) oder weniger.



ACHTUNG: BEIM AUFSTELLEN DIESES GER«TES DARAUF ACHTEN, DAÉ NETZSTECKER UND NETZKABELANSCHLUÉ LEICHT ZUG«NGLICH SIND.

[RETURN TO TOP OF THE PAGE](#)

End-of-Life Disposal

Your new monitor contains materials that can be recycled and reused. Specialized companies can

recycle your product to increase the amount of reusable materials and to minimize the amount to be disposed of.

Please find out about the local regulations on how to dispose of your old monitor from your local Philips dealer.

(For customers in Canada and U.S.A.)

This product may contain lead and/or mercury. Dispose of in accordance to local-state and federal regulations.

For additional information on recycling contact www.eia.org (Consumer Education Initiative)

[RETURN TO TOP OF THE PAGE](#)


Information for UK only

WARNING - THIS APPLIANCE MUST BE GROUNDING.

Important:

This apparatus is supplied with an approved moulded 13A plug. To change a fuse in this type of plug proceed as follows:

1. Remove fuse cover and fuse.
2. Fit new fuse which should be a BS 1362 5A, A.S.T.A. or BSI approved type.
3. Refit the fuse cover.



If the fitted plug is not suitable for your socket outlets, it should be cut off and an appropriate 3-pin plug fitted in its place.

If the mains plug contains a fuse, this should have a value of 5A. If a plug without a fuse is used, the fuse at the distribution board should not be greater than 5A.

Note: The severed plug must be destroyed to avoid a possible shock hazard should it be inserted into a 13A socket elsewhere.


How to connect a plug

The wires in the mains lead are coloured in accordance with the following code:

BLUE - "NEUTRAL" ("N")

BROWN - "LIVE" ("L")

GREEN & YELLOW - "GROUND" ("G")



1. The GREEN AND YELLOW wire must be connected to the terminal in the plug which is marked with the letter "G" or by the Ground symbol  or coloured GREEN or GREEN AND YELLOW.
2. The BLUE wire must be connected to the terminal which is marked with the letter "N" or coloured BLACK.
3. The BROWN wire must be connected to the terminal which marked with the letter "L" or coloured RED.

Before replacing the plug cover, make certain that the cord grip is clamped over the sheath of the lead - not simply over the three wires.

[RETURN TO TOP OF THE PAGE](#)

China RoHS

The People's Republic of China released a regulation called "Management Methods for Controlling Pollution by Electronic Information Products" or commonly referred to as China RoHS. All products including CRT and LCD monitor which are produced and sold for China market have to meet China RoHS request.

中国大陆RoHS

根据中国大陆《电子信息产品污染控制管理办法》（也称为中国大陆RoHS），以下部分列出了本产品中可能包含的有毒有害物质或元素的名称和含量

本表适用之产品

显示器（液晶及CRT）

有毒有害物质或元素

部件名称	有毒有害物质或元素					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr6+)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
外壳	○	○	○	○	○	○
CRT显示屏	×	○	○	○	○	○
液晶显示屏/灯管	×	×	○	○	○	○
电路板组件*	×	○	○	○	○	○
电源适配器	×	○	○	○	○	○
电源线/连接线	×	○	○	○	○	○
*：电路板组件包括印刷电路板及其构成的零部件，如电阻、电容、集成电路、连接器等 ○：表示该有毒有害物质在该部件所有均质材料中的含量均在 《电子信息产品中有毒有害物质的限量要求标准》规定的限量要求以下 ×：表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 《电子信息产品中有毒有害物质的限量要求标准》规定的限量要求；但是上表中打“×”的部件， 符合欧盟RoHS法规要求（属于豁免的部分）						

[RETURN TO TOP OF THE PAGE](#)

$\neq$ $\frac{1}{2}$ $\frac{1}{3}$ $\frac{1}{4}$ $\frac{1}{5}$ $\frac{1}{6}$ $\frac{1}{7}$ $\frac{1}{8}$ $\frac{1}{9}$ $\frac{1}{10}$ $\frac{1}{11}$ $\frac{1}{12}$ $\frac{1}{13}$ $\frac{1}{14}$ $\frac{1}{15}$ $\frac{1}{16}$ $\frac{1}{17}$ $\frac{1}{18}$ $\frac{1}{19}$ $\frac{1}{20}$ $\frac{1}{21}$ $\frac{1}{22}$ $\frac{1}{23}$ $\frac{1}{24}$ $\frac{1}{25}$ $\frac{1}{26}$ $\frac{1}{27}$ $\frac{1}{28}$ $\frac{1}{29}$ $\frac{1}{30}$ $\frac{1}{31}$ $\frac{1}{32}$ $\frac{1}{33}$ $\frac{1}{34}$ $\frac{1}{35}$ $\frac{1}{36}$ $\frac{1}{37}$ $\frac{1}{38}$ $\frac{1}{39}$ $\frac{1}{40}$ $\frac{1}{41}$ $\frac{1}{42}$ $\frac{1}{43}$ $\frac{1}{44}$ $\frac{1}{45}$ $\frac{1}{46}$ $\frac{1}{47}$ $\frac{1}{48}$ $\frac{1}{49}$ $\frac{1}{50}$ $\frac{1}{51}$ $\frac{1}{52}$ $\frac{1}{53}$ $\frac{1}{54}$ $\frac{1}{55}$ $\frac{1}{56}$ $\frac{1}{57}$ $\frac{1}{58}$ $\frac{1}{59}$ $\frac{1}{60}$ $\frac{1}{61}$ $\frac{1}{62}$ $\frac{1}{63}$ $\frac{1}{64}$ $\frac{1}{65}$ $\frac{1}{66}$ $\frac{1}{67}$ $\frac{1}{68}$ $\frac{1}{69}$ $\frac{1}{70}$ $\frac{1}{71}$ $\frac{1}{72}$ $\frac{1}{73}$ $\frac{1}{74}$ $\frac{1}{75}$ $\frac{1}{76}$ $\frac{1}{77}$ $\frac{1}{78}$ $\frac{1}{79}$ $\frac{1}{80}$ $\frac{1}{81}$ $\frac{1}{82}$ $\frac{1}{83}$ $\frac{1}{84}$ $\frac{1}{85}$ $\frac{1}{86}$ $\frac{1}{87}$ $\frac{1}{88}$ $\frac{1}{89}$ $\frac{1}{90}$ $\frac{1}{91}$ $\frac{1}{92}$ $\frac{1}{93}$ $\frac{1}{94}$ $\frac{1}{95}$ $\frac{1}{96}$ $\frac{1}{97}$ $\frac{1}{98}$ $\frac{1}{99}$ $\frac{1}{100}$

Philips

— 11 —

- [illegible]

$$\forall f \approx \forall - \exists \quad r \leq r \quad \neg \exists \geq \neg \quad | \quad \neg \exists r \neq \vdash =$$

התאחדות המורים והתנועה הלאומית

[illegible]

$\sqrt{\frac{1}{n} \sum_{i=1}^n x_i^2 - \left(\frac{1}{n} \sum_{i=1}^n x_i \right)^2}$

התאמת המערכת למתח המספקת את המערכת. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים.



⚡ $I \neq 0$ $\Sigma r \neq 0$: במהלך ההתאמה, יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים.



🖐️ $V \neq 0$ $\Sigma r \neq 0$: במהלך ההתאמה, יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים.



⚠️ $I \neq 0$ $\Sigma r \neq 0$: במהלך ההתאמה, יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים.

התאמת המערכת למתח המספקת את המערכת. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים.

$$V \approx V - \Sigma r \leq r \Sigma \mid \Sigma \geq r \mid r - \Sigma r \neq \mid =$$

©2006 Koninklijke Philips Electronics N.V.

התאמת המערכת למתח המספקת את המערכת. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים. יש לוודא שהמתח המספקת את המערכת הוא מתח מתאים.

190V7

Philips
Perfect
Panel

190V7

190V7

190V7

- 190V7
 - o 190V7
 - o 190V7
 - o 190V7
 - o 190V7
- 190V7
 - o 190V7
 - o 190V7
 - o 190V7
 - o 190V7
- 190V7
 - o 190V7
 - o 190V7
 - o 190V7
 - o 190V7

$$\sqrt{1} = \sqrt{1 - \sum_{i=1}^n r_i^2} \leq 1 - \sum_{i=1}^n r_i^2 \leq 1 - \sum_{i=1}^n r_i^2$$

190V7



Philips
RoHS

700m √ (700m √)	700m √ (700m √)
√ 700m √ (700m √)	√ 700m √ (700m √)
700m √ (700m √)	700m √ (700m √)
700m √ (700m √)	
700m √ (700m √)	700m √ (700m √)
700m √ (700m √)	700m √ (700m √)
700m √ (700m √)	700m √ (700m √)

* 700m √ (700m √)

700m √ (700m √)

700m √ (700m √)

17

Figure 10: Comparison of the proposed method with other methods	Figure 11: Comparison of the proposed method with other methods	Figure 12: Comparison of the proposed method with other methods
31.469	720*400	70.087
31.469	640*480	59.940
37.861	640*480	72.809
37.500	640*480	75.000
35.156	800*600	56.250
37.879	800*600	60.317
48.077	800*600	72.188
46.875	800*600	75.000
48.363	1024*768	60.004
56.476	1024*768	70.069
60.023	1024*768	75.029
67.500	1152*870	75.000
60.000	1280*960	60.000
63.981	1280*1024	60.020

79.976	1280*1024	75.025
35.000	640*480	67.000
49.700	832*624	75.000

$$\sqrt{|} \approx \sqrt{-\Sigma \text{ } \leq \text{ } \leq \Sigma \text{ } \geq \text{ } | \text{ } \leq \text{ } \neq \text{ } \text{ } =}$$

Σημειώσεις σχετικά με την τεχνική προδιαγραφή




























Οι προδιαγραφές DPMS (Display Power Management Signaling) και VESA (Video Electronics Standards Association) ορίζουν τις απαιτήσεις για την ενεργειακή αποδοτικότητα των οθονών. Οι προδιαγραφές αυτές περιλαμβάνουν την υποστήριξη των λειτουργιών Sleep, Standby και Off, οι οποίες επιτρέπουν την μείωση της κατανάλωσης ενέργειας όταν η οθόνη δεν είναι σε χρήση. Η συμμόρφωση με αυτές τις προδιαγραφές είναι απαραίτητη για την επίτευξη των απαιτήσεων ενεργειακής αποδοτικότητας που ορίζονται στην οδηγία ErP.


Παραμέτρους ενεργειακής αποδοτικότητας					
Προδιαγραφή VESA	Συντελεστής ενεργειακής αποδοτικότητας	Μέγιστη κατανάλωση ενέργειας σε λειτουργία Sleep	Μέγιστη κατανάλωση ενέργειας σε λειτουργία Standby	Μέγιστη κατανάλωση ενέργειας σε λειτουργία Off	Μέγιστη κατανάλωση ενέργειας σε λειτουργία On
Συντελεστής ενεργειακής αποδοτικότητας	$\sqrt{\leq}$	Λ	Λ	$< 34 \sqrt{\pm} (\text{Watt})$	$\approx \text{Watt}$
Μέγιστη κατανάλωση ενέργειας σε λειτουργία Sleep	$\sqrt{= \leq}$	Λ	Λ	$< 1 \sqrt{\pm}$	Λ
Μέγιστη κατανάλωση ενέργειας σε λειτουργία Standby	$\sqrt{= \leq}$	-	-	$< 1 \sqrt{\pm}$	$\sqrt{= \leq}$

Η Philips Energy Star[®] είναι μια διεθνής πρωτοβουλία για την προώθηση της ενεργειακής αποδοτικότητας των προϊόντων. Η Philips Energy Star[®] είναι μια διεθνής πρωτοβουλία για την προώθηση της ενεργειακής αποδοτικότητας των προϊόντων. Η Philips Energy Star[®] είναι μια διεθνής πρωτοβουλία για την προώθηση της ενεργειακής αποδοτικότητας των προϊόντων.

$$\forall r \approx \forall r - \sum r \leq r - \sum \neg \mid \sum \geq \neg \mid \neg \sum r \neq \mid =$$



         	424 x 418 x 211 ቶን (ፕላስቲክ ተጠቅሞ)
         	4,6 ሺህ
         	-5Ã~ 20Ã
         	100 ~ 240 ሂ ፕላስቲክ ህዝብ ህጻን, 50/60 ሰከ
         	34ሂ± (ፕላስቲክ.)
         	5Ã ህጻን 40Ã (ፕላስቲክ) -20 Ã ህጻን 60Ã (ፕላስቲክ)
         	20% - 80%
         	50K ተጠቅሞ (CCFL 40K ተጠቅሞ)
         	190V7FB: ተጠቅሞ ተጠቅሞ

* 


[illegible]

$$\forall r \approx \forall r - \sum r \leq r - \sum \neg \sum \geq r \mid \neg \sum r \neq \vdash =$$



התחברות ל-USB Type-C

2. להחברת USB Type-C ל-DVI יש להשתמש בקבל USB Type-C ל-DVI. הקבל צריך להיות בעל אורך של 24 אינץ' או קצר יותר, וצריך להיות בעל קצה USB Type-C עם חיסול (Shielding) וקצה DVI עם חיסול. הקבל צריך להיות בעל חיסול של 8 אומ"מ. הקבל צריך להיות בעל חיסול של 8 אומ"מ.

סמל	תיאור	סמל	תיאור	סמל	תיאור	סמל	תיאור
1	T.M.D.S. ל-2	9	T.M.D.S. ל-1	17	T.M.D.S. ל-0	C1	* סכום ה-VR
2	T.M.D.S. ל-2 +	10	T.M.D.S. ל-1 +	18	T.M.D.S. ל-0 +	C2	* סכום ה-G
3	T.M.D.S. ל-2 F	11	T.M.D.S. ל-1 F	19	T.M.D.S. ל-0 F	C3	* סכום ה-B
4	ר-ל	12	ר-ל	20	ר-ל	C4	* סכום ה-H-ל
5	ר-ל	13	ר-ל	21	ר-ל	C5	* סכום ה-GND (Analog R, G, B ל-)
6	DDC	14	+5V	22	T.M.D.S.		
7	DDC ל-	15	~ (ל- +5V H/V-ל)	23	T.M.D.S. +		
8	* סכום ה-V-ל	16	"∞" ל-ל	24	T.M.D.S. -		



A diagram of a 3x5 grid of dots. The dots are arranged in three rows and five columns. The dots are numbered 1 through 15, starting from the top-left dot (1) and moving right across each row, then down to the next row. The numbers are placed to the left of the dots: 1, 6, 11 for the first column; 5, 10, 15 for the fifth column. The middle three dots in each row are not numbered.

	
1	 
2	 
3	 
4	Sense ($\approx \text{Q}_2$)

$$\sqrt{\cdot} \approx \sqrt{-\sum \Gamma \leq -\Sigma} \vee \sum \geq \gamma \mid \neg \sum \Gamma \neq \vdash =$$


$\sqrt{\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right)} = \frac{1}{2}$
 $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$
 $\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$

$$\sqrt{\cdot} \approx \sqrt{-\sum_{\Gamma \leq -\Sigma} \mid \Sigma \geq \gamma \mid} \mid \Gamma - \Sigma \neq \mid =$$

— 𐎠𐎡𐎢𐎣𐎤𐎥𐎦𐎧𐎨𐎩𐎪𐎫𐎬𐎭𐎮𐎯𐎰𐎱𐎲𐎳𐎴𐎵𐎶𐎷𐎸𐎹𐎺𐎻𐎼𐎽𐎾𐎿𐏀𐏁𐏂𐏃𐏄𐏅𐏆𐏇𐏈𐏉𐏊𐏋𐏌𐏍𐏎𐏏𐏐𐏑𐏒𐏓𐏔𐏕𐏖𐏗𐏘𐏙𐏚𐏛𐏜𐏝𐏞𐏟𐏠𐏡𐏢𐏣𐏤𐏥𐏦𐏧𐏨𐏩𐏪𐏫𐏬𐏭𐏮𐏯𐏰𐏱𐏲𐏳𐏴𐏵𐏶𐏷𐏸𐏹𐏺𐏻𐏼𐏽𐏾𐏿𐐀𐐁𐐂𐐃𐐄𐐅𐐆𐐇𐐈𐐉𐐊𐐋𐐌𐐍𐐎𐐏𐐐𐐑𐐒𐐓𐐔𐐕𐐖𐐗𐐘𐐙𐐚𐐛𐐜𐐝𐐞𐐟𐐠𐐡𐐢𐐣𐐤𐐥𐐦𐐧𐐨𐐩𐐪𐐫𐐬𐐭𐐮𐐯𐐰𐐱𐐲𐐳𐐴𐐵𐐶𐐷𐐸𐐹𐐺𐐻𐐼𐐽𐐾𐐿𐑀𐑁𐑂𐑃𐑄𐑅𐑆𐑇𐑈𐑉𐑊𐑋𐑌𐑍𐑎𐑏𐑐𐑑𐑒𐑓𐑔𐑕𐑖𐑗𐑘𐑙𐑚𐑛𐑜𐑝𐑞𐑟𐑠𐑡𐑢𐑣𐑤𐑥𐑦𐑧𐑨𐑩𐑪𐑫𐑬𐑭𐑮𐑯𐑰𐑱𐑲𐑳𐑴𐑵𐑶𐑷𐑸𐑹𐑺𐑻𐑼𐑽𐑾𐑿𐒀𐒁𐒂𐒃𐒄𐒅𐒆𐒇𐒈𐒉𐒊𐒋𐒌𐒍𐒎𐒏𐒐𐒑𐒒𐒓𐒔𐒕𐒖𐒗𐒘𐒙𐒚𐒛𐒜𐒝𐒞𐒟𐒠𐒡𐒢𐒣𐒤𐒥𐒦𐒧𐒨𐒩𐒪𐒫𐒬𐒭𐒮𐒯𐒰𐒱𐒲𐒳𐒴𐒵𐒶𐒷𐒸𐒹𐒺𐒻𐒼𐒽𐒾𐒿𐓀𐓁𐓂𐓃𐓄𐓅𐓆𐓇𐓈𐓉𐓊𐓋𐓌𐓍𐓎𐓏𐓐𐓑𐓒𐓓𐓔𐓕𐓖𐓗𐓘𐓙𐓚𐓛𐓜𐓝𐓞𐓟𐓠𐓡𐓢𐓣𐓤𐓥𐓦𐓧𐓨𐓩𐓪𐓫𐓬𐓭𐓮𐓯𐓰𐓱𐓲𐓳𐓴𐓵𐓶𐓷𐓸𐓹𐓺𐓻𐓼𐓽𐓾𐓿𐔀𐔁𐔂𐔃𐔄𐔅𐔆𐔇𐔈𐔉𐔊𐔋𐔌𐔍𐔎𐔏𐔐𐔑𐔒𐔓𐔔𐔕𐔖𐔗𐔘𐔙𐔚𐔛𐔜𐔝𐔞𐔟𐔠𐔡𐔢𐔣𐔤𐔥𐔦𐔧𐔨𐔩𐔪𐔫𐔬𐔭𐔮𐔯𐔰𐔱𐔲𐔳𐔴𐔵𐔶𐔷𐔸𐔹𐔺𐔻𐔼𐔽𐔾𐔿𐕀𐕁𐕂𐕃𐕄𐕅𐕆𐕇𐕈𐕉𐕊𐕋𐕌𐕍𐕎𐕏𐕐𐕑𐕒𐕓𐕔𐕕𐕖𐕗𐕘𐕙𐕚𐕛𐕜𐕝𐕞𐕟𐕠𐕡𐕢𐕣𐕤𐕥𐕦𐕧𐕨𐕩𐕪𐕫𐕬𐕭𐕮𐕯𐕰𐕱𐕲𐕳𐕴𐕵𐕶𐕷𐕸𐕹𐕺𐕻𐕼𐕽𐕾𐕿𐖀𐖁𐖂𐖃𐖄𐖅𐖆𐖇𐖈𐖉𐖊𐖋𐖌𐖍𐖎𐖏𐖐𐖑𐖒𐖓𐖔𐖕𐖖𐖗𐖘𐖙𐖚𐖛𐖜𐖝𐖞𐖟𐖠𐖡𐖢𐖣𐖤𐖥𐖦𐖧𐖨𐖩𐖪𐖫𐖬𐖭𐖮𐖯𐖰𐖱𐖲𐖳𐖴𐖵𐖶𐖷𐖸𐖹𐖺𐖻𐖼𐖽𐖾𐖿𐗀𐗁𐗂𐗃𐗄𐗅𐗆𐗇𐗈𐗉𐗊𐗋𐗌𐗍𐗎𐗏𐗐𐗑𐗒𐗓𐗔𐗕𐗖𐗗𐗘𐗙𐗚𐗛𐗜𐗝𐗞𐗟𐗠𐗡𐗢𐗣𐗤𐗥𐗦𐗧𐗨𐗩𐗪𐗫𐗬𐗭𐗮𐗯𐗰𐗱𐗲𐗳𐗴𐗵𐗶𐗷𐗸𐗹𐗺𐗻𐗼𐗽𐗾𐗿𐘀𐘁𐘂𐘃𐘄𐘅𐘆𐘇𐘈𐘉𐘊𐘋𐘌𐘍𐘎𐘏𐘐𐘑𐘒𐘓𐘔𐘕𐘖𐘗𐘘𐘙𐘚𐘛𐘜𐘝𐘞𐘟𐘠𐘡𐘢𐘣𐘤𐘥𐘦𐘧𐘨𐘩𐘪𐘫𐘬𐘭𐘮𐘯𐘰𐘱𐘲𐘳𐘴𐘵𐘶𐘷𐘸𐘹𐘺𐘻𐘼𐘽𐘾𐘿𐙀𐙁𐙂𐙃𐙄𐙅𐙆𐙇𐙈𐙉𐙊𐙋𐙌𐙍𐙎𐙏𐙐𐙑𐙒𐙓𐙔𐙕𐙖𐙗𐙘𐙙𐙚𐙛𐙜𐙝𐙞𐙟𐙠𐙡𐙢𐙣𐙤𐙥𐙦𐙧𐙨𐙩𐙪𐙫𐙬𐙭𐙮𐙯𐙰𐙱𐙲𐙳𐙴𐙵𐙶𐙷𐙸𐙹𐙺𐙻𐙼𐙽𐙾𐙿𐚀𐚁𐚂𐚃𐚄𐚅𐚆𐚇𐚈𐚉𐚊𐚋𐚌𐚍𐚎𐚏𐚐𐚑𐚒𐚓𐚔𐚕𐚖𐚗𐚘𐚙𐚚𐚛𐚜𐚝𐚞𐚟𐚠𐚡𐚢𐚣𐚤𐚥𐚦𐚧𐚨𐚩𐚪𐚫𐚬𐚭𐚮𐚯𐚰𐚱𐚲𐚳𐚴𐚵𐚶𐚷𐚸𐚹𐚺𐚻𐚼𐚽𐚾𐚿𐛀𐛁𐛂𐛃𐛄𐛅𐛆𐛇𐛈𐛉𐛊𐛋𐛌𐛍𐛎𐛏𐛐𐛑𐛒𐛓𐛔𐛕𐛖𐛗𐛘𐛙𐛚𐛛𐛜𐛝𐛞𐛟𐛠𐛡𐛢𐛣𐛤𐛥𐛦𐛧𐛨𐛩𐛪𐛫𐛬𐛭𐛮𐛯𐛰𐛱𐛲𐛳𐛴𐛵𐛶𐛷𐛸𐛹𐛺𐛻𐛼𐛽𐛾𐛿𐜀𐜁𐜂𐜃𐜄𐜅𐜆𐜇𐜈𐜉𐜊𐜋𐜌𐜍𐜎𐜏𐜐𐜑𐜒𐜓𐜔𐜕𐜖𐜗𐜘𐜙𐜚𐜛𐜜𐜝𐜞𐜟𐜠𐜡𐜢𐜣𐜤𐜥𐜦𐜧𐜨𐜩𐜪𐜫𐜬𐜭𐜮𐜯𐜰𐜱𐜲𐜳𐜴𐜵𐜶𐜷𐜸𐜹𐜺𐜻𐜼𐜽𐜾𐜿𐝀𐝁𐝂𐝃𐝄𐝅𐝆𐝇𐝈𐝉𐝊𐝋𐝌𐝍𐝎𐝏𐝐𐝑𐝒𐝓𐝔𐝕𐝖𐝗𐝘𐝙𐝚𐝛𐝜𐝝𐝞𐝟𐝠𐝡𐝢𐝣𐝤𐝥𐝦𐝧𐝨𐝩𐝪𐝫𐝬𐝭𐝮𐝯𐝰𐝱𐝲𐝳𐝴𐝵𐝶𐝷𐝸𐝹𐝺𐝻𐝼𐝽𐝾𐝿𐞀𐞁𐞂𐞃𐞄𐞅𐞆𐞇𐞈𐞉𐞊𐞋𐞌𐞍𐞎𐞏𐞐𐞑𐞒𐞓𐞔𐞕𐞖𐞗𐞘𐞙𐞚𐞛𐞜𐞝𐞞

1)

2) FlexiHolder



$\sqrt{f} \approx \sqrt{-\sum r \leq r \sum \mid \sum \geq \gamma \mid \mid r - \sum r \neq \mid =}$





1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



50 30

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



Philips

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

Philips

| | |
|------------------|------------------|
| $\sqrt{a^2+b^2}$ | $\sqrt{a^2+b^2}$ |
| $\sqrt{a^2+b^2}$ | 190V7 |
| 1 | 3 |


התורה והנביא: חלק א' - חומש שמות



- | | | |
|---|---|---|
| 1 |  | ✓  |
| 2 |  | ✓  |
| 3 |  |  |
| 4 |  |  |
| 5 |  |  |
| 6 | AUTO |  |

$$\forall r \approx \forall r \neg \sum r \leq r \neg \sum r \geq r \mid r \neg \sum r \neq \vdash =$$

$\sqrt{\frac{L}{T}} = \frac{1}{\text{second}}$



- 1 Kensington lock
- 2 VGA
- 3 DVI-D
- 4 DVI-D

✓ | ≈√-Σ r ≤ r Σ | Σ ≥ γ | r-Σ r ≠ | =

- The monitor is designed to be used with a resolution of 1280x1024, 60Hz.



The monitor is designed to be used with a resolution of 1280x1024, 60Hz. The monitor is designed to be used with a resolution of 1280x1024, 60Hz. The monitor is designed to be used with a resolution of 1280x1024, 60Hz.


- Flat Panel Adjust (FP Adjust) (The monitor is designed to be used with a resolution of 1280x1024, 60Hz. The monitor is designed to be used with a resolution of 1280x1024, 60Hz. The monitor is designed to be used with a resolution of 1280x1024, 60Hz.)

The monitor is designed to be used with a resolution of 1280x1024, 60Hz. The monitor is designed to be used with a resolution of 1280x1024, 60Hz. The monitor is designed to be used with a resolution of 1280x1024, 60Hz.



FP_setup4.3.exe

✓ | ≈√-Σ r ≤ r Σ | Σ ≥ γ | r-Σ r ≠ | =



2) $\int \frac{1}{x} dx = \ln|x| + C$

- (a) $\sqrt{\frac{1}{x}} = \frac{1}{\sqrt{x}} = x^{-\frac{1}{2}}$
- (b) $\int \frac{1}{x} dx = \ln|x| + C$
- (c) $\sqrt{\frac{1}{x}} = \frac{1}{\sqrt{x}} = x^{-\frac{1}{2}}$
- (d) $\sqrt{\frac{1}{x}} = \frac{1}{\sqrt{x}} = x^{-\frac{1}{2}}$

$$\sqrt{x} = x^{\frac{1}{2}} \Rightarrow \frac{1}{2} x^{-\frac{1}{2}} = -\frac{1}{2} x^{-\frac{1}{2}} = -\frac{1}{2} \frac{1}{\sqrt{x}} = -\frac{1}{2\sqrt{x}}$$

VESA


1.
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.

1.
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.


1.
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.

- VESA


1)
 2)
 3)
 4)
 5)
 6)
 7)
 8)
 9)
 10)
 11)
 12)
 13)
 14)
 15)
 16)
 17)
 18)
 19)
 20)
 21)
 22)
 23)
 24)
 25)
 26)
 27)
 28)
 29)
 30)
 31)
 32)
 33)
 34)
 35)
 36)
 37)
 38)
 39)
 40)
 41)
 42)
 43)
 44)
 45)
 46)
 47)
 48)
 49)
 50)
 51)
 52)
 53)
 54)
 55)
 56)
 57)
 58)
 59)
 60)
 61)
 62)
 63)
 64)
 65)
 66)
 67)
 68)
 69)
 70)
 71)
 72)
 73)
 74)
 75)
 76)
 77)
 78)
 79)
 80)
 81)
 82)
 83)
 84)
 85)
 86)
 87)
 88)
 89)
 90)
 91)
 92)
 93)
 94)
 95)
 96)
 97)
 98)
 99)
 100)



2)
 3)
 4)
 5)
 6)
 7)
 8)
 9)
 10)
 11)
 12)
 13)
 14)
 15)
 16)
 17)
 18)
 19)
 20)
 21)
 22)
 23)
 24)
 25)
 26)
 27)
 28)
 29)
 30)
 31)
 32)
 33)
 34)
 35)
 36)
 37)
 38)
 39)
 40)
 41)
 42)
 43)
 44)
 45)
 46)
 47)
 48)
 49)
 50)
 51)
 52)
 53)
 54)
 55)
 56)
 57)
 58)
 59)
 60)
 61)
 62)
 63)
 64)
 65)
 66)
 67)
 68)
 69)
 70)
 71)
 72)
 73)
 74)
 75)
 76)
 77)
 78)
 79)
 80)
 81)
 82)
 83)
 84)
 85)
 86)
 87)
 88)
 89)
 90)
 91)
 92)
 93)
 94)
 95)
 96)
 97)
 98)
 99)
 100)



VESA-
100 x100 .



$\sqrt{f} \approx \sqrt{-\Sigma r \leq r - \Sigma f} \mid \Sigma \geq \gamma \mid r - \Sigma r \neq \mid =$

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32

Philips VESA DDC2B,
Plug & Play Windows®
95/98/2000/Me/XP/Vista.
Philips
"△" Windows® 95/98/2000/Me/XP/Vista
Plug & Play
(.inf).
Windows® '95
OEM Release 2 , 98 , 2000, Me, XP & Vista:

1, ≈ Windows '95
0, ≈
1, ≈
2, √
3, √
4, ≈ (CD-ROM), ≈ 'OK'.
5, ≈ 'OK', ≈
6, ≈

1, Windows® 98
0, 2.

Windows 2000

4, ✓ 'Start', 'Control Panel'.
 5, ✓ 'Control Panel' 'Display'.
 6, ✓ 'Control Panel' 'Settings'.
 7, ✓ 'Control Panel' 'Monitor'.
 /., ✓ 'Control Panel' 'Change...'.
 //, ✓ 'Control Panel' 'Specify the location of the driver(Advanced)', 'Next'.
 1, ✓ 'Control Panel' 'Display a list of all the drivers in a specific location, so you can select the driver you want.', 'Next', 'Have Disk...'.
 2, ✓ 'Control Panel' 'Browse...', (CD-ROM), 'OK'.
 3, ✓ 'Control Panel' 'OK', 'Next', 'Close'.
 /., ✓ 'Control Panel' 'Finish', 'Close'.

Windows® Me

/, Windows® Me
 0, 'Start', 'Control Panel'.
 1, 'Display'.
 2, ✓ 'Control Panel' 'Settings'.
 3, ✓ 'Control Panel' 'Monitor'.
 4, ✓ 'Control Panel' 'Change...'.
 5, ✓ 'Control Panel' 'Specify the location of the driver(Advanced)', 'Next'.
 6, ✓ 'Control Panel' 'Display a list of all the drivers in a specific location, so you can select the driver you want.', 'Next', 'Have Disk...'.
 7, ✓ 'Control Panel' 'Browse...', (CD-ROM), 'OK'.
 /., ✓ 'Control Panel' 'Finish', 'Close'.

Windows® XP

/, Windows® XP
 0, 'Start', 'Control Panel'.
 1, 'Printers and Other Hardware'.
 2, 'Display'.
 3, ✓ 'Control Panel' 'Settings'.
 4, ✓ 'Control Panel' 'Monitor'.
 - 'Control Panel' 'Properties'.
 - 'Control Panel' 'Properties'.
 5, 'Control Panel' 'Driver', 'Update Driver...'.
 6, ✓ 'Control Panel' 'Install from a list or specific location [advanced]', 'Next'.
 7, ✓ 'Control Panel' 'Don't Search. I will choose the driver to install'.
 /., 'Control Panel' 'Have disk...', 'Browse...'.
 //, 'Control Panel' 'Open', 'OK'.
 /0, ✓ 'Control Panel' 'Next'.
 - 'Control Panel' 'has not passed Windows® Logo testing to verify its compatibility with Windows® XP'.
 /1, 'Control Panel' 'Finish', 'Close'.
 /2, 'Control Panel' 'OK', 'Continue Anyway'.

Windows® Vista

Windows Vista

- 0, 
- 1, 
- 2, 
- 3, 
- 4, 
- 5, 
- 6, 
- 7, 
- /. , 

Windows® 95/98/2000/Me/XP/Vista, Windows® 95/98/2000/Me/XP/Vista.

$$\forall \Gamma \approx \forall \Gamma - \sum \Gamma \leq r - \sum \Gamma \mid \sum \Gamma \geq r \mid \mid \Gamma - \sum \Gamma \neq \mid \vdash =$$

Philips

Philips
Main Controls
OK
Left Arrow
Right Arrow
Up Arrow
Down Arrow

Philips Main Controls OK

Philips Main Controls OK ?

Philips Main Controls OK

Philips Main Controls OK

Philips Main Controls OK




Philips Main Controls OK

Philips Main Controls OK

Philips Main Controls OK

Only available for Europe Model



$$\sqrt{r} \approx \sqrt{-\sum_{r \leq r} \sum_{\Sigma \geq 1} |r - \Sigma|} =$$

- 4444

[illegible]
















- 

- "I don't know if it's the Philips F1st Choice."

[illegible]

 <http://www.philips.com/support>

F1rst Choice

| | | |
|---|---|--|
|  |  |  |
| Austria | 0820 901115 | ü 0.20 |
| Belgium | 070 253 010 | ü 0.17 |
| Denmark | 3525 8761 |    |
| Finland | 09 2290 1908 |    |
| France | 08 9165 0006 | ü 0.23 |
| Germany | 0180 5 007 532 | ü 0.12 |
| Greece | 00800 3122 1223 |    |
| Ireland | 01 601 1161 |    |
| Italy | 199 404 042 | ü 0.25 |
| Luxembourg | 26 84 30 00 |    |
| The Netherlands | 0900 0400 063 | ü 0.20 |
| Norway | 2270 8250 |    |
| Portugal | 2 1359 1440 |    |
| Spain | 902 888 785 | ü 0.15 |
| Sweden | 08 632 0016 |    |
| Switzerland | 02 2310 2116 |    |
| United Kingdom | 0207 949 0069 |    |

לעזר לך ללמוד את המערכת

✓ ללמוד את המערכת ולתרגל את כל הפרטים, אתה יכול למצוא את כל המידע הדרוש לך באתר www.philips.com/support או בדף הפייסבוק של פיליפס ישראל.

ללמוד את המערכת ולתרגל את כל הפרטים

ללמוד את המערכת ולתרגל את כל הפרטים, אתה יכול למצוא את כל המידע הדרוש לך באתר www.philips.com/support או בדף הפייסבוק של פיליפס ישראל.

✓ ללמוד את המערכת ולתרגל את כל הפרטים, אתה יכול למצוא את כל המידע הדרוש לך באתר www.philips.com/support או בדף הפייסבוק של פיליפס ישראל.

✓ למידע נוסף: <http://www.philips.com/support>

Consumer Information Centers

[Antilles](#) • [Argentina](#) • [Australia](#) • [Bangladesh](#) • [Brasil](#) • [Canada](#) • [Chile](#) • [China](#) • [Colombia](#) • [Belarus](#) • [Bulgaria](#) • [Croatia](#) • [Czech Republic](#) • [Estonia](#) • [Dubai](#) • [Hong Kong](#) • [Hungary](#) • [India](#) • [Indonesia](#) • [Korea](#) • [Latvia](#) • [Lithuania](#) • [Malaysia](#) • [Mexico](#) • [Morocco](#) • [New Zealand](#) • [Pakistan](#) • [Paraguay](#) • [Peru](#) • [Philippines](#) • [Poland](#) • [Romania](#) • [Russia](#) • [Serbia & Montenegro](#) • [Singapore](#) • [Slovakia](#) • [Slovenia](#) • [South Africa](#) • [Taiwan](#) • [Thailand](#) • [Turkey](#) • [Ukraine](#) • [Uruguay](#) • [Venezuela](#)

Eastern Europe

BELARUS

Technical Center of JV IBA
M. Bogdanovich str. 155
BY - 220040 Minsk
Tel: +375 17 217 33 86

BULGARIA

LAN Service
140, Mimi Balkanska Str.
Office center Translog
1540 Sofia, Bulgaria
Tel: +359 2 960 2360
www.lan-service.bg

CZECH REPUBLIC

Xpectrum
Lužn" 591/4
CZ - 160 00 Praha 6 Tel: 800 100 697
Email:info@xpectrum.cz
www.xpectrum.cz

CROATIA

Renoprom d.o.o.
Mlinska 5, Strmec
HR - 41430 Samobor
Tel: +385 1 333 0974

ESTONIA

FUJITSU SERVICES OU
Akadeemia tee 21G
EE-12618 Tallinn
Tel: +372 6519900
www.ee.invia.fujitsu.com

HUNGARY

Serware Szerviz
Vizimolnár u. 2-4
HU - 1031 Budapest
Tel: +36 1 2426331
Email: inbox@serware.hu
www.serware.hu

LATVIA

ServiceNet LV
Jelgavas iela 36
LV - 1055 Riga,
Tel: +371 7460399
Email: serviss@servicenet.lv

LITHUANIA

ServiceNet LT
Gaiziunu G. 3
LT - 3009 KAUNAS
Tel: +370 7400088
Email: servisas@servicenet.lt
www.servicenet.lt

ROMANIA

Blue Ridge Int'l Computers SRL
115, Mihai Eminescu St., Sector 2
RO - 020074 Bucharest
Tel: +40 21 2101969

SERBIA & MONTENEGRO

Tehnicom Service d.o.o.
Bulevar Vojvode Misica 37B
YU - 11000 Belgrade
Tel: +381 11 3060 886

SLOVAKIA

Datalan Servisne Stredisko
Puchovska 8
SK - 831 06 Bratislava
Tel: +421 2 49207155
Email: servis@datalan.sk

SLOVENIA

PC HAND
Brezovce 10
SI - 1236 Trzin
Tel: +386 1 530 08 24
Email: servis@pchand.si

POLAND

Zolter
ul.Zytnia 1
PL - 05-500 Piaseczno
Tel: +48 22 7501766
Email: servmonitor@zolter.com.pl
www.zolter.com.pl

RUSSIA

Tel: +7 095 961-1111
Tel: 8-800-200-0880
Website: www.philips.ru

TURKEY

TÁrk Philips Ticaret A.S.
Yukari Dudullu Org.San.Bolgesi
2.Cadde No:22
34776-Umraniye/Istanbul
Tel: (0800)-261 33 02

UKRAINE

Comel
Shevchenko street 32
UA - 49030 Dnepropetrovsk
Tel: +380 562320045
www.csp-comel.com

Latin America

ANTILLES

Philips Antillana N.V.
Kaminda A.J.E. Kusters 4
Zeelandia, P.O. box 3523-3051
Willemstad, Curacao
Phone: (09)-4612799
Fax : (09)-4612772

ARGENTINA

Philips Antillana N.V.
Vedia 3892 Capital Federal
CP: 1430 Buenos Aires
Phone/Fax: (011)-4544 2047

BRASIL

Philips da Amaz»nia Ind. Elet. Ltda.
Rua Verbo Divino, 1400-S»o Paulo-SP
CEP-04719-002
Phones: 11 21210203 -S»o Paulo & 0800-701-0203-Other Regions without S»o Paulo City

CHILE

Philips Chilena S.A.
Avenida Santa Maria 0760
P.O. box 2687Santiago de Chile
Phone: (02)-730 2000
Fax : (02)-777 6730

COLOMBIA

Industrias Philips de Colombia
S.A.-Division de Servicio
CARRERA 15 Nr. 104-33
Bogota, Colombia
Phone:(01)-8000 111001 (toll free)
Fax : (01)-619-4300/619-4104

MEXICO

Consumer Information Centre
Norte 45 No.669
Col. Industrial Vallejo
C.P.02300, -Mexico, D.F.
Phone: (05)-3687788 / 9180050462
Fax : (05)-7284272

PARAGUAY

Av. Rca. Argentina 1780 c/Alfredo Seiferheld
P.O. Box 605
Phone: (595 21) 664 333
Fax: (595 21) 664 336
Customer Desk:
Phone: 009 800 54 1 0004

PERU

Philips Peruana S.A.
Customer Desk
Comandante Espinar 719
Casilla 1841
Limab18
Phone: (01)-2136200
Fax : (01)-2136276

URUGUAY

Rambla O'Higgins 5303 Montevideo
Uruguay
Phone: (598) 619 66 66
Fax: (598) 619 77 77
Customer Desk:
Phone: 0004054176

VENEZUELA

Industrias Venezolanas Philips S.A.
Apartado Postal 1167
Caracas 1010-A
Phone: (02) 2377575
Fax : (02) 2376420

Canada

CANADA

Philips Electronics Ltd.
281 Hillmount Road
Markham, Ontario L6C 2S3
Phone: (800) 479-6696

Pacific

AUSTRALIA

Philips Consumer Electronics
Consumer Care Center
Level 1, 65 Epping Rd
North Ryde NSW 2113
Phone: 1300 363 391
Fax : +61 2 9947 0063

NEW ZEALAND

Philips New Zealand Ltd.
Consumer Help Desk
2 Wagener Place, Mt. Albert
P.O. box 1041
Auckland
Phone: 0800 477 999 (toll free)
Fax : 0800 288 588

Asia

BANGLADESH

Philips Service Centre
100 Kazi Nazrul Islam
Avenue Kawran Bazar C/A
Dhaka-1215
Phone: (02)-812909
Fax : (02)-813062

CHINA

SHANGHAI
Rm 1007, Hongyun Building, No. 501 Wuning road,
200063 Shanghai P.R. China
Phone: 4008 800 008
Fax: 21-52710058

HONG KONG

Philips Electronics Hong Kong Limited
Consumer Service
Unit A, 10/F. Park Sun Building
103-107 Wo Yi Hop Road
Kwai Chung, N.T.
Hong Kong
Phone: (852)26199663
Fax: (852)24815847

INDIA

Phone: 91-20-712 2048 ext: 2765
Fax: 91-20-712 1558

BOMBAY

Philips India
Customer Relation Centre
Bandbox House
254-D Dr. A Besant Road, Worli
Bombay 400 025

CALCUTTA

Customer Relation Centre
7 justice Chandra Madhab Road
Calcutta 700 020

MADRAS

Customer Relation Centre
3, Haddows Road
Madras 600 006

NEW DELHI

Customer Relation Centre
68, Shivaji Marg
New Dehli 110 015

INDONESIA

Philips Group of Companies in Indonesia
Consumer Information Centre
Jl.Buncit Raya Kav. 99-100
12510 Jakarta
Phone: (021)-7940040 ext: 2100
Fax : (021)-794 7511 / 794 7539

KOREA

Philips Consumer Service
Jeong An Bldg. 112-2
Banpo-dong, Seocho-Ku
Seoul, Korea
Customer Careline: 080-600-6600
Phone: (02) 709-1200
Fax : (02) 595-9688

MALAYSIA

After Market Solutions Sdn Bhd,
Philips Authorised Service Center,
Lot 6, Jalan 225, Section 51A,
46100 Petaling Jaya,
Selangor Darul Ehsan,
Malaysia.
Phone: (603)-7954 9691/7956 3695
Fax: (603)-7954 8504
Customer Careline: 1800-880-180

PAKISTAN

Philips Consumer Service
Mubarak manzil,
39, Garden Road, Saddar,
Karachi-74400
Tel: (9221) 2737411-16
Fax: (9221) 2721167
E-mail: care@philips.com
Website: www.philips.com.pk

PHILIPPINES

PHILIPS ELECTRONICS & LIGHTING, INC.
Consumer Electronics
48F PBCOM tower
6795 Ayala Avenue cor VA Rufino St.
Salcedo Village
1227 Makati City, PHILS
Phone: (02)-888 0572, Domestic Toll Free: 1-800-10-PHILIPS or 1-800-10-744 5477
Fax: (02)-888 0571

SINGAPORE

Accord Customer Care Solutions Ltd
Authorized Philips Service Center
Consumer Service
620A Lorong 1 Toa Rayoh
Singapore 319762
Tel: +65 6882 3999
Fax: +65 6250 8037

TAIWAN

Philips Taiwan Ltd.
Consumer Information Centre
13F, No. 3-1 Yuan Qu St., Nan Gang Dist.,
Taipei 115, Taiwan
Phone: 0800-231-099
Fax : (02)-3789-2641

THAILAND

Philips Electronics (Thailand) Ltd.
26-28th floor, Thai Summit Tower
1768 New Petchburi Road
Khwaeng Bangkapi, Khet Huaykhwang
Bangkok 10320 Thailand
Tel: (66)2-6528652
E-mail: cic Thai@philips.com

Africa

MOROCCO

Philips Electronique Maroc
304, BD Mohamed V
Casablanca
Phone: (02)-302992
Fax : (02)-303446

SOUTH AFRICA

PHILIPS SA (PTY) LTD
Customer Care Center
195 Main Road
Martindale, Johannesburg
P.O. box 58088
Newville 2114
Telephone: +27 (0) 11 471 5194
Fax: +27 (0) 11 471 5123
E-mail: customercare.za@philips.com

Middle East

DUBAI

Philips Middle East B.V.
Consumer Information Centre
P.O.Box 7785
DUBAI
Phone: (04)-335 3666
Fax : (04)-335 3999

<http://www.philips.com>

Philips F1rst Choice(| T Σ)

Philips



Nfgjgnq
fl
Nfgjgnq*
Nfgjgnq D/pqr Afmgac U_pp_lrw,
fl

Warranty Registration Card

Click here to access the [Warranty Registration Card](#).

Philips F1rst Choice

Warranty Registration Card

Philips F1rst Choice

Warranty Registration Card

Philips F1rst Choice

Philips F1rst Choice

Warranty Registration Card

Philips:

Philips

(877) 835-1838 (919) 573-7855

$$\infty \sum - \sum r \neq \equiv r \mid n \mid r \neq \mid n \mid \leq \mid n \mid - \mid \geq r \neq \sqrt{\sum r \neq n} \sqrt{\leq \sum r \sum L n \dots}$$

Philips

(800) 479-6696

Philips Canada

Philips

$$\sqrt{r \neq \Delta \sum r \neq n \dots} \approx \text{...}$$

$$\equiv \Delta \mid L n \geq \neq \underline{\hspace{10cm}}$$

$$\approx \sum \sqrt{\mid L \mid} \leq \mid \equiv \equiv \underline{\hspace{10cm}}$$

Philips

- Philips
- Philips
- ()
- ≤:



A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A

Active matrix ($\sum$  $\neq$ )

Active matrix TFT (Thin-Film Transistor) is a type of TFT used in LCD displays. It consists of a thin layer of amorphous silicon (a-Si) deposited on a substrate, which is then patterned into a grid of transistors. Each transistor controls a pixel in the display. The active matrix structure allows for higher resolution and faster response times compared to passive matrix TFTs.

Amorphous silicon (a-Si) ($\sum$  $\neq$ )

Amorphous silicon (a-Si) is a form of silicon that lacks a long-range crystalline structure. It is typically used in TFTs for LCD displays. The amorphous structure allows for a higher density of transistors per unit area compared to crystalline silicon.

Aspect ratio ($\neq$ )

Aspect ratio is the ratio of the width to the height of a display. Common aspect ratios include 4:3, 16:9, and 16:10. The aspect ratio affects the viewing experience and the design of the display.

$$\sqrt{r} \approx \sqrt{-\sum r \leq -\sum r \geq r} \mid r - \sum r \neq \mid =$$

B

Backlight ($\neq$ )

Backlight is the light source that illuminates the LCD panel. It is typically made of fluorescent tubes or LEDs. The backlight is responsible for providing the light that passes through the LCD panel to create the image.

Brightness ($\neq$ )

Brightness is the intensity of the light emitted by the display. It is measured in units of cd/m². Higher brightness allows the display to be viewed in brighter environments.

C

$\int \leq$

$\frac{1}{n} \sum_{i=1}^n \left(\frac{\partial L(\theta)}{\partial \theta_i} \right)^2 = \frac{1}{n} \sum_{i=1}^n \left(\frac{\partial L(\theta)}{\partial \theta_i} \right)^2$

[illegible][illegible]

$$\mathcal{V} \models \approx \mathcal{V} - \sum \Gamma \leq r - \sum \mid \Sigma \geq \gamma \mid \mid \Gamma - \sum \Gamma \neq \mid \models$$

המחיר של המכשיר הוא 1,200 ש"ח, והוא כולל בתוכו גם שירותי אחזקה ותחזוקה. המחיר של המכשיר הוא 1,200 ש"ח, והוא כולל בתוכו גם שירותי אחזקה ותחזוקה.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \quad | \quad r - \sum_{i=1}^n r_i \neq 0$$

G

Gamma (מקדם ה-γ)

המקדם ה-γ (Gamma) הוא מדד המודד את החדות של תמונה. הוא מוגדר כהפכי הסטנדרטציה של פונקציית התגובה של התמונה. המקדם ה-γ הוא מדד המודד את החדות של תמונה. הוא מוגדר כהפכי הסטנדרטציה של פונקציית התגובה של התמונה.

Grayscale (צבע אפור)

צבע אפור (Grayscale) הוא סולם של צבעים המשתרע מלבן ל검. הוא מוגדר כצבע שאינו כולל מידע על צבעי R.G.B. צבע אפור (Grayscale) הוא סולם של צבעים המשתרע מלבן ל검. הוא מוגדר כצבע שאינו כולל מידע על צבעי R.G.B. צבע אפור (Grayscale) הוא סולם של צבעים המשתרע מלבן ל검. הוא מוגדר כצבע שאינו כולל מידע על צבעי R.G.B.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \quad | \quad r - \sum_{i=1}^n r_i \neq 0$$

H

Hue (צבע)

צבע (Hue) הוא המאפיין העיקרי של צבע, המבדיל בין צבעים שונים. הוא מוגדר כהיקף הזוויתי של הצבע. צבע (Hue) הוא המאפיין העיקרי של צבע, המבדיל בין צבעים שונים. הוא מוגדר כהיקף הזוויתי של הצבע.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \quad | \quad r - \sum_{i=1}^n r_i \neq 0$$

I

IPS (In Plane Switching - תצוגת IPS)

L

A complex musical score for a string quartet, featuring four staves with various musical notations including notes, rests, and dynamic markings. The notation is dense and includes many accidentals and dynamic markings such as *pp*, *f*, and *ppp*. The score is written in a single system across four staves.

N



P

PICture Element $\tilde{n}$

$$\forall r \approx \forall - \sum r \leq r \quad \sum \neg \mid \sum \geq \neg \mid \neg \sum r \neq \vdash =$$

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840.

$$\forall r \approx \forall -\sum r \leq r \sum \neg \sum \geq r \mid \neg \sum r \neq \vdash =$$

SRGB $\tilde{n}$

Figure 1: A diagram illustrating the proposed method for color calibration. It shows a sequence of operations: an input image is processed by a color calibration module (represented by a box with a color bar) to produce a color-calibrated image. This calibrated image is then processed by a color calibration module (represented by a box with a color bar) to produce a color-calibrated image. The final output is a color-calibrated image. The diagram also shows a color calibration module (represented by a box with a color bar) that takes an input image and produces a color-calibrated image. The diagram is labeled with 'sRGB' and 'Color Calibration'.

OK Color () sRGB. OK,

6500K.

$$\forall r \approx \forall r \leq r \vee \neg \sum r \neq \vdash =$$

T

TFT ()

$$\forall r \approx \forall r \leq r \vee \neg \Sigma \geq r \quad | \quad \neg \Sigma r \neq \vdash =$$

U


Universal Serial Bus (USB)

(7 | 7)

[illegible]

- $\mathcal{H}$ is a Hilbert space, $\mathcal{H} = \mathcal{H}_1 \oplus \mathcal{H}_2$ (IRQ)
- $\mathcal{H}$ is a Hilbert space, $\mathcal{H} = \mathcal{H}_1 \oplus \mathcal{H}_2$ (IRQ)
- $\mathcal{H}$ is a Hilbert space, $\mathcal{H} = \mathcal{H}_1 \oplus \mathcal{H}_2$ (IRQ)

[illegible]



✓

✓

✓

✓

$$\sqrt{1} \approx \sqrt{1 - \sum r_i \leq 1 - \sum i \sum \geq 1} \mid 1 - \sum r_i \neq 1 =$$

V

Vertical refresh rate

✓

✓

$$\sqrt{r} \approx \sqrt{-\sum \Gamma \leq \Gamma \sum \Gamma \geq \Gamma} \mid \Gamma \sum \Gamma \neq \vdash =$$

FP_Readme4.3.txt".

$$\sqrt{r} \approx \sqrt{-\sum r \leq r \sum \Sigma \geq \gamma} \mid \neg \Sigma r \neq \vdash =$$