

Philips Brilliance LCD monitor, LED backlight

S Line 23" (58.4 cm) Full HD display

231S4LSB

Sustainable productivity

with energy efficient LED display

The Philips LED display using 25% recycled materials and PVC, BFR free housing is ideal for eco-friendly productivity

Great performance

- LED technology ensures natural colours
- SmartContrast gives enhanced rich black details
- TrueVision ensures lab quality images

Sustainable Eco-design

- 0.1 watt Soft-Off mode
- SmartPower: Up to 50% power saving
- PVC-BFR free housing
- 100% recyclable packaging
- Zero mercury content

Easy to experience

- Screen tilts to your ideal, individualised viewing angle
- SmartControl for easy performance tuning
- · SmartImage pre-sets for easy optimised image settings



Highlights

LED technology

SmartImage

White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content, which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of the LCD backlight, resulting in a super high contrast ratio. It also gives superior colour reproduction thanks to consistent brightness across the screen.

SmartImage is an exclusive leading edge Philips

technology that analyses the content displayed

allows you to select various modes, like Office,

Photo, Movie, Game, Economy etc., to fit the

contrast, colour saturation and sharpness of

on your screen and optimises your display

performance. This user-friendly interface

application in use. Based on the selection,

SmartImage dynamically optimises the

images and videos for ultimate display

at the touch of a single button!

performance. The Economy mode option offers you major power savings. All in real time

automatically adjusting colours and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

TrueVision





TrueVision Off

TrueVision is a proprietary Philips technology that uses an advanced algorithm for testing and aligning monitor display, which gives you the ultimate display performance. Philips ensures that TrueVision monitors leave the factory fine-tuned with this process giving you consistent colour and picture quality.

PVC-BFR free housing

This Philips monitor housing is free from brominated flame retardant and polyvinyl chloride (PVC-BFR free)

Zero mercury content

Philips monitors with LED backlighting are free from Mercury, one of the most toxic natural substances, which affects humans and animals. This reduces the environmental impact of the display throughout its lifecycle, from manufacturing to disposal.

SmartPower

SmartPower is an artificial intelligent technology which dynamically analyses the content of the screen image to achieve power saving. The backlight intensity can be controlled automatically and pre-set by the system to reduce the power consumption by up to 50%, which saves substantially on energy costs

SmartControl for easy tuning

PC software for fine tuning display performance and settings. Philips offers users two choices for display setting adjustment. Either navigate the multi-level On-Screen Display menu through buttons on the display itself or use the Philips SmartControl software to easily adjust the various display settings in a familiar way

Sustainability

Philips is committed to using sustainable, ecofriendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In selected models, we utilise >= 65% Post-Consumer Recycled plastics, ensuring reduction in waste. Strict adherence to RoHS standards ensures substantial reduction or elimination of toxic substances like Lead and Mercury. Our display housing is made up of PVC/BFR-free material. For more information, please visit Philips @ http:// www.asimpleswitch.com/global/ to learn more.

0.1 Watt Standby mode

0.1 watt Soft-Off mode

Screen tilts

Screen tilts to your ideal, individualised viewing angle

SmartContrast

With SmartContrast



Without SmartContrast

SmartContrast is a Philips technology that analyses the contents you are displaying,

۵ ն















231S4LSB/00

Specifications

Connectivity

- Signal Input: DVI-D (digital, HDCP), VGA (Analogue)
- Sync Input: Separate Sync, Sync on Green

Picture/Display

- Panel Size: 23 inch/58.4 cm
- Aspect ratio: 16:9
- LCD panel type: TFT-LCD
- Backlight type: W-LED system
- Pixel pitch: 0.265 x 0.265 mm
- Optimum resolution: 1920 x 1080 @ 60 Hz Brightness: 250 cd/m²
- Display colours: 16.7 M
- Contrast ratio (typical): 1000:1
- SmartContrast: 20,000,000:1
- Response time (typical): 5 ms
- Viewing angle: 170° (H)/160° (V), @ C/R > 10 Picture enhancement: SmartImage
- Effective viewing area: 509.18 (H) x 286.41 (V)
- Scanning Frequency: 30–83 kHz (H)/56–75 Hz (V) sRGB
- Convenience
- Plug and Play Compatibility: DDC/Cl, Mac OS X, sRGB, Windows 7/Vista/XP
- User convenience: SmartImage, Brightness, SmartPower, Menu, Power On/Off
- OSD Languages: English, French, German, Italian,
- Portuguese, Russian, Simplified Chinese, Spanish • Other convenience: Kensington lock, VESA mount (100 x 100 mm)
- Control software: SmartControl Premium

Stand

• Tilt: -5/20 degree

Power

- ECO mode: 15.3W (typ.)
- Power supply: 100-240 VAC, 50-60 Hz, Built-in

- Off mode: 0.1 W
- On mode: 21.3W (typ.) (EnergyStar 5.0 test method)
- Standby mode: 0.1 W
- Power LED indicator: Operation White, Standby mode - White (flashing)

Dimensions

- Product with stand (mm): 547 x 431 x 207 mm
- Packaging in mm ($\dot{W x} H x D$): 589 x 478 x 139 mm
- Product without stand (mm): 547 x 343 x 60 mm

Weight

- Product with packaging (kg): 5.84 kg
- Product with stand (kg): 3.68 kg
- Product without stand (kg): 3.03 kg

Operating conditions

- Temperature range (operation): 0°C to 40°C °C
- MTBF: 30,000 hour(s)
- Relative humidity: 20%-80% %
- Temperature range (storage): -20°C to 60°C °C

Sustainability

- Environmental and energy: EnergyStar 5.0, RoHS
- Recyclable packaging material: 100 %
- · Specific Substances: PVC/BFR free housing,
- Mercury free
- · Recycled material: 25%

Compliance and standards

• Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, SASO, SEMKO, TUV Ergo, TUV/GS, UL/ cUL, WEEE

Cabinet

- Finish: Texture
- Foot: Black
- Front bezel: Black • Rear cover: Black

DHIID

Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

All Rights reserved.

© 2024 Koninklijke Philips N.V.

Specifications are subject to change without notice.

EAN: 87 12581 64095 8 www.philips.com

Issue date 2024-03-24

Version: 3.0.2

S4LSB/00