




Philips Brilliance
Curved UltraWide display
with USB-C dock

P Line
34" (86.36 cm)
3440 x 1440 (WQHD)



349P7FUBEB

Simplify your connections with revolutionary USB-C

See more and do more with the Philips Brilliance 34" curved ultra-wide display. A crystal-clear wide Quad HD curved display puts you at the center of the attention. All-in-one USB-C and a height-adjustable stand make for the ultimate set-up

Brilliant performance

- CrystalClear images with UltraWide QHD 3440 x 1440 pixels
- MultiView enables simultaneous dual connection and view
- Ultra Wide-Color wider range of colors for a vivid picture
- 100Hz refresh rates for ultra-smooth images

Features for the way you work

- USB 3.0 Hub for convenient access and fast charging
- All your connections through one USB-C cable

Advanced design for your greatest creations

- Curved display design for more immersive experience
- Narrow border display for a seamless appearance

Designed for comfortable productivity


- Tilt, swivel and height-adjust for an ideal viewing position
- LowBlue Mode for easy on-the-eyes productivity

PHILIPS

Curved UltraWide display with USB-C dock
P Line 34" (86.36 cm), 3440 x 1440 (WQHD)


Highlights

Curved display design



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

USB-C Docking



The new USB 3.1 Type-C cable with features a slim and reversible connector and offers easy one-cable-docking. With USB 3.1 you get the fastest data speeds, 20 times as fast as USB 2.0, allowing you to transfer data from a HDD to


your PC faster than ever. Simplify by connecting all your peripherals to your monitor as a dock with one cable to the notebook, including high resolution video output from your PC to monitor. Additionally, USB-C with power delivery, can even enable you to power and charge your notebook from the monitor, eliminating the need for extra power cables.

Ultra Wide-Color Technology



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

UltraWide CrystalClear images




These Philips screens deliver CrystalClear, UltraWide Quad HD 3440 x 1440 pixel images. Utilizing high performance panels with high-density pixel count, 178/178 wide viewing angles, these new displays will make your images and graphics come alive. The UltraWide 21:9 format enables more productivity with more room for side-by-side comparisons and more viewable spreadsheet columns. Whether you are demanding

349P7FUBEB/75

professional requiring extremely detailed information for CAD-CAM solutions, or a financial wizard working on huge spreadsheets, Philips displays delivers CrystalClear images.

MultiView technology




With the ultra-high resolution Philips MultiView display you can now experience a world of connectivity. MultiView enables active dual connect and view so that you can work with multiple devices like a PC and notebook simultaneously, for complex multi-tasking.

100Hz Fast refresh

For gaming and video performance, you demand display with lag free, ultra-smooth images. This Philips display redraws the screen image up-to 100 times per second, much faster than a standard display. A lower frame rate can make enemies appear to jump from spot to spot on the screen, making them difficult targets to hit. With 100Hz frame rate, you get those critical missing images on the screen which shows enemy movement in ultra-smooth motion so you can easily target them.

Compact Ergo Base



The Compact Ergo Base is a people-friendly Philips monitor base that tilts, swivels and height-adjusts so each user can position the monitor for maximum viewing comfort and efficiency.



Specifications

Connectivity

- Signal Input: DisplayPort 1.2, HDMI 2.0 x 1, USB-C (PD up to 65 W)
- USB: USB 3.0x3 (1 w/fast charging)*
- Sync Input: Separate Sync, Sync on Green
- Audio (In/Out): PC audio-in, Headphone out

Picture/Display

- Panel Size: 34 inch / 86.36 cm
- Aspect ratio: 21:9
- LCD panel type: MVA
- Backlight type: W-LED system
- Pixel pitch: 0.232 x 0.232 mm
- Brightness: 300 cd/m²
- Display colors: 16.7 M
- Color gamut (typical): NTSC 99.8%*, sRGB 117.3%*
- Contrast ratio (typical): 3,000:1
- SmartContrast: 100,000,000 :1
- Response time (typical): 4 ms (Gray to Gray)*
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Picture enhancement: SmartImage
- Maximum Resolution: 3440 x 1440 @ 100Hz*
- Effective viewing area: 797.22 (H) x 333.72 (V) - at a 1800 R curvature*
- Scanning Frequency: 30 - 160 kHz (H) / 40 - 102 Hz (V) (DisplayPort, USB-C), 23 - 102 Hz (V) (HDMI)
- sRGB
- Flicker-free
- Pixel Density: 109.68 PPI
- LowBlue Mode
- Display Screen Coating: Anti-Glare, Haze 25%
- AMD FreeSync™ technology

Convenience

- Built-in Speakers: 5 W x 2
- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7
- User convenience: Menu/OK, User/Down, SmartImage/Return, Multiview/Up, Power On/Off
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, French, Finnish, German, Greek, Hungarian, Italian, Japanese, Korean, Portuguese, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
- Other convenience: Kensington lock, VESA mount (100x100mm)

- Control software: SmartControl
- MultiView: PIP/PBP mode*, 2x devices

Stand

- Height adjustment: 180 mm
- Swivel: -170/170 degree
- Tilt: -5/20 degree

Power

- Power supply: External, 100-240VAC, 50-60Hz
- Off mode: < 0.3 W (typ.)
- On mode: 67.09 W (typ.)
- Standby mode: < 0.5 W (typ.)
- Power LED indicator: Operation - White, Standby mode- White (blinking)

Dimensions

- Product with stand (mm): 810 x 621 x 311 mm
- Packaging in mm (WxHxD): 944 x 578 x 224 mm
- Product without stand (mm): 810 x 369 x 98 mm

Weight

- Product with packaging (kg): 14.88 kg
- Product with stand (kg): 9.60 kg
- Product without stand (kg): 6.60 kg

Operating conditions

- Altitude: Operation: +12,000ft (3,658m), Non-operation: +40,000ft (12,192m)
- Temperature range (operation): 0°C to 40°C °C
- MTBF: 50,000 (Excluding backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60°C °C

Sustainability


- Environmental and energy: RoHS, Mercury Free, WEEE
- Recyclable packaging material: 100 %

Compliance and standards

- Regulatory Approvals: CE Mark, CU-EAC, RCM, CB, GS, TUV/ISO9241-307, SEMKO, MEPS

Cabinet

- Color: Black
- Finish: Texture
- Foot: Black / Silver



Issue date 2024-03-24

Version: 6.0.1

EAN: 87 12581 75253 8

© 2024 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com

* Radius of the arc of the display curvature in mm

* The maximum resolution works for either USB-C, DP or HDMI input.

* For Video transmission via USB-C, your Notebook/device must support USB-C DP Alt mode

* Activities such as screen sharing, on-line streaming video and audio over the Internet can impact your network performance. Your hardware, network bandwidth and its performance will determine overall audio and video quality.

* For USB-C power and charging function, your Notebook/device must support USB-C standard Power Delivery specifications. Please check with your Notebook user manual or manufacturer for more details.

* Response time value equal to SmartResponse

* NTSC Area based on CIE1976

* sRGB Area based on CIE1931

* 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.

* Cannot support USB-C vs HDMI for PIP/PBP at the same time

* The monitor may look different from feature images.