

Philips LCD Monitor Electronic User's Manual[Home](#)[Техника безопасности, поиск
и устранение неисправностей](#)[Описание данного
Руководства](#)[Информация
об изделиях](#)[Настройка
монитора](#)[Отображение на
экране монитора](#)[Обслуживание
заказчика и гарантия](#)[Словарь
терминов](#)[Загрузка и
распечатка](#)

LCD Monitor
I90C7



התאמת תצוגת וידאו ל-Philips 19"

התאמת תצוגת וידאו ל-Philips 19"

✓: האם ניתן להציג את התמונה בצורה הטובה ביותר? **"Cannot display this video mode"** (התמונה אינה ניתנת להצגה)?

⚡: Philips 19" 1280x1024, 60 Hz.

- 1, ⚡: Philips 19" 1280x1024, 60 Hz.
- 0, ✓: Windows Start (התפוח האדום) Settings/Control Panel (התפוח האדום) Control Panel (התפוח האדום) Display (התפוח האדום) Settings (התפוח האדום) Settings (התפוח האדום) "desktop area" (התפוח האדום) 1280x1024 (19")
- 1, ⚡: Philips 19" 1280x1024, 60 Hz.
- 2, ⚡: Philips 19" 1280x1024, 60 Hz.
- 3, ⚡: Philips 19" 1280x1024, 60 Hz.
- 4, ✓: Philips 19" 1280x1024, 60 Hz.

✓: האם ניתן להציג את התמונה בצורה הטובה ביותר? **"Cannot display this video mode"** (התמונה אינה ניתנת להצגה)?

⚡: Philips 19" 1280x1024, 60 Hz.

✓: האם ניתן להציג את התמונה בצורה הטובה ביותר? **"Cannot display this video mode"** (התמונה אינה ניתנת להצגה)?

⚡: Philips 19" 1280x1024, 60 Hz.

✓: האם ניתן להציג את התמונה בצורה הטובה ביותר? **"Cannot display this video mode"** (התמונה אינה ניתנת להצגה)?

$$\int :$$

1, 1280x1024 19- OK Product Information ($\neq$) Main Controls (F-adjust), CD-ROM, CD-ROM FP Adjust, FPadjust.

[illegible]

$$\forall r \approx \forall -\sum r \leq r \vee \sum \neg \sum \geq r \mid \neg \sum r \neq \vdash =$$

✓: $\Delta \vdash \Gamma \vdash \Pi \vdash \Sigma \vdash \text{Mac?}$

1. Philips
 2. Mac
 3. Mac

✓: $\leq$ Philips Plug-and-Play?

Plug-and-Play Windows® 95, 98, 2000 & XP.

$\int_{\mathbb{R}^n} f(x) dx = \int_{\mathbb{R}^n} f(x) dx$


 The screenshot shows a video player interface. The video frame displays a corrupted image with a black and white pattern. The text "XGA" is visible in the center of the frame. The resolution "1024x3 (R, G, B) x 768" is displayed in the top right corner. The video player controls at the bottom show a progress bar at 60%, a volume icon, and a full screen icon.

✓: $\leq$?

⌋ : $\leq$?

✓: $\leq$?

⌋ : $\leq$?

✓: $\leq$?

⌋ : $\leq$?

$$\sqrt{r} \approx \sqrt{-\sum r \leq -\sum r \geq r} \mid r - \sum r \neq \mid =$$

⌋ : $\leq$?

✓: $\leq$?

⌋ : $\leq$?

✓: $\int \frac{1}{x} dx = \ln|x| + C$?

⌈ : Δ Philips MPR-II TCO 99/03

$\int \frac{1}{x} dx = \ln|x| + C$

$$\sqrt{1-x^2} = \frac{1}{2} \left(\sqrt{1-x^2} + \frac{x}{\sqrt{1-x^2}} \right)$$

- TCO'99 Information
- Recycling Information for Customers
- Waste Electrical and Electronic Equipment-WEEE
- CE Declaration of Conformity
- Energy Star Declaration
- Federal Communications Commission (FCC) Notice (U.S. Only)
- FCC Declaration of Conformity
- Commission Federale de la Communication (FCC Declaration)
- EN 55022 Compliance (Czech Republic Only)
- MIC Notice (South Korea Only)
- Polish Center for Testing and Certification Notice
- North Europe (Nordic Countries) Information
- BSMI Notice (Taiwan Only)
- Ergonomie Hinweis (nur Deutschland)
- Philips End-of-Life Disposal Information for UK only
- Troubleshooting
- Other Related Information

Regulatory Information

Model ID:190C7

Model No:HNC7190T

TCO '99 Information



Congratulations! You have just purchased a TCO '99 approved and labeled product! Your choice has provided you with a product developed for professional use. Your purchase has also contributed to reducing the burden on the environment and also to the further development of environmentally adapted electronics products.

Why do we have environmentally labeled computers?

In many countries, environmental labeling has become an established method for encouraging the adaptation of goods and services to the environment. The main problem, as far as computers and other electronics equipment are concerned, is that environmentally harmful substances are used both in the products and during their manufacture. Since it is not so far possible to satisfactorily recycle the majority of electronics equipment, most of these potentially damaging substances sooner or later enter nature.

There are also other characteristics of a computer, such as energy consumption levels, that are important from the viewpoints of both the work (internal) and natural (external) environments. Since all methods of electricity generation have a negative effect on the environment (e.g. acidic and climate-influencing emissions, radioactive waste), it is vital to save energy. Electronics equipment in offices is often left running continuously and thereby consumes a lot of energy.

What does labeling involve?

This product meets the requirements for the TCO'99 scheme which provides for international and environmental labeling of personal computers. The labeling scheme was developed as a joint effort by the TCO (The Swedish Confederation of Professional Employees), Svenska Naturskyddsforeningen (The Swedish Society for Nature Conservation) and Statens Energimyndighet (The Swedish National Energy Administration).

Approval requirements cover a wide range of issues: environment, ergonomics, usability, emission of electric and magnetic fields, energy consumption and electrical and fire safety.

The environmental demands impose restrictions on the presence and use of heavy metals, brominated and chlorinated flame retardants, CFCs (freons) and chlorinated solvents, among other things. The product must be prepared for recycling and the manufacturer is obliged to have an environmental policy which must be adhered to in each country where the company implements its operational policy.

The energy requirements include a demand that the computer and/or display, after a certain period of inactivity, shall reduce its power consumption to a lower level in one or more stages. The length of time to reactivate the computer shall be reasonable for the user.

Labeled products must meet strict environmental demands, for example, in respect of the reduction of electric and magnetic fields, physical and visual ergonomics and good usability.

Below you will find a brief summary of the environmental requirements met by this product. The

•Frequently
Asked
Questions
(FAQs)

complete environmental criteria document may be ordered from:

TCO Development

SE-114 94 Stockholm, Sweden

Fax: +46 8 782 92 07

Email (Internet): development@tco.se

Current information regarding TCO'99 approved and labeled products may also be obtained via the Internet, using the address: <http://www.tco-info.com/>

[RETURN TO TOP OF THE PAGE](#)

Environmental Requirements

Flame retardants

Flame retardants are present in printed circuit boards, cables, wires, casings and housings. Their purpose is to prevent, or at least to delay the spread of fire. Up to 30% of the plastic in a computer casing can consist of flame retardant substances. Most flame retardants contain bromine or chloride, and those flame retardants are chemically related to another group of environmental toxins, PCBs. Both the flame retardants containing bromine or chloride and the PCBs are suspected of giving rise to severe health effects, including reproductive damage in fish-eating birds and mammals, due to the bio-accumulative* processes. Flame retardants have been found in human blood and researchers fear that disturbances in fetus development may occur.

The relevant TCO'99 demand requires that plastic components weighing more than 25 grams must not contain flame retardants with organically bound bromine or chlorine. Flame retardants are allowed in the printed circuit boards since no substitutes are available.

Cadmium**

Cadmium is present in rechargeable batteries and in the color-generating layers of certain computer displays. Cadmium damages the nervous system and is toxic in high doses. The relevant TCO'99 requirement states that batteries, the color-generating layers of display screens and the electrical or electronics components must not contain any cadmium.

Mercury**

Mercury is sometimes found in batteries, relays and switches. It damages the nervous system and is toxic in high doses. The relevant TCO'99 requirement states that batteries may not contain any mercury. It also demands that mercury is not present in any of the electrical or electronics components associated with the labeled unit.

CFCs (freons)

The relevant TCO'99 requirement states that neither CFCs nor HCFCs may be used during the manufacture and assembly of the product. CFCs (freons) are sometimes used for washing printed circuit boards. CFCs break down ozone and thereby damage the ozone layer in the stratosphere, causing increased reception on earth of ultraviolet light with increased risks e.g. skin cancer (malignant melanoma) as a consequence.

Lead**

Lead can be found in picture tubes, display screens, solders and capacitors. Lead damages the nervous system and in higher doses, causes lead poisoning. The relevant TCO'99 requirement permits the inclusion of lead since no replacement has yet been developed.

*** Bio-accumulative is defined as substances which accumulate within living organisms.**

**** Lead, Cadmium and Mercury are heavy metals which are bio-accumulative.**

Recycling Information for Customers

Philips establishes technically and economically viable objectives to optimize the environmental performance of the organization's product, service and activities.

From the planning, design and production stages, Philips emphasizes the important of making products that can easily be recycled. At Philips, end-of-life management primarily entails participation in national take-back initiatives and recycling programs whenever possible, preferably in cooperation with competitors.

There is currently a system of recycling up and running in the European countries, such as The Netherlands, Belgium, Norway, Sweden and Denmark.

In U.S.A., Philips Consumer Electronics North America has contributed funds for the Electronic Industries Alliance (EIA) Electronics Recycling Project and state recycling initiatives for end-of-life electronics products from household sources. In addition, the Northeast Recycling Council (NERC) - a multi-state non-profit organization focused on promoting recycling market development - plans to implement a recycling program.

In Asia Pacific, Taiwan, the products can be taken back by Environment Protection Administration (EPA) to follow the IT product recycling management process, detail can be found in web site www.epa.gov.tw

For help and service, please contact [Consumers Information Center](#) or [F1rst Choice Contact Information Center](#) in each country or the following team of Environmental specialist can help.

Mr. WY Chen- Environment manager
Philips Multimedia Flat Display
E-mail: w.y.chen@philips.com
Tel: +886 (0) 3 222 6791

Mr. Maarten ten Houten - Senior Environmental Consultant
Philips Consumer Electronics
E-mail: marten.ten.houten@philips.com
Tel: +31 (0) 40 27 33402

Mr. Delmer F. Teglas
Philips Consumer Electronics North America
E-mail: butch.teglas@philips.com
Tel: +1 865 521 4322

[RETURN TO TOP OF THE PAGE](#)

Waste Electrical and Electronic Equipment-WEEE

Attention users in European Union private households



This marking on the product or on its packaging illustrates that, under European Directive 2002/96/EG governing used electrical and electronic appliances, this product may not be disposed of with normal household waste. You are responsible for disposal of this equipment through a designated waste electrical and electronic equipment collection. To determine the locations for dropping off such waste electrical and electronic, contact your local government office, the waste disposal organization that serves your household or the store at which you purchased the product.

[RETURN TO TOP OF THE PAGE](#)

CE Declaration of Conformity

Philips Consumer Electronics declare under our responsibility that the product is in conformity with the following standards

- EN60950-1:2001 (Safety requirement of Information Technology Equipment)
- EN55022:1998 (Radio Disturbance requirement of Information Technology Equipment)
- EN55024:1998 (Immunity requirement of Information Technology Equipment)
- EN61000-3-2:2000 (Limits for Harmonic Current Emission)
- EN61000-3-3:1995 (Limitation of Voltage Fluctuation and Flicker)

following provisions of directives applicable

- 73/23/EEC (Low Voltage Directive)
 - 89/336/EEC (EMC Directive)
 - 93/68/EEC (Amendment of EMC and Low Voltage Directive)
- and is produced by a manufacturing organization on ISO9000 level.

The product also comply with the following standards

- ISO9241-3, ISO9241-7, ISO9241-8 (Ergonomic requirement for CRT Monitor)
- ISO13406-2 (Ergonomic requirement for Flat Panel Display)
- GS EK1-2000 (GS specification)
- prEN50279:1998 (Low Frequency Electric and Magnetic fields for Visual Display)
- MPR-II (MPR:1990:8/1990:10 Low Frequency Electric and Magnetic fields)
- TCO'99 (Requirement for Environment Labelling of Ergonomics, Energy, Ecology and Emission, TCO: Swedish Confederation of Professional Employees) for TCO versions

[RETURN TO TOP OF THE PAGE](#)

Energy Star Declaration

This monitor is equipped with a function for saving energy which supports the VESA Display Power Management Signaling (DPMS) standard. This means that the monitor must be connected to a computer which supports VESA DPMS. Time settings are adjusted from the system unit by software.

	VESA State	LED Indicator	Power Consumption
Normal operation	ON (Active)	Green	< 36 W
Power Saving Alternative 2	OFF (Sleep)	Amber	< 1 W
One step	Switch Off	Off	< 1 W



As an ENERGY STAR[®] Partner, PHILIPS has determined that this product meets the ENERGY STAR[®] guidelines for energy efficiency.



We recommend you switch off the monitor when it is not in use for a long time.

[RETURN TO TOP OF THE PAGE](#)

Federal Communications Commission (FCC) Notice (U.S. Only)



This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Use only RF shielded cable that was supplied with the monitor when connecting this monitor to a computer device.

To prevent damage which may result in fire or shock hazard, do not expose this appliance to rain or excessive moisture.

THIS CLASS B DIGITAL APPARATUS MEETS ALL REQUIREMENTS OF THE CANADIAN INTERFERENCE-CAUSING EQUIPMENT REGULATIONS.

[RETURN TO TOP OF THE PAGE](#)

FCC Declaration of Conformity

Trade Name: Philips

Responsible Party: Philips Consumer Electronics North America
P.O. Box 671539
Marietta , GA 30006-0026
1-888-PHILIPS (744-5477)

Declaration of Conformity for Products Marked with FCC Logo, United States Only



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

[RETURN TO TOP OF THE PAGE](#)

Commission Federale de la Communication (FCC Declaration)



Cet équipement a été testé et déclaré conforme aux limites des appareils numériques de classe B, aux termes de l'article 15 Des règles de la FCC. Ces limites sont conçues de façon à fournir une protection raisonnable contre les interférences nuisibles dans le cadre d'une installation résidentielle. CET appareil produit, utilise et peut émettre des hyperfréquences qui, si l'appareil n'est pas installé et utilisé selon les consignes données, peuvent causer des interférences nuisibles aux communications radio. Cependant, rien ne peut garantir l'absence d'interférences dans le cadre d'une installation particulière. Si cet appareil est la cause d'interférences nuisibles pour la réception des signaux de radio ou de télévision, ce qui peut être dû à ce en fermant l'équipement, puis en le remettant en fonction, l'utilisateur pourrait essayer de corriger la situation en prenant les mesures suivantes:

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la distance entre l'équipement et le récepteur.
- Brancher l'équipement sur un autre circuit que celui utilisé par le récepteur.
- Demander l'aide du marchand ou d'un technicien chevronné en radio/télévision.



Toutes modifications n'ayant pas reçu l'approbation des services compétents en matière de conformité est susceptible d'interdire à l'utilisateur l'usage du présent équipement.

N'utiliser que des câbles RF armés pour les connections avec des ordinateurs ou périphériques.

CET APPAREIL NUMERIQUE DE LA CLASSE B RESPECTE TOUTES LES EXIGENCES DU REGLEMENT SUR LE MATERIEL BROUILLEUR DU CANADA.

[RETURN TO TOP OF THE PAGE](#)

EN 55022 Compliance (Czech Republic Only)

This device belongs to category B devices as described in EN 55022, unless it is specifically stated that it is a Class A device on the specification label. The following applies to devices in Class A of EN 55022 (radius of protection up to 30 meters). The user of the device is obliged to take all steps necessary to remove sources of interference to telecommunication or other devices.

Pokud není na typovém štítku počítače uvedeno, že spadá do třídy A podle EN 55022, spadá automaticky do třídy B podle EN 55022. Pro zařízení zařazená do třídy A (chranné pásmo 30m) podle EN 55022 platí následující. Dojde-li k rušení telekomunikačních nebo jiných zařízení je uživatel povinen provést taková opatření, aby rušení odstranil.

[RETURN TO TOP OF THE PAGE](#)

MIC Notice (South Korea Only)

Class B Device

장치 종류	사용자 안내문
B급 기기	이 장치는 가정용으로 전자파 적합등록을 한 장치로서 주거지역에서는 물론 모든 지역에서 사용할 수 있습니다.



Please note that this device has been approved for non-business purposes and may be used in any environment, including residential areas.

[RETURN TO TOP OF THE PAGE](#)

Polish Center for Testing and Certification Notice

The equipment should draw power from a socket with an attached protection circuit (a three-prong socket). All equipment that works together (computer, monitor, printer, and so on) should have the same power supply source.

The phasing conductor of the room's electrical installation should have a reserve short-circuit protection device in the form of a fuse with a nominal value no larger than 16 amperes (A).

To completely switch off the equipment, the power supply cable must be removed from the power supply socket, which should be located near the equipment and easily accessible.

A protection mark "B" confirms that the equipment is in compliance with the protection usage requirements of standards PN-93/T-42107 and PN-89/E-06251.

Wymagania Polskiego Centrum Badań i Certyfikacji

Urządzenie powinno być zasilane z gniazda z przyłączonym obwodem ochronnym (gniazdo z kołkiem). Współpracujące ze sobą urządzenia (komputer, monitor, drukarka) powinny być zasilane z tego samego źródła.

Instalacja elektryczna pomieszczenia powinna zawierać w przewodzie fazowym rezerwową ochronę przed zwarciami, w postaci bezpiecznika o wartości znamionowej nie większej niż 16A (amperów).

W celu całkowitego wyłączenia urządzenia z sieci zasilania, należy wyjąć wtyczkę kabla zasilającego z gniazdka, które powinno znajdować się w pobliżu urządzenia i być łatwo dostępne.

Znak bezpieczeństwa "B" potwierdza zgodność urządzenia z wymaganiami bezpieczeństwa użytkowania zawartymi w PN-93/T-42107 i PN-89/E-06251.

Pozostałe instrukcje bezpieczeństwa

- Nie należy używać wtyczek adapterowych lub usuwać kołka obwodu ochronnego z wtyczki. Jeżeli konieczne jest użycie przedłużacza to należy użyć przedłużacza 3-żyłowego z prawidłowo połączonym przewodem ochronnym.
- System komputerowy należy zabezpieczyć przed nagłymi, chwilowymi wzrostami lub spadkami napięcia, używając eliminatora przepięć, urządzenia dopasowującego lub bezzakłócenowego źródła zasilania.
- Należy upewnić się, aby nie leżało na kablach systemu komputerowego, oraz aby kable nie były umieszczone w miejscu, gdzie można byłoby na nie nadeptywać lub potykać się o nie.
- Nie należy rozlewać napojów ani innych płynów na system komputerowy.
- Nie należy wpychać żadnych przedmiotów do otworów systemu komputerowego, gdyż może to spowodować pożar lub porażenie prądem, poprzez zwarcie elementów wewnętrznych.
- System komputerowy powinien znajdować się z dala od grzejników i źródeł ciepła. Ponadto, nie należy blokować otworów wentylacyjnych. Należy unikać kładzenia luznych papierów pod komputer oraz umieszczania komputera w ciasnym miejscu bez możliwości cyrkulacji powietrza wokół niego.

[RETURN TO TOP OF THE PAGE](#)

North Europe (Nordic Countries) Information

Placering/Ventilation

VARNING:

För RS i KRA DIG OM ATT HUVUDBRYTARE OCH UTTAG i R L i T i TKOMLIGA, N i R DU ST i LLER DIN UTRUSTNING P i PLATS.

Placering/Ventilation

ADVARSEL:

S i NRG VED PLACERINGEN FOR, AT NETLEDNINGENS STIK OG STIKKONTAKT ER NEMT TILG i NGELIGE.

Paikka/Ilmankierto

VAROITUS:

SIJOITA LAITE SITEN, ETT i VERKKOJOHTO VOIDAAN TARVITTAESSA HELPOSTI IRROTTAA PISTORASIASTA.

Plassering/Ventilasjon

ADVARSEL:

NØR DETTE UTSTYRET PLASSERES, MØ DU PASSE PØ AT KONTAKTENE FOR STØMTILFØRSEL ER LETTE Ø NØ.

[RETURN TO TOP OF THE PAGE](#)

BSMI Notice (Taiwan Only)

符合乙類資訊產品之標準

[RETURN TO TOP OF THE PAGE](#)

Ergonomie Hinweis (nur Deutschland)

Der von uns gelieferte Farbmonitor entspricht den in der "Verordnung Áber den Schutz vor Sch«den durch Röntgenstrahlen" festgelegten Vorschriften.

Auf der RÁckwand des Ger«tes befindet sich ein Aufkleber, der auf die Unbedenklichkeit der Inbetriebnahme hinweist, da die Vorschriften Áber die Bauart von St«rstrahlern nach Anlage III 5 Abs. 4 der Röntgenverordnung erfÁllt sind.

Damit Ihr Monitor immer den in der Zulassung geforderten Werten entspricht, ist darauf zu achten, daÉ

1. Reparaturen nur durch Fachpersonal durchgefÁhrt werden.
2. nur original-Ersatzteile verwendet werden.
3. bei Ersatz der Bildröhre nur eine bauartgleiche eingebaut wird.

Aus ergonomischen GrÁnden wird empfohlen, die Grundfarben Blau und Rot nicht auf dunklem Untergrund zu verwenden (schlechte Lesbarkeit und erh«hte Augenbelastung bei zu geringem Zeichenkontrast w«ren die Folge).

Der arbeitsplatzbezogene Schalldruckpegel nach DIN 45 635 betr«gt 70dB (A) oder weniger.



ACHTUNG: BEIM AUFSTELLEN DIESES GER¿TES DARAUF ACHTEN, DAÉ NETZSTECKER UND NETZKABELANSCHLUÉ LEICHT ZUG¿NGLICH SIND.

[RETURN TO TOP OF THE PAGE](#)

End-of-Life Disposal

Your new monitor contains materials that can be recycled and reused. Specialized companies can

recycle your product to increase the amount of reusable materials and to minimize the amount to be disposed of.

Please find out about the local regulations on how to dispose of your old monitor from your local Philips dealer.

(For customers in Canada and U.S.A.)

This product may contain lead and/or mercury. Dispose of in accordance to local-state and federal regulations.

For additional information on recycling contact www.eia.org (Consumer Education Initiative)

[RETURN TO TOP OF THE PAGE](#)


Information for UK only

WARNING - THIS APPLIANCE MUST BE GROUNDING.

Important:

This apparatus is supplied with an approved moulded 13A plug. To change a fuse in this type of plug proceed as follows:

1. Remove fuse cover and fuse.
2. Fit new fuse which should be a BS 1362 5A, A.S.T.A. or BSI approved type.
3. Refit the fuse cover.



If the fitted plug is not suitable for your socket outlets, it should be cut off and an appropriate 3-pin plug fitted in its place.

If the mains plug contains a fuse, this should have a value of 5A. If a plug without a fuse is used, the fuse at the distribution board should not be greater than 5A.

Note: The severed plug must be destroyed to avoid a possible shock hazard should it be inserted into a 13A socket elsewhere.


How to connect a plug

The wires in the mains lead are coloured in accordance with the following code:

BLUE - "NEUTRAL" ("N")

BROWN - "LIVE" ("L")

GREEN & YELLOW - "GROUND" ("G")



1. The GREEN AND YELLOW wire must be connected to the terminal in the plug which is marked with the letter "G" or by the Ground symbol  or coloured GREEN or GREEN AND YELLOW.

2. The BLUE wire must be connected to the terminal which is marked with the letter "N" or coloured BLACK.

3. The BROWN wire must be connected to the terminal which marked with the letter "L" or coloured RED.

Before replacing the plug cover, make certain that the cord grip is clamped over the sheath of the lead - not simply over the three wires.

[RETURN TO TOP OF THE PAGE](#)

$\neq$ $\frac{1}{2}$ $\frac{1}{3}$ $\frac{1}{4}$ $\frac{1}{5}$ $\frac{1}{6}$ $\frac{1}{7}$ $\frac{1}{8}$ $\frac{1}{9}$ $\frac{1}{10}$ $\frac{1}{11}$ $\frac{1}{12}$ $\frac{1}{13}$ $\frac{1}{14}$ $\frac{1}{15}$ $\frac{1}{16}$ $\frac{1}{17}$ $\frac{1}{18}$ $\frac{1}{19}$ $\frac{1}{20}$ $\frac{1}{21}$ $\frac{1}{22}$ $\frac{1}{23}$ $\frac{1}{24}$ $\frac{1}{25}$ $\frac{1}{26}$ $\frac{1}{27}$ $\frac{1}{28}$ $\frac{1}{29}$ $\frac{1}{30}$ $\frac{1}{31}$ $\frac{1}{32}$ $\frac{1}{33}$ $\frac{1}{34}$ $\frac{1}{35}$ $\frac{1}{36}$ $\frac{1}{37}$ $\frac{1}{38}$ $\frac{1}{39}$ $\frac{1}{40}$ $\frac{1}{41}$ $\frac{1}{42}$ $\frac{1}{43}$ $\frac{1}{44}$ $\frac{1}{45}$ $\frac{1}{46}$ $\frac{1}{47}$ $\frac{1}{48}$ $\frac{1}{49}$ $\frac{1}{50}$ $\frac{1}{51}$ $\frac{1}{52}$ $\frac{1}{53}$ $\frac{1}{54}$ $\frac{1}{55}$ $\frac{1}{56}$ $\frac{1}{57}$ $\frac{1}{58}$ $\frac{1}{59}$ $\frac{1}{60}$ $\frac{1}{61}$ $\frac{1}{62}$ $\frac{1}{63}$ $\frac{1}{64}$ $\frac{1}{65}$ $\frac{1}{66}$ $\frac{1}{67}$ $\frac{1}{68}$ $\frac{1}{69}$ $\frac{1}{70}$ $\frac{1}{71}$ $\frac{1}{72}$ $\frac{1}{73}$ $\frac{1}{74}$ $\frac{1}{75}$ $\frac{1}{76}$ $\frac{1}{77}$ $\frac{1}{78}$ $\frac{1}{79}$ $\frac{1}{80}$ $\frac{1}{81}$ $\frac{1}{82}$ $\frac{1}{83}$ $\frac{1}{84}$ $\frac{1}{85}$ $\frac{1}{86}$ $\frac{1}{87}$ $\frac{1}{88}$ $\frac{1}{89}$ $\frac{1}{90}$ $\frac{1}{91}$ $\frac{1}{92}$ $\frac{1}{93}$ $\frac{1}{94}$ $\frac{1}{95}$ $\frac{1}{96}$ $\frac{1}{97}$ $\frac{1}{98}$ $\frac{1}{99}$ $\frac{1}{100}$





Philips

— 11 —

- [illegible]

$$\forall f \approx \forall - \exists \quad r \leq r - \exists \mid \exists \geq \neg \mid \neg - \exists r \neq \vdash =$$

התאחדות המורים והתלמידים

$\sqrt{\frac{1}{n}} \left(\sum_{j=1}^n \frac{X_j}{\sigma_j} - \frac{n}{\sigma} \right) \xrightarrow{d} N(0, 1)$

התאמה בין המידע המופיע בפרוטוקול לבין המידע המופיע בפרוטוקול. ✓



⌋ ≠ ♂ ⌋ Σ ≠ ♂: המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול. המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול.



√ ≠ ♂ Σ ≠ ♂: המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול. המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול.








⌋ ≠ ♂ ⌋ Σ ≠ ♂: המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול. המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול.

המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול. ✓

$$\sqrt{\mid} \approx \sqrt{-\Sigma r \leq r \Sigma \mid \Sigma \geq \gamma \mid \mid r \Sigma r \neq \mid} =$$

©2006 Koninklijke Philips Electronics N.V.

המידע המופיע בפרוטוקול אינו תואם למידע המופיע בפרוטוקול. Philips Electronics N.V.

3		11	
4	Sense (GND)	12	
5		13	
6		14	
7		15	
8			

$$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$$

$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$

$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$

$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$

$$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$$

$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$

$\sqrt{r} \approx \sqrt{-\sum r \leq r - \sum \mid \Sigma \geq r} \mid r - \Sigma r \neq \mid =$




$$\sqrt{|\approx \sqrt{-\Sigma \Gamma \leq \Gamma \Sigma - \Sigma \geq \gamma} \mid \Gamma \Sigma \neq \mid =}$$


Philips

SmartManage

Philips

Philips







התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
()



50 תמונות
30 תמונות

התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה



התאמת הצבעים והגודל של התמונה

התאמת הצבעים והגודל של התמונה

התאמת הצבעים והגודל של התמונה

התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה

התאמת הצבעים והגודל של התמונה


התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה
התאמת הצבעים והגודל של התמונה

$L_n \leq n \leq \sqrt{n} \geq 1$ $r \leq n$	$L \leq r \leq \sqrt{n} \geq 1$ $r \leq n$
$\Delta \leq L_n \geq 1$	190C7
1 תמונה	3 תמונות
2 תמונות	1 תמונה


The logo for SmartManage features a cluster of overlapping squares in blue and orange above the company name. The word "Smart" is in orange and "Manage" is in blue, with a blue swoosh underline.

✓ 7 44 44 44 44 44

Philips SmartManage $\neq$ Philips SmartControl (Philips SmartControl is a Philips SmartManage Agent ($\neq$ Philips SmartControl Agent)). Philips SmartManage Administrator ($\neq$ Philips SmartControl Administrator) is a Philips SmartManage Agent ($\neq$ Philips SmartControl Agent).

Philips SmartManage  Philips  Altiris Inc.

Philips SmartManage



Philips SmartManage

-

SmartManage <http://www.altiris.com/philips>

Philips SmartManage, Philips



SmartManage ñ  SmartManage.

Philips SmartControl

SmartControl SmartManage Agent .
Philips. SmartControl SmartManage Agent .
SmartControl .
SmartControl .

1. SmartControl

- √ NVIDIA (TNT2, GeForce, Quadro)
ATI (Radeon), DDC/CI
- Microsoft Windows 2000 XP.
- Philips, DDC/CI

2. SmartControl

"SmartControl Installation":

[http:// www.philips.com](http://www.philips.com)

0, Your Country ()

1, Contact & Support ()

2, Software & Driver ()

3, SmartControl Software ()

4, SmartControl .


SmartControl.

3. SmartControl


- (Properties)
- (Settings),
- Philips SmartControl.

4. SmartControl


- (Display and Sound)
DVI-



- (Position)
The Position tab allows you to adjust the monitor's position. It includes sliders for Horizontal and Vertical alignment. The General tab is also visible in the sidebar.



- (Product Information)
The Product Information tab displays various product details, including User Name, Custom Information, Monitor Name, Serial Number, Asset Number, Purchase Date, Purchase Cost, Burning Hours, Location Code, Cnet Center Code, Product Parameters (Resolution, Size, Manufacturing Date), Security Setting, and Online Status.




- (General)
The General tab displays various product details, including User Name, Custom Information, Monitor Name, Serial Number, Asset Number, Purchase Date, Purchase Cost, Burning Hours, Location Code, Cnet Center Code, Product Parameters (Resolution, Size, Manufacturing Date), Security Setting, and Online Status.

לא ניתן להקליט
 את התוכנית הזו:
 שגיאה בקליטת
 אות התדר. אנא
 בדיקו את
 קבלת האנטנה
 או את התדר
 של התחנה.
 לא ניתן להקליט
 את התוכנית הזו:
 שגיאה בקליטת
 אות התדר. אנא
 בדיקו את
 קבלת האנטנה
 או את התדר
 של התחנה.

פנל בקרה

פנל בקרה: פנל בקרה לניהול המכשיר



AUTO

לחצו על **←** או **→** כדי להגדיל את התדר. לחצו על **↑** או **↓** כדי להגדיל את התדר. לחצו על **OK** כדי לאשר את ההגדרה. לחצו על **POWER** כדי לכבות את המכשיר.

"BRIGHTNESS" (הבהרה) - לחצו על **↑** או **↓** כדי להגדיל את הבהרה. לחצו על **OK** כדי לאשר את ההגדרה. לחצו על **POWER** כדי לכבות את המכשיר.

לחצו על **OK** כדי לאשר את ההגדרה. לחצו על **POWER** כדי לכבות את המכשיר.

POWER (כוח) - לחצו על **POWER** כדי לכבות את המכשיר.

לחצו על **←** או **→** כדי להגדיל את התדר. לחצו על **↑** או **↓** כדי להגדיל את התדר. לחצו על **OK** כדי לאשר את ההגדרה. לחצו על **POWER** כדי לכבות את המכשיר.

$$v| \approx v - \sum r \leq r - \sum r \geq r | r - \sum r \neq t =$$

- $$\sqrt{\int} \approx \sqrt{-\sum \Gamma \leq -\sum \mid \sum \geq \gamma \mid \mid \Gamma - \sum \Gamma \neq \mid} =$$

FP_setup4.3.exe

$$\forall r \approx \forall r \leq r \vee \neg \sum \geq r \quad | \quad \neg \sum r \neq \vdash =$$

የቅጽ መሙላት ማረጋገጫ

የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ

የቅጽ መሙላት ማረጋገጫ

የቅጽ መሙላት ማረጋገጫ



የቅጽ መሙላት ማረጋገጫ


የቅጽ መሙላት ማረጋገጫ


የቅጽ መሙላት ማረጋገጫ

የቅጽ መሙላት ማረጋገጫ

የቅጽ መሙላት ማረጋገጫ


የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ
 የቅጽ መሙላት ማረጋገጫ





- [illegible]

$$\forall \gamma \approx \forall \gamma - \sum \gamma \leq \gamma - \sum \gamma \mid \sum \gamma \geq \gamma \mid \gamma - \sum \gamma \neq \vdash =$$



1) $r_1, r_2, \dots, r_n$ are the roots of the equation $x^n - 1 = 0$.

$$\sqrt[n]{r} = \sqrt[n]{-r} \leq r \leq \sqrt[n]{r} \leq \sqrt[n]{r} \mid r \neq 0$$

Windows® 2000

Windows® XP

daic9---Bz-BDS-/7.A5174-nsaqq |-/7.a5-6LOR?JJ-er|ar pr.frk 80md 1'0..4+/.+0.0%.2%.0?K

Only available for Europe Model



$$\sqrt{f} \approx \sqrt{-\sum r \leq r - \sum \mid \sum \geq 1} \mid \mid \neg \sum r \neq \mid =$$



$\int \frac{1}{x^2} dx = -\frac{1}{x} + C$

$$\begin{aligned} & \sqrt{-n} \neq \Gamma \cap \sqrt{\Sigma \Gamma \Gamma} \mid \Gamma \Sigma \Gamma \Gamma / -n \neq \mid \Gamma, \mid \Gamma \mid = \mid \approx \Gamma \Sigma \leq \mid \Delta \neq \Gamma \mid \mid \mid \Gamma \mid \mid \Gamma \mid \geq \mid \sqrt{\neq} \Gamma \Delta \neq \\ & \infty \Sigma - \Sigma \Gamma \neq \neq \Gamma \Sigma \mid \neq \mid -n \Gamma \Gamma \Gamma \Gamma \mid \Gamma \sqrt{\Sigma \Delta \neq} \mid - \mid \Gamma \mid \Gamma \mid \sqrt{\Sigma \Gamma \neq} \Gamma \end{aligned}$$
[illegible][illegible][illegible]
$$|\cap \nabla \cap \neg \Sigma \sqcap \Sigma \Delta \cap \neg \leq \Sigma : \leq \eta \vdash \eta \leq \eta \cdot | \neg \Sigma$$
$$\mathbb{P}^{\mathbb{P}} \left(\left| \sum_{i=1}^n \mathbb{P}_i \right| \leq \epsilon \right) \equiv 1 - \mathbb{P}^{\mathbb{P}} \left(\left| \sum_{i=1}^n \mathbb{P}_i \right| > \epsilon \right) \approx 1 - \mathbb{P}^{\mathbb{P}} \left(\left| \sum_{i=1}^n \mathbb{P}_i \right| > \epsilon \right)$$

$\Sigma \approx \neq$ $\vdash$: - 7 - | H H L L ■ • ≤ J H | • ∞ - | H H | b ≠ - | L ■ • ≠ - | L L L L ■ • H H | L L L L ■ • ≤ - | L L ■ • △ 7 H L L L L ■
• | 7 H H H H - • L L L L L L ■ • | J L b H H • m h h H L • m J H H L

[illegible]
$$|-n \sqsubseteq \neq \equiv \vee f \mid r f \leq : L_{\text{H}} \models \bullet n \sqsubseteq_{\text{T}} L$$

F1rst Choice

		
Austria	0820 901115	ü 0.20
Belgium	070 253 010	ü 0.17
Cyprus	800 92256	- 
Denmark	3525 8761	
Finland	09 2290 1908	
France	08 9165 0006	ü 0.23
Germany	0180 5 007 532	ü 0.12
Greece	00800 3122 1223	
Ireland	01 601 1161	
Italy	199 404 042	ü 0.25
Luxembourg	26 84 30 00	
The Netherlands	0900 0400 063	ü 0.20
Norway	2270 8250	
Portugal	2 1359 1440	
Spain	902 888 785	ü 0.15
Sweden	08 632 0016	
Switzerland	02 2310 2116	
United Kingdom	0906 1010 017	Å0.15

Consumer Information Centers

[Antilles](#) • [Argentina](#) • [Astline](#) • [Australia](#) • [Bangladesh](#) • [Bosnia & Herzegovina](#) • [Brasil](#) • [Canada](#) • [Chile](#) • [China](#) • [Colombia](#) • [Belarus](#) • [Bulgaria](#) • [Croatia](#) • [Czech Republic](#) • [Estonia](#) • [Dubai](#) • [Hong Kong](#) • [Hungary](#) • [India](#) • [Indonesia](#) • [Korea](#) • [Latvia](#) • [Lithuania](#) • [Macedonia](#) • [Malaysia](#) • [Mexico](#) • [Morocco](#) • [New Zealand](#) • [Pakistan](#) • [Paraguay](#) • [Peru](#) • [Philippines](#) • [Poland](#) • [Romania](#) • [Russia](#) • [Serbia & Montenegro](#) • [Singapore](#) • [Slovakia](#) • [Slovenia](#) • [South Africa](#) • [Taiwan](#) • [Thailand](#) • [Turkey](#) • [Ukraine](#) • [Uruguay](#) • [Venezuela](#)

Eastern Europe

BELARUS

Technical Center of JV IBA
M. Bogdanovich str. 155
BY - 220040 Minsk
Tel: +375 17 217 33 86

ASTLINE

Petrus Brovky str. 17-101
BY - 220072 Minsk
Tel: + 375 17 284 02 03

BULGARIA

LAN Service
140, Mimi Balkanska Str.
Office center Translog
1540 Sofia, Bulgaria
Tel: +359 2 960 2360
Email: office@lan-service.bg
www.lan-service.bg

CZECH REPUBLIC

Xpectrum
Lužn" 591/4
CZ - 160 00 Praha 6 Tel: 800 100 697
Email: info@xpectrum.cz
www.xpectrum.cz

BOSNIA & HERZEGOVINA

Megatrend d.o.o.
Bosnia&Herzegovina
Džemala Bijedica 2/II
BA - 71000 Sarajevo
Tel: +387 33 613 166
Email: info@megatrend.ba
www.megatrend.ba

CROATIA

Renoprom d.o.o.
Mlinska 5, Strmec
HR - 41430 Samobor
Tel: +385 1 333 0974

ESTONIA

FUJITSU SERVICES OU
Akadeemia tee 21G
EE-12618 Tallinn
Tel: +372 6519900
www.ee.invia.fujitsu.com

HUNGARY

Profi Service
Hungary
KÁlso-V" ci 34 123
HU - 1044 Budapest
Tel: +36 1 814
8080 Email: ugyfelszolgalat@psc.hu
www.psc.hu

LATVIA

ServiceNet LV
Jelgavas iela 36
LV - 1055 Riga,
Tel: +371 7460399
Email: serviss@servicenet.lv

MACEDONIA

AMC - Computers
kej Dimitar Vlahov bb
MK - 1000 Skopje
Tel: +389 2 3125097
www.amc.com.mk

LITHUANIA

ServiceNet LT
Gaiziunu G. 3
LT - 3009 KAUNAS
Tel: +370 7400088
Email: servisas@servicenet.lt
www.servicenet.lt

ROMANIA

Blue Ridge Int'l Computers SRL
115, Mihai Eminescu St., Sector 2
RO - 020074 Bucharest
Tel: +40 21 2101969
Email: tehnic@blueridge.ro
www.blueridge.ro

SERBIA & MONTENEGRO

Tehnicom Service d.o.o.
Bulevar Vojvode Misica 37B
YU - 11000 Belgrade
Tel: +381 11 30 60 881
Email: tehnicom-service@tehnicom.com
www.tehnicom-service.com

SLOVAKIA

Datalan Servisne Stredisko
Puchovska 8
SK - 831 06 Bratislava
Tel: +421 2 49207155
Email: servis@datalan.sk

SLOVENIA

PC HAND
Brezovce 10
SI - 1236 Trzin
Tel: +386 1 530 08 24
Email: servis@pchand.si

POLAND

Zolter
ul.Zytnia 1
PL - 05-500 Piaseczno
Tel: +48 22 7501766
Email: servmonitor@zolter.com.pl
www.zolter.com.pl

RUSSIA

Tel: +7 095 961-1111

Tel: 8-800-200-0880

Website: www.philips.ru

TURKEY

TÁrk Philips Ticaret

A.S.

Yukari Dudullu Org.San.Bolgesi

2.Cadde No:22

34776-Umraniye/Istanbul

Tel:

(0800)-261 33 02

UKRAINE

Comel

Shevchenko street 32

UA - 49030 Dnepropetrovsk

Tel: +380 562320045

www.csp-comel.com

Latin America

ANTILLES

Philips Antillana N.V.

Kaminda A.J.E. Kusters 4

Zeelandia, P.O. box 3523-3051

Willemstad, Curacao

Phone: (09)-4612799

Fax : (09)-4612772

ARGENTINA

Philips Antillana N.V.

Vedia 3892 Capital Federal

CP:

1430 Buenos Aires Phone/Fax:

(011)-4544 2047

BRASIL

Philips da Amaz»nia Ind.

Elet. Ltda. Rua Verbo

Divino, 1400-S»o Paulo-SP CEP-04719-002 Phones: 11 21210203 -S»o

Paulo & 0800-701-0203-Other Regions without S»o Paulo City

CHILE

Philips Chilena S.A.
Avenida Santa Maria 0760
P.O. box 2687 Santiago de Chile
Phone: (02)-730 2000
Fax : (02)-777 6730

COLOMBIA

Industrias Philips de Colombia
S.A.-Division de Servicio
CARRERA 15 Nr. 104-33 Bogota,
Colombia Phone:(01)-8000 111001 (toll free) Fax
: (01)-619-4300/619-4104

MEXICO

Consumer Information Centre
Norte 45 No.669 Col.
Industrial Vallejo C.P.02300,
-Mexico, D.F. Phone:
(05)-3687788 / 9180050462 Fax
: (05)-7284272

PARAGUAY

Av. Rca. Argentina 1780 c/Alfredo
Seiferheld
P.O. Box 605
Phone: (595 21) 664 333
Fax: (595 21) 664 336
Customer
Desk:
Phone: 009 800 54 1 0004

PERU

Philips Peruana S.A.
Customer Desk Comandante
Espinar 719 Casilla
1841 Limab18
Phone: (01)-2136200
Fax : (01)-2136276

URUGUAY

Rambla O'Higgins 5303 Montevideo
Uruguay
Phone:
(598) 619 66 66
Fax: (598) 619 77 77
Customer Desk:
Phone: 0004054176

VENEZUELA

Industrias Venezolanas Philips
S.A. Apartado Postal
1167 Caracas 1010-A
Phone: (02) 2377575
Fax : (02) 2376420

Canada

CANADA

Philips Electronics Ltd.
281 Hillmount Road Markham,
Ontario L6C 2S3 Phone: (800) 479-6696

Pacific

AUSTRALIA

Philips Consumer Electronics
Consumer Care Center
Level 1, 65 Epping Rd
North Ryde NSW 2113
Phone: 1300 363 391
Fax
: +61 2 9947 0063

NEW

ZEALAND Philips New
Zealand Ltd. Consumer
Help Desk 2 Wagener
Place, Mt.Albert P.O.
box 1041 Auckland
Phone: 0800 477 999 (toll free)
Fax : 0800 288 588

Asia

BANGLADESH

Philips Service Centre
100 Kazi Nazrul Islam
Avenue Kawran Bazar C/A
Dhaka-1215 Phone:
(02)-812909 Fax : (02)-813062

CHINA

SHANGHAI
Rm 1007, Hongyun
Building, No. 501 Wuning road,
200063 Shanghai P.R. China
Phone: 4008 800
008
Fax: 21-52710058

HONG

KONG Philips Electronics
Hong Kong Limited Consumer
Service Unit A, 10/F.
Park Sun Building
103-107 Wo Yi Hop Road
Kwai Chung, N.T.
Hong Kong
Phone:
(852)26199663
Fax: (852)24815847

INDIA

Phone: 91-20-712 2048 ext:
2765 Fax: 91-20-712 1558 BOMBAY
Philips India Customer
Relation Centre Bandbox
House 254-D Dr. A Besant
Road, Worli Bombay 400
025 CALCUTTA
Customer Relation Centre
7 justice Chandra Madhab Road
Calcutta 700 020 MADRAS
Customer Relation Centre
3, Haddows Road Madras
600 006 NEW DELHI
Customer Relation Centre
68, Shivaji Marg New
Dehli 110 015

INDONESIA

Philips Group of Companies
in Indonesia Consumer
Information Centre Jl.Buncit
Raya Kav. 99-100 12510
Jakarta Phone: (021)-7940040
ext: 2100 Fax : (021)-794 7511 / 794 7539

KOREA

Philips Consumer Service Jeong
An Bldg. 112-2 Banpo-dong, Seocho-Ku Seoul, Korea Customer Careline: 080-600-6600
Phone: (02) 709-1200 Fax
: (02) 595-9688

MALAYSIA

After Market Solutions Sdn
Bhd,
Philips Authorised Service Center,
Lot 6, Jalan 225, Section 51A,
46100
Petaling Jaya,
Selangor Darul Ehsan,
Malaysia.
Phone: (603)-7954 9691/7956
3695
Fax: (603)-7954 8504
Customer Careline: 1800-880-180

PAKISTAN

Philips Consumer Service
Mubarak
manzil,
39, Garden Road, Saddar,
Karachi-74400
Tel: (9221) 2737411-16
Fax:
(9221) 2721167
E-mail: care@philips.com
Website: www.philips.com.pk

PHILIPPINES

PHILIPS ELECTRONICS & LIGHTING,
INC.

Consumer Electronics

48F PBCOM tower

6795 Ayala Avenue cor VA Rufino

St.

Salcedo Village

1227 Makati City, PHILS

Phone: (02)-888 0572, Domestic

Toll Free: 1-800-10-PHILIPS or 1-800-10-744 5477

Fax: (02)-888 0571

SINGAPORE

Accord Customer Care Solutions

Ltd

Authorized Philips Service Center

Consumer Service

620A Lorong 1

Toa Rayoh

Singapore 319762

Tel: +65 6882 3999

Fax: +65 6250 8037

TAIWAN

Philips Taiwan Ltd.

Consumer Information Centre

13F, No. 3-1 Yuan Qu St., Nan

Gang Dist.,

Taipei 115, Taiwan

Phone: 0800-231-099 Fax : (02)-3789-2641

THAILAND

Philips Electronics (Thailand)

Ltd. 26-28th floor,

Thai Summit Tower

1768 New Petchburi Road

Khwaeng Bangkapi, Khet Huaykhwang

Bangkok10320

Thailand

Tel: (66)2-6528652

E-mail: cic Thai@philips.com

Africa

MOROCCO

Philips Electronique Maroc
304,BD Mohamed V Casablanca
Phone: (02)-302992 Fax
: (02)-303446

SOUTH

AFRICA PHILIPS SA (PTY)

LTD

Customer Care Center
195 Main Road
Martindale, Johannesburg
P.O.
box 58088
Newville 2114
Telephone: +27 (0) 11 471 5194
Fax: +27 (0) 11
471 5123
E-mail: customercare.za@philips.com

Middle East

DUBAI

Philips Middle East B.V.
Consumer Information Centre
P.O.Box 7785 DUBAI
Phone: (04)-335 3666
Fax : (04)-335 3999

<http://www.philips.com>

LIMITED WARRANTY (Computer Monitor)

Three Years Free Labor/Three Years Free Service on Parts

**This product must be shipped in at your expense for service.*

WHO IS COVERED?

You must have proof of purchase to receive warranty service. A sales receipt or other document showing that you purchased the product is considered proof of purchase. Attach it to this owner's manual and keep both nearby.

WHAT IS COVERED?

Warranty coverage begins the day you buy your product. *For three years thereafter*, all parts will be repaired or replaced, and labor is free. *After three years from the day of purchase*, you pay for the replacement or repair of all parts, and for all labor charges.

All parts, including repaired and replaced parts, are covered only for the original warranty period. When the warranty on the original product expires, the warranty on all replaced and repaired products and parts also expires.

WHAT IS EXCLUDED?

Your warranty does not cover:

- labor charges for installation or setup of the product, adjustment of customer controls on the product, and installation or repair of antenna systems outside of the product.
- product repair and/or part replacement because of misuse, accident, unauthorized repair or other cause not within the control of Philips Consumer Electronics.
- reception problems caused by signal conditions or cable or antenna systems outside the unit.
- a product that requires modification or adaptation to enable it to operate in any country other than the country for which it was designed, manufactured, approved and/or authorized, or repair of products damaged by these modifications.
- incidental or consequential damages resulting from the product. (Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This includes, but is not limited to, prerecorded material, whether copyrighted or not copyrighted.)
- the model or production number on the product has been altered, deleted, removed or made illegible.

Where IS SERVICE AVAILABLE?

Warranty service is available in all countries where the product is officially distributed by Philips Consumer Electronics. In countries where Philips Consumer Electronics does not distribute the

product, the local Philips service organization will attempt to provide service (although there may be a delay if the appropriate spare parts and technical manual(s) are not readily available).

Where CAN I GET MORE INFORMATION?

For more information, contact the Philips Customer Care Center by calling [\(877\) 835-1838](tel:8778351838) (U.S.A. customers only) or [\(919\) 573-7855](tel:9195737855).

Before Requesting Service...

Please check your owner's manual before requesting service. Adjustments of the controls discussed there may save you a service call.

TO GET WARRANTY SERVICE IN U.S.A., PUERTO RICO OR U.S. VIRGIN ISLANDS...

Contact the Philips Customer Care Center phone number listed below for product assistance and procedures for servicing:

Philips Customer Care Center

[\(877\) 835-1838](tel:8778351838) or [\(919\) 573-7855](tel:9195737855)

(In U.S.A., Puerto Rico and U.S. Virgin Islands, all implied warranties, including implied warranties of merchantability and fitness for a particular purpose, are limited in duration to the duration of this express warranty. But, because some states do not allow limitations on how long an implied warranty may last, this limitation may not apply to you.)

REMEMBER... Please record the model and serial numbers found on the product below.

MODEL # _____

SERIAL # _____

This warranty gives you specific legal rights. You may have other rights which vary from state/province to state/province.

Before contacting Philips, please prepare the following details so we can solve your problem quickly.

- Philips type number
- Philips serial number
- Purchase date (copy of purchase may be required)
- PC environment Processor:
 - 286/386/486/Pentium Pro/Internal memory
 - Operating system (Windows, DOS, OS/2, Apple Macintosh)

- Fax/Modem/Internet program?

- Other cards installed

Having the following information available will also help speed up the process:

- Your proof of purchase indicating: date of purchase, dealer name, model and product serial number.
- The full address to which the swap model should be delivered.

Just a phone call away

Philips' customer help desks are located worldwide. Within the U.S. you can contact Philips customer care Monday-Friday from 8:00 AM-9:00 PM Eastern Time (ET) and on Saturdays from 10:00 AM-5:00 PM ET hrs by using one of the contact phone numbers.

For more information on this and more great Philips products visit our website at:

Website: <http://www.philips.com>

A

תחנת הרכבת תל אביב-יפו היא תחנת הרכבת המרכזית ביותר במחוז תל אביב, והיא אחת מתחנות הרכבת המרכזיות ביותר בישראל. תחנת הרכבת תל אביב-יפו היא תחנת הרכבת המרכזית ביותר במחוז תל אביב, והיא אחת מתחנות הרכבת המרכזיות ביותר בישראל. תחנת הרכבת תל אביב-יפו היא תחנת הרכבת המרכזית ביותר במחוז תל אביב, והיא אחת מתחנות הרכבת המרכזיות ביותר בישראל.

$$\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} e^{-t^2} dt = 1$$

$$\sqrt{\int} \approx \sqrt{-\sum \Gamma \leq \Gamma \mid \sum \geq \Gamma} \quad | \quad \Gamma - \sum \Gamma \neq \vdash =$$

B

[illegible]

C

Figure 1: A diagram illustrating the structure of the 2×2 matrix $\mathbf{M}$ in the 2×2 case. The matrix is partitioned into four blocks: $\mathbf{M}_{11}$ (top-left), $\mathbf{M}_{12}$ (top-right), $\mathbf{M}_{21}$ (bottom-left), and $\mathbf{M}_{22}$ (bottom-right). The blocks are represented by different patterns: $\mathbf{M}_{11}$ is a grid of small squares, $\mathbf{M}_{12}$ is a grid of small circles, $\mathbf{M}_{21}$ is a grid of small triangles, and $\mathbf{M}_{22}$ is a grid of small diamonds. The matrix is shown as a whole, with the blocks labeled accordingly.

[illegible][illegible]

$\sqrt{\lambda_{\text{max}}}$ 2400Å, 9300Å $\tilde{n}$ Philips 9300Å, 6504Å $\tilde{n}$ 6500Å.

— 9 —

$$\forall r \approx \forall - \sum r \leq r \quad \sum \neg \sum \geq r \quad | \quad \neg \sum r \neq \vdash =$$

המחיר של המכשיר הוא כ-1000 שקלים, והוא מתאים למחיר של המכשיר.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \quad | \quad r - \sum_{i=1}^n r_i \neq 0$$

G

Gamma (מקדם ה-γ)

המקדם ה-γ הוא המקדם ה-γ, והוא מתאר את המידה של המכשיר.

Grayscale (צבעי אפור)

הצבעי אפור הם הצבעי אפור, והם מתארים את המידה של המכשיר. $2^8 = 256$ והוא מתאר את המידה של המכשיר. $256 \times 256 \times 256 = 16,777,216$ והוא מתאר את המידה של המכשיר.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \quad | \quad r - \sum_{i=1}^n r_i \neq 0$$

H

Hue (צבע)

הצבע הוא הצבע, והוא מתאר את המידה של המכשיר. 256 והוא מתאר את המידה של המכשיר.

$$\sqrt{r} \approx \sqrt{r - \sum_{i=1}^n r_i} \quad | \quad r - \sum_{i=1}^n r_i \neq 0$$

I

IPS (In Plane Switching - צבעי אפור)

L

[illegible][illegible]

$\triangle$ $\square$ $\circ$ $\times$ $\frac{1}{2}$ $\frac{1}{3}$ $\frac{1}{4}$ $\frac{1}{5}$ $\frac{1}{6}$ $\frac{1}{7}$ $\frac{1}{8}$ $\frac{1}{9}$ $\frac{1}{10}$ $\frac{1}{11}$ $\frac{1}{12}$ $\frac{1}{13}$ $\frac{1}{14}$ $\frac{1}{15}$ $\frac{1}{16}$ $\frac{1}{17}$ $\frac{1}{18}$ $\frac{1}{19}$ $\frac{1}{20}$ $\frac{1}{21}$ $\frac{1}{22}$ $\frac{1}{23}$ $\frac{1}{24}$ $\frac{1}{25}$ $\frac{1}{26}$ $\frac{1}{27}$ $\frac{1}{28}$ $\frac{1}{29}$ $\frac{1}{30}$ $\frac{1}{31}$ $\frac{1}{32}$ $\frac{1}{33}$ $\frac{1}{34}$ $\frac{1}{35}$ $\frac{1}{36}$ $\frac{1}{37}$ $\frac{1}{38}$ $\frac{1}{39}$ $\frac{1}{40}$ $\frac{1}{41}$ $\frac{1}{42}$ $\frac{1}{43}$ $\frac{1}{44}$ $\frac{1}{45}$ $\frac{1}{46}$ $\frac{1}{47}$ $\frac{1}{48}$ $\frac{1}{49}$ $\frac{1}{50}$ $\frac{1}{51}$ $\frac{1}{52}$ $\frac{1}{53}$ $\frac{1}{54}$ $\frac{1}{55}$ $\frac{1}{56}$ $\frac{1}{57}$ $\frac{1}{58}$ $\frac{1}{59}$ $\frac{1}{60}$ $\frac{1}{61}$ $\frac{1}{62}$ $\frac{1}{63}$ $\frac{1}{64}$ $\frac{1}{65}$ $\frac{1}{66}$ $\frac{1}{67}$ $\frac{1}{68}$ $\frac{1}{69}$ $\frac{1}{70}$ $\frac{1}{71}$ $\frac{1}{72}$ $\frac{1}{73}$ $\frac{1}{74}$ $\frac{1}{75}$ $\frac{1}{76}$ $\frac{1}{77}$ $\frac{1}{78}$ $\frac{1}{79}$ $\frac{1}{80}$ $\frac{1}{81}$ $\frac{1}{82}$ $\frac{1}{83}$ $\frac{1}{84}$ $\frac{1}{85}$ $\frac{1}{86}$ $\frac{1}{87}$ $\frac{1}{88}$ $\frac{1}{89}$ $\frac{1}{90}$ $\frac{1}{91}$ $\frac{1}{92}$ $\frac{1}{93}$ $\frac{1}{94}$ $\frac{1}{95}$ $\frac{1}{96}$ $\frac{1}{97}$ $\frac{1}{98}$ $\frac{1}{99}$ $\frac{1}{100}$

N

0 1 2 0,292

P

PICture Element ñ

התאמה בין הצבעים של המסך לבין הצבעים של הדפוס

Polarizer (מסנן קרינה)

המסנן קרינה הוא רכיב אופטי המיועד למנוע קרינה לא רצויה. הוא מורכב מרשתות של סיבים זכוכיתיים דקים, המאפשרים לעברתם קרינה בעלת אורך גל קטן מ-90Å.

$$\sqrt{r} \approx \sqrt{r} - \sum r \leq r - \sum r \geq r \mid r - \sum r \neq 1 =$$

R

Refresh rate (קצב רענון)

קצב הרענון הוא המספר של פעמים שבה מסך מחדש את תמונתו בכל שנייה. קצב הרענון הנמוך ביותר הוא 60 Hz.

$$\sqrt{r} \approx \sqrt{r} - \sum r \leq r - \sum r \geq r \mid r - \sum r \neq 1 =$$

S

sRGB

sRGB הוא סטנדרט צבעי המיועד להבטיח תוצאות צבעיות עקביות בין המסך לבין הדפוס. הוא מבוסס על מודל צבעי RGB.

המודל sRGB מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים. הוא מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים.

המודל sRGB מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים. הוא מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים.

המודל sRGB מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים. הוא מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים.

המודל sRGB מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים. הוא מבוסס על מודל צבעי RGB, אך עם תיקונים למבטאים של צבעים.

6500K.

$$\sqrt{r} \approx \sqrt{r} - \sum_{r \leq r} \sum_{\Sigma \geq r} |r - \Sigma| \neq 0$$

T

TFT (π)

(a-Si) $\leq$

$$\sqrt{r} \approx \sqrt{r} - \sum_{r \leq r} \sum_{\Sigma \geq r} |r - \Sigma| \neq 0$$

U


Universal Serial Bus (USB)

()

"

- (IRQ)
- 127
-

!



✓

✓

✓

✓

$$\sqrt{1} \approx \sqrt{1} - \sum_{r \leq 1} \sum_{\Sigma \geq 1} | \sum_{r \neq 1} | =$$

V

Vertical refresh rate

✓

✓

$$\sqrt{r} \approx \sqrt{-\sum \Gamma \leq \Gamma \sum \Gamma \geq \Gamma} \mid \Gamma \sum \Gamma \neq \vdash =$$

FPadiust

[illegible]

- J ≤ Windows® 95, Windows® 98, Windows® 2000, Windows® Me, Windows® XP
- ".inf/.icm/.cat"


`J T L U, f l r d t e s i j t k g h p m n o , q v z a b c d e f g h i j k l m n o p q r s t u v w x y z "Readme.txt".`

PDF
Acrobat Reader

Adobe Acrobat Reader

$\neq$

A complex musical staff featuring a variety of note values, rests, and bar lines, representing a single measure of music.

1. 

≈ 7  190C7.pdf



- [illegible]

[illegible][illegible]

1. $\int_0^1 \frac{1}{x} dx = \lim_{n \rightarrow \infty} \sum_{k=1}^n \frac{1}{k} \left(\frac{1}{k} - \frac{1}{k+1} \right) = \lim_{n \rightarrow \infty} \left(\frac{1}{1} - \frac{1}{n+1} \right) = 1$.

$$\mathcal{V} \models \neg \sum r \leq r \vee \neg \sum \geq 1 \mid \neg \sum r \neq \vdash$$

$\neq$

[illegible]

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32

- J ≤ Windows® 95, Windows® 98, Windows® 2000, Windows® Me, Windows® XP

 *FPadjust Program:*

- F-adjustment, Win95/98/2000/Me/XP

≈   FP_setup4.3.exe

- ✓ Save Link As... (), Save Target As... (Download Link to Disk
().
- ✓ Save (source ().
- ✓ FPadjust.

1. 下列各句中，没有语病的一句是（3分）

7 4
"FP_Readme4.3.txt".

$$\forall \mid \approx \forall - \Sigma \Gamma \leq \Gamma \Sigma \mid \Sigma \geq \gamma \mid \mid \Gamma \Sigma \Gamma \neq \mid =$$