Philips Evnia Curved Gaming Monitor Full HD gaming monitor



# Feel your game

This Philips gaming monitor is designed for the highest intensity gameplay. Sync technology, ultra-fast 240 Hz refresh rate and 0.5 ms response time create tear-free and low-latency gameplay. SmartImage HDR gives a vibrant, lifelike display.

#### Features designed for you

- · EasySelect menu toggle key for quick on-screen menu access
- · LowBlue mode and Flicker-free easy-on-the eyes viewing
- Tilt, swivel and height-adjust for an ideal viewing position

#### **Immersive visuals**

- 16:9 Full HD display for crisp, detailed images
- · VA display delivers awesome images with wide viewing angles
- · Curved display design for a more immersive experience

# The gaming advantage is yours

- Ultra-fast 240 Hz refresh rate for virtually lag-free gaming
- 0.5 ms ultra-fast speed for crisp images and smooth gameplay
- SmartImage game mode optimised for gamers
- · Low input lag reduces time delay between devices to monitor

# Evnia 5000 32 (31.5"/80 cm diag.) 1920 x 1080 (Full HD)

# 32M1C5200W

# EVNJA **PHILIPS**

### Full HD gaming monitor Evnia 5000 32 (31.5"/80 cm diag.), 1920 x 1080 (Full HD)

32M1C5200W/00

# Highlights

Ultra-fast 240 Hz refresh rate



While playing the most intense, engaging and action-oriented games, the ultra-fast 240 Hz refresh rate creates an ultra-smooth, lag-free gaming experience. This Philips display redraws the screen image up to 240 times per second, effectively faster than a standard display. 240 Hz give superior motion and clarity to the visuals, especially for fast-paced games like FPS and racing games. With the Philips 240 Hz display, action sequences in gameplay look judder-free and ghost-free. You will experience deeper immersion and feel alive in the game.

0.5 ms MPRT fast response



The Philips Momentum display with 0.5 ms MPRT effectively eliminates smearing and motion blur, and delivers sharper and more precise visuals to enhance your gaming experience. Fast-moving action and dramatic transitions will be rendered smoothly. The best choice for playing thrilling and twitchsensitive games.

# Low Input Lag



Input lag is the amount of time that elapses between performing an action with connected devices and seeing the result on screen. Low input lag reduces the time delay between entering a command from your devices to monitor, greatly improving play on twitchsensitive video games, particularly important for playing fast-paced, competitive games.

# **VA** display



The Philips VA LED display uses an advanced multi-domain vertical alignment technology that gives you super-high static contrast ratios for extra-vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web browsing, films, gaming and demanding graphical applications. Its optimised pixel management technology gives you a 178/178 degree extra-wide viewing angle, resulting in crisp images.

#### 16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 x 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colours, expect a true-to-life picture.

# **Curved display design**



Desktop monitors offer a personal user experience, which suits a curved design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the centre of your desk.

# LowBlue Mode and Flicker-free



Our LowBlue Mode and Flicker-free technology have been developed to reduce eye strain and fatigue often caused by long hours in front of a monitor.





















# Specifications

#### Connectivity

- Signal Input: HDMI 2.0 x 2, DisplayPort 1.4 x 1
- Sync Input: Separate Sync
- Audio (In/Out): Audio out
- HDCP: HDCP 1.4 (HDMI/DisplayPort), HDCP 2.2 (HDMI/DisplayPort)

### **Picture/Display**

- Panel Size: 31.5 inch/80 cm
- Aspect ratio: 16:9
- LCD panel type: VA LCD
- Backlight type: W-LED system
- Pixel pitch: 0.36375 x 0.36375 mm
- Brightness: 300 cd/m<sup>2</sup>
- Display colours: 16.7 M (8 bit)
- Colour gamut (typical): NTSC 100.1%\*, sRGB 121.3%\*
- Contrast ratio (typical): 3500:1
- SmartContrast: Mega Infinity DCR
- Response time (typical): 4 ms (Grey to Grey)\*
  Viewing angle: 178° (H)/178° (V), @ C/R > 10
- Picture enhancement: SmartImage game
- Maximum resolution: 1920 x 1080 @ 240 Hz\*
- Effective viewing area: 698.4 (H) x 392.85 (V) -> at a 1500R curvature\*
- Scanning Frequency: 30–255 kHz (H) / 48–240 Hz (V)
- sRGB
- Flicker-free
- Pixel Density: 69.93 PPI
- LowBlue Mode
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- MPRT: 0.5 ms
- Low Input Lag
- EasyRead
- Adaptive sync

# Convenience

- Plug and Play Compatibility: DDC/Cl, Mac OS X, sRGB, Windows 11 / 10 / 8.1 / 8 / 7
- User convenience: Power On/Off, Menu/OK, Input/Up, Game Settings/Down, SmartImage game/ Back
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian
- Other convenience: Kensington lock, VESA mount (100 x 100 mm)

#### Stand

· Height adjustment: 130 mm

#### • Swivel: -/+ 45 degree

• Tilt: -5/20 degree

#### Power

- Power supply: Internal, 100-240 VAC, 50-60 Hz
- Off mode: 0.3 W (typ.)
- On mode: 39.4 W (typ.)
- Standby mode: 0.5 W (typ.)
- · Power LED indicator: Operation White, Standby mode - White (flashing)
- Energy Label Class: E

#### **Dimensions**

- Packaging in mm (W x H x D):
- 782 x 523 x 227 mm
- Product without stand (mm): 709 x 423 x 95 mm
- Product with stand (max height): 709 x 638 x 308 mm

# Weight

- Product with packaging (kg): 9.97 kg
- Product with stand (kg): 7.61 kg
- Product without stand (kg): 6.10 kg

#### **Operating conditions**

- Altitude: Operation: +12,000 ft (3658 m), Nonoperation: +40,000 ft (12,192 m)
- Temperature range (operation): 0°C to 40 °C
- MTBF: 50 000 (Excluded backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60 °C

#### **Sustainability**

- Environmental and energy: RoHS
- Recyclable packaging material: 100 %
- · Specific Substances: Mercury free, PVC/BFR free housing

#### **Compliance and standards**

• Regulatory Approvals: CB, CE Mark, FCC Class B, ICES-003, CU-EAC, EAEU RoHS, TUV/ISO9241-307, TUV-BAUART

#### Cabinet

- Colour: Black
- Finish: Textured

#### What's in the box?

- · Cables: HDMI cable, DisplayPort cable, Power
  - cable
- · Monitor with stand
- User Documentation

#### \* Radius of the arc of the display curvature in mm

- \* The maximum resolution works for either HDMI input or DP input. \* For best output performance, please always ensure that your g card is capable of achieving the maximum resolution and refresh rate of this Philips display. Response time value equal to SmartResponse
- \* MPRT adjusts the brightness for blur reduction, so the brightness cannot be adjusted while MPRT is turned on. To reduce motion blur, the LED backlight will strobe in time with the screen refresh rate, which may cause a noticeable change in brightness.
- \* MPRT is a gaming-optimised mode. Turning on MPRT may cause noticeable screen flickering. It is recommended to turn this mode off when you are not using the gaming function. \* NTSC Area based on CIE 1976
- \* sRGB Area based on CIE1931
- \* The monitor may look different from feature images.

lssue date 2024-04-24	© 2024 Koninklijke Philips N.V. All Rights reserved.
Version: 2.0.1	Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

EAN: 87 12581 80071 0 www.philips.com 2M1C5200W/00