

LCD monitor with Ultra Wide-Color

- 24 (23.8" / 60.5 cm diag.) 1920 x 1080 (Full HD)

246E9ODSB/89

Stunning color, stylish design

The Philips E line monitor features stylish design with extraordinary picture performance. A narrow border Full HD display with Ultra Wide-Color brings you to real true-to-life visuals. Enjoy superior viewing in a stylish design.

Benefits

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- \bullet Effortlessly smooth gameplay with AMD FreeSync $^{\text{TM}}$ technology

Features designed for you

- Narrow border display for a seamless appearance
- · Less eye fatigue with Flicker-free technology

- LowBlue Mode for easy on-the-eyes productivity
- HDMI ensures universal digital connectivity

Greener everyday

- Eco-friendly materials meet major international standards
- · Low power consumption saves energy bills




Features

Ultra Wide-Color Technology



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 \times 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Ultra-smooth gaming



Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync $^{\text{TM}}$ technology, smooth quick refresh and ultra-fast response time.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Eco-friendly materials

"Philips is committed to use sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilize upto 65% post consumer recycled plastics. Strict adherence to RoHS standards ensure substantial reduction or elimination of toxic substances like Lead, for example. Mercury content in monitors with CCFL backlight has been reduced significantly, while eliminated in monitors with LED backlight completely.

Specifications

[field not found 'disclaimer_text']

Р	ictu	re/	D	SD	la	v
	·cca	,	_	ישרי	щ,	7

AMD FreeSync™ Yes

technology

LCD panel type IPS technology Backlight type W-LED system Panel Size 23.8 inch / 60.5 cm Display Screen Anti-Glare, 3H, Haze 25%

Coating

Effective viewing area 527.04 (H) x 296.46 (V)

Aspect ratio

1920 x 1080 @ 75 Hz* Maximum resolution

Pixel Density 93 PPI

Response time 4 ms (Gray to Gray)* (typical)

Brightness Contrast ratio

1000:1

(typical)

SmartContrast 20,000,000:1 Pixel pitch 0.275 x 0.275 mm Viewing angle 178° (H) / 178° (V) @ C/R > 10

Flicker-free Yes

SmartImage game NTSC 108%*, sRGB 129%* Picture enhancement Color gamut (typical)

250 cd/m²

Display colors 16.7 M

Scanning Frequency 30 - 83 kHz (H) / 50 - 76 Hz (V)

LowBlue Mode Yes

sRGB Yes

Connectivity

Signal Input VGA (Analog)

DVI-D (digital, HDCP) HDMI (digital, HDCP)

Separate Sync Sync Input

Sync on Green HDMI audio out

Audio (In/Out)

Convenience

User convenience Power On/Off

Menu Brightness Input

SmartImage Game OSD Languages Brazil Portuguese

Czech Dutch English

Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese

Russian Simplified Chinese Spanish

Swedish

Traditional Chinese Turkish Ukrainian

Other convenience Kensington lock

VESA mount (75x75mm)

Plug & Play Compati-

bility

DDC/CI Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 13.04 W (typ.) (EnergyStar test

method) < 0.5 W (typ.)

Standby mode < 0.3 W (typ.) Off mode Power LED indicator Operation - White

Standby mode- White (blinking)

540 x 416 x 190 mm

Power supply External

100-240VAC, 50-60Hz

Dimensions

Product with stand

(mm)

Product without 540 x 326 x 39 mm

stand (mm)

Packaging in mm 586 x 477 x 141 mm

(WxHxD)

Weight

Product with stand 2.94 kg

(kg) Product without 2.39 kg

stand (kg)

Product with pack-4.45 kg

aging (kg)

Operating conditions

Temperature range

(operation)

Temperature range

(storage)

Relative humidity

20%-80 % Altitude

Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) **MTBF**

0 to 40 °C

-20 to 60 $^{\circ}\text{C}$

50,000 hrs (excluding backlight)

hour(s)

Sustainability

Environmental and

energy

EnergyStar 8.0 RoHS Mercury Free

WEEE 100 %

Recyclable packaging

material .

Compliance and standards

CE Mark Regulatory Approvals

FCC Class B CU-EAC

TUV/ISO9241-307

VCCI **RCM BSMI MEPS** СВ cETLus ICFS-003 TUV-BAUART

Cabinet

Color Black / Silver Finish

Glossy

- \ast "IPS" word mark / trademark and related patents on technologies belong to their respective owners. \ast The maximum resolution works for HDMI input only.
- * Response time value equal to SmartResponse
- * 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.
- * NTSC Area based on CIE1976
- * sRGB Area based on CIE1931
- $\ensuremath{^{*}}$ The monitor may look different from feature images.



data subject to change 2023, June 21

Version: 4.0.1 EAN: 8712581762117 © 2023 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com