





# OLED gaming monitor

### **Gaming Monitor**

Evnia 8000

42 (41.54"/105.5 cm diag.)

3840 x 2160 (4K UHD)



42M2N8900

## Gaming beyond innovation

Be prepared to get stunned by the precise colour reproduction of the Evnia OLED gaming monitor. The innovative Ambiglow redefines what a gaming environment usually is, levelling up not only your game gear, but also your gaming experience.

#### Features designed for gamers' needs

- Al-enhanced Ambiglow: for intensified entertainment
- LowBlue mode and Flicker-free easy-on-the eyes viewing
- Access and display multiple sources on two devices
- Connect your notebook with one USB-C cable
- Enhanced audio with DTS Sound™

### **Built for fast action**

- AMD FreeSync™ Premium; tear free, stutter free, fluid gaming
- SmartImage game mode optimised for gamers
- VESA ClearMR 8000: for trusted, high-quality image

#### **Immersive visuals**

- OLED display for lifelike visuals with deeper black details
- Ultra Wide-Color wider range of colours for a vivid picture
- UltraClear 4K UHD (3840 x 2160) resolution for precision
- True 10-bit display reproduces smoother gradients on visuals

OLED gaming monitor 42M2N8900/00

## Highlights

### **Philips OLED display**



This Philips OLED display delivers a wider viewing angle and uniquely lifelike visuals. Deeper black for a stunning viewing experience. Details in shadows and highlights are precisely reproduced.

#### AMD FreeSync™ Premium



Gaming shouldn't be a choice between choppy gameplay or broken frames. AMD FreeSync™ Premium equips serious gamers with a fluid, tear-free gameplay experience at peak performance. There are no compromises, game confidently with a high refresh rate, low framerate compensation and low latency.

#### **VESA ClearMR 8000**



Previously, methods to test blurry image quality were measured through MRPT. VESA Certified ClearMR acts as an alternative to MRPT in which blur is tested with a digital high-speed camera. For monitors that are sent in and certified through VESA Certified ClearMR, you can rest assured that you will have an accurate assessment of the monitor's blur quality. Each certification is defined through a CMR range, with the highest tier being VESA ClearMR 8000.


As this monitor is certified as ClearMR 8000, it has one of the highest classifications of image quality, meaning less overall blur.

#### **UltraClear 4K UHD resolution**



These Philips displays utilise high-performance panels to deliver UltraClear, 4K UHD (3840 x 2160) resolution images. Whether you are a demanding professional requiring extremely detailed images for CAD solutions, a user of 3D graphics applications or a financial wizard working on huge spreadsheets, Philips displays will make your images and graphics come alive.

**True 10-bit colour depth** 



With this Philips true 10-bit colour display, you can see colour-critical professional work of exceptional colour accuracy that meets professional standards. Compared with conventional 8-bit colour displays, this Philips monitor produces a more natural transition between hues for smoother gradients.

#### LowBlue mode and Flicker-free



Our LowBlue Mode and Flicker-free technology have been developed to reduce eye strain and fatigue often caused by long hours in front of a monitor.

#### **DTS Sound™**



DTS Sound is an audio-processing solution designed to optimise the playback of music, movies, streaming and games on the PC regardless of form factors. DTS Sound enables an immersive virtual surround sound experience, complete with rich bass and dialogue enhancement and maximised volume levels free of any clipping or distortion.

#### MultiView and built-in KVM



Control and switch between two devices through a single keyboard and mouse with the built-in KVM. MultiView lets you survey both sources simultaneously on one screen. With these features, you can reduce cable clutter and save valuable time. Perfect for streamers with two PCs, content creators or when prepping devices for a LAN event.

















42M2N8900/00

## Highlights

### **Al-enhanced Ambiglow**



Our Al-enhanced processor analyses the incoming image content and continuously adapts the colour and brightness of the emitted light to match the image. This feature adds a new dimension to your viewing experience. The innovative Ambiglow uses its Al capabilities to create a truly immersive and customisable gaming experience. From filling your gaming room with colour to feeling like you are part of the game, the Al-enhanced Ambiglow is made to make your gaming experience the best it's ever been by combining intelligence, colour and light.

#### **USB-C** connection



This Philips display features a USB type-C connector with power delivery. With intelligent and flexible power management, you can power charge your compatible device directly. Its slim, reversible USB-C allows for easy, one-cable connection. You can watch high-resolution video and transfer data at super speed, while powering up and recharging your compatible device at the same time.

#### **SmartImage Game mode**



The new Philips gaming display has quick-access OSD fine-tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts the display with the fastest response time and high colour, along with image adjustments. "RTS" mode (Real-time strategy) has a special SmartFrame mode that enables highlighting of specific area and allows for size and image adjustments. Gamer 1 and Gamer 2 enable you to save personal customised settings based on different games, ensuring best performance.













**OLED** gaming monitor 42M2N8900/00

### **Specifications**

#### **Picture/Display**

Panel Size: 41.54 inch/105.5 cm

Aspect ratio: 16:9 **Monitor Panel Type: OLED** 

Pixel pitch: 0.2395 x 0.2395 mm Brightness: Peak: 450 nit, Normal: 135 nit Display colours: Colour support 1.07 billion

colours (10-bit)

Colour gamut (typical): NTSC 110.3%\*, sRGB

131.3%\*, Adobe RGB 93.6%\* Colour gamut (min.): DCI-P3: 98.5%\* Contrast ratio (typical): 1,500,000:1 SmartContrast: Mega Infinity DCR

Response time (typical): 0.1 ms (Grey to Grey)\* Viewing angle: 178° (H)/178° (V), @ C/R > 10000 Picture enhancement: SmartImage game Maximum resolution: 3840 x 2160 @ 138 Hz\*

(overclock)

Effective viewing area: 919.68 (H) x 517.32 (V) Scanning Frequency: 30 - 255 kHz (H)/48 -

138 Hz (V) sRGB

Delta E: < 2 (sRGB) Flicker-free

Pixel Density: 106.06 PPI

LowBlue Mode

Display Screen Coating: Anti-Glare, Low-

reflection 2%, Haze 25%

**Low Input Lag EasyRead** 

AMD FreeSync™ technology: Premium

HDR: HDR 10 supported Ambiglow: 3 sided

Pixel format: RWBG Strip arrangement

#### **Connectivity**

Signal Input: HDMI 2.1 x 2, DisplayPort 1.4 x 1, USB-C x 1 (DP Alt mode, Power Delivery)

Sync Input: Separate Sync Audio (In/Out): Audio out

HDCP: HDCP 1.4 (HDMI/DisplayPort/USB-C), HDCP 2.2 (HDMI/DisplayPort/USB-C), HDCP 2.3

(HDMI/DisplayPort/USB-C)

USB Hub: USB version 3.2 Gen1 / 5 Gbps, USB-B upstream x 1, USB-A downstream x 4 (with 2 for fast charge B.C 1.2)

#### **Power Delivery**

Max power delivery: USB-C up to 90 W (5 V/3 A, 7 V/3 A, 9 V/3 A, 10 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/4 5 A)

Version: USB PD version 3.0

#### **Convenience**

Built-in Speakers: 10 W x 2, DTS

Plug and Play Compatibility: DDC/CI, Mac OS X,

sRGB, Windows 11/10/8.1/8

User convenience: Power On/Off, Menu/OK, Input/Up, Game Settings/Down, SmartImage

game/Back

OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian Other convenience: Kensington lock, VESA

mount (100 x 100 mm)

MultiView: PIP/PBP mode, 2 x devices

#### Stand

Height adjustment: 120 mm Swivel: -/+ 20 degree Tilt: -5/15 degree

Power supply: Internal, 100-240 VAC, 50-60 Hz

Off mode: 0.3 W (typ.) On mode: 69.6 W (typ.) Standby mode: 0.5 W (typ.)

Power LED indicator: Operation - White, Standby

mode - White (flashing) **Energy Label Class: G** 

#### **Dimensions**

Packaging in mm (W x H x D):

1070 x 635 x 188 mm

Product without stand (mm): 932 x 535 x 79 mm

Product with stand (max height):

932 x 689 x 359 mm

Product with packaging (kg): 21.01 kg Product with stand (kg): 17.30 kg Product without stand (kg): 13.84 kg

#### **Operating conditions**

Altitude: Operation: +12,000 ft (3658 m), Non-

operation: +40,000 ft (12,192 m)

Temperature range (operation): 0°C to 40 °C

MTBF: 30.000 hour(s) Relative humidity: 20%-80 %

Temperature range (storage): -20°C to 60 °C

#### **Sustainability**

Environmental and energy: RoHS Recyclable packaging material: 100 %

Specific Substances: Mercury free, PVC/BFR free

housing

#### **Compliance and standards**

Regulatory Approvals: CB, CE Mark, FCC Class B, ICES-003, CU-EAC, EAEU RoHS, TUV/ISO9241-307, TUV-BAUART, cETLus

#### **Cabinet**

Colour: White Finish: Textured

#### What's in the box?

Cables: HDMI cable, DisplayPort cable, USB upstream cable, USB-C to USB-C cable, Power cable

Monitor with stand **User Documentation** 

Accessory: Remote control, VESA bracket

© 2025 Koninklijke Philips N.V. All Rights reserved.

Issue date 2025-04-17 Version: 16.16.1

EAN: 87 12581 79870 3

www.philips.com

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.



- \* For best output performance, please always ensure that your graphic card is capable of achieving the maximum resolution and refresh rate of this Philips display.
- \* Response time value equal to SmartResponse
- \* DCI-P3 Coverage based on CIE1976
- \* NTSC Area based on CIE 1976
- \* sRGB Area based on CIE1931 \* Adobe RGB Coverage based on CIE 1976
- \* For USB-C power and charging function, your Notebook/device must support USB-C standard Power Delivery specifications. Please check with your Notebook user manual or manufacturer for more details.
- \* For Video transmission via USB-C, your Notebook/device must support USB-C DP Alt mode
- \* 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, AMD FreeSync™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies.
- \* The monitor may look different from feature images.