

Philips Gaming Monitor Full HD Curved LCD display

# Momentum

27" (68.6 cm) 1920 x 1080 (Full HD)

272M8CP

# Get in the moment

This Philips curved Momentum monitor combines a 240 Hz refresh rate with Adaptive-Sync. HDR and gaming features for lifelike visuals, tear-free, and low latency gameplay while delivering wide viewing angles. Best for the most intense games.

### **Built for fast action**

- SmartImage game mode optimized for gamers
- Effortlessly smooth action with Adaptive-Sync technology
- Low input lag reduces time delay between devices to monitor
- Ultra-fast 240 Hz refresh rate for virtually lag-free gaming
- 0.5 ms ultra-fast speed for crisp image and smooth gameplay

### **Superb Picture Quality**

- · VA display delivers awesome images with wide viewing angles
- Ultra Wide-Color wider range of colors for a vivid picture
- High Dynamic Range (HDR) for more lifelike colorful visuals

# Design to enhance the senses

• Curved display design for more immersive experience

# **Get comfortable**

- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity



# Highlights

### Curved display design



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

### Ultra-fast 240 Hz refresh rate



While playing the most intense engaging action-oriented games, ultra-fast 240 Hz refresh rate enhances an ultra-smooth, lag-free gaming experience. This Philips display redraws the screen image up-to 240 times per second, effectively faster than a standard display. Especially for fast-paced games like FPS and racing games, 240 Hz gives a superior motion and clarity visuals. With Philips 240 Hz display, action sequences in gameplay look judder-free and ghost-free. You will experience deeper immersion and feeling alive in game.

### SmartImage Game mode



The new Philips gaming display has quick access OSD fine tuned for gamers, offering you


multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts display with fastest response time, high color, along with image adjustments. "RTS" mode (Real time strategy) has a special SmartFrame mode which enables highlighting of specific area and allows for size and image adjustments. Gamer 1 and Gamer 2 enable you to save personal customized settings based on different games, ensuring best performance.

### 0.5 ms MPRT fast response



Philips Momentum display with 0.5 ms MPRT effectively eliminates smearing and motion blur, delivers shaper and precise visuals to enhance gaming experience. Fast-moving action and dramatic transitions will be rendered smoothly. Best choice for playing thrilling and twitch-sensitive games.

### **Low Input Lag**



Input lag is the amount of time that elapses between performing an action with connected devices and seeing the result on screen. Low input lag reduces the time delay between entering a command from your devices to monitor, greatly improve on playing twitch-sensitive video games, particularly important to whom plays fast-paced, competitive games.

### **Ultra Wide-Color Technology**



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

# High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating color, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colors never before seen on display, giving you a visual experience that engages your senses and inspires emotions.





















# Specifications

#### Connectivity

- Signal Input: DisplayPort 1.4  $\times$  1, HDMI 2.0  $\times$  2
- Sync Input: Separate Sync
- Audio (In/Out): Audio out

### Picture/Display

- Panel Size: 27 inch / 68.6 cm
- Aspect ratio: 16:9
- LCD panel type: VA LCD
- Backlight type: W-LED system
- Pixel pitch: 0.311 x 0.311 mm
- Optimum resolution: 1920 x 1080 @ 240 Hz
- Brightness: 300 cd/m<sup>2</sup>
- Display colors: 16.7 M
- Color gamut (typical): NTSC 95%\*, sRGB 115%\*
- Contrast ratio (typical): 3000:1
- SmartContrast: Mega Infinity DCR
- Response time (typical): 0.5 ms (MPRT)
- Viewing angle: 178° (H) / 178° (V), @ C/R > 10
- Picture enhancement: SmartImage game
- Effective viewing area: 597.89 (H) x 336.31 (V) at a 1500R curvature\*
- Scanning Frequency: 30 255 kHz (H) / 48 240 Hz (V)
- sRGB
- Flicker-free
- Pixel Density: 82 PPI
- · LowBlue Mode
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- Adaptive sync
- · HDR: HDR Ready

# Convenience

- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7
- User convenience: Power On/Off, Menu/OK, Brightness/UP, Input/Down, SmartImage game/
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian
- Other convenience: Kensington lock, VESA mount

(100x100mm)

#### Stand

• Tilt: -5/20 degree

#### **Power**

- Power supply: External, 100-240VAC, 50-60Hz
- Off mode: < 0.3 W (typ.)
- On mode: 28.20 W (typ.)
- Standby mode: < 0.5 W (typ.)
- Power LED indicator: Operation White, Standby mode- White (blinking)

### **Dimensions**

- Packaging in mm (WxHxD): 683 x 525 x 249 mm
- Product without stand (mm):  $611 \times 367 \times 71 \text{ mm}$
- Product with stand(max height): 611 x 462 x

### Weight

- Product with packaging (kg): 6.80 kg
- Product with stand (kg): 4.40 kg
- Product without stand (kg): 3.84 kg

# **Operating conditions**

- Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)
- Temperature range (operation): 0°C to 40 °C
- MTBF: 50,000 (Excluded backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60 °C

# Sustainability

- Environmental and energy: RoHS
- Recyclable packaging material: 100 %
- Specific Substances: Mercury free, PVC / BFR free

### Compliance and standards

• Regulatory Approvals: CCC, CECP, CEL

### **Cabinet**

- · Color: Black
- Finish: Textured



Issue date 2024-03-25

EAN: 87 12581 77228 4

Version: 2.0.1

© 2024 Koninklijke Philips N.V. All Rights reserved.

www.philips.com

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

- Radius of the arc of the display curvature in mm \* Response time value equal to SmartResponse \* NTSC Area based on CIE1976
- \* sRGB Area based on CIE1931
- \* The monitor may look different from feature images.