# **PHILIPS**

Full HD Curved LCD display

### **Gaming Monitor**

Momentum 27" (68.6 cm) 1920 x 1080 (Full HD)

272M8CP



# Get in the moment

This Philips curved Momentum monitor combines a 240 Hz refresh rate with Adaptive-Sync. HDR and gaming features for lifelike visuals, tear-free, and low latency gameplay while delivering wide viewing angles. Best for the most intense games.

#### **Built for fast action**

- SmartImage game mode optimized for gamers
- Effortlessly smooth action with Adaptive-Sync technology
- Low input lag reduces time delay between devices to monitor
- Ultra-fast 240 Hz refresh rate for virtually lag-free gaming
- 0.5 ms ultra-fast speed for crisp image and smooth gameplay

#### **Superb Picture Quality**

- VA display delivers awesome images with wide viewing angles
- Ultra Wide-Color wider range of colors for a vivid picture
- High Dynamic Range (HDR) for more lifelike colorful visuals

#### Design to enhance the senses

• Curved display design for more immersive experience

#### Get comfortable

- Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

### **Gaming Monitor**

Full HD Curved LCD display

## Highlights

#### **Curved display design**



Desktop monitors offer a personal user experience, which suits a curve design very well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the center of your desk.

#### Ultra-fast 240 Hz refresh rate



While playing the most intense engaging actionoriented games, ultra-fast 240 Hz refresh rate enhances an ultra-smooth, lag-free gaming experience. This Philips display redraws the screen image up-to 240 times per second, effectively faster than a standard display. Especially for fast-paced games like FPS and racing games, 240 Hz gives a superior motion and clarity visuals. With Philips 240 Hz display, action sequences in gameplay look judder-free and ghost-free. You will experience deeper immersion and feeling alive in game.

#### SmartImage Game mode



The new Philips gaming display has quick access OSD fine tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts display with fastest response time, high



color, along with image adjustments. "RTS" mode (Real time strategy) has a special SmartFrame mode which enables highlighting of specific area and allows for size and image

adjustments. Gamer 1 and Gamer 2 enable you to save personal customized settings based on different games, ensuring best performance.

#### 0.5 ms MPRT response



Philips display with 0.5 ms MPRT effectively eliminates smearing and motion blur, delivers shaper and precise visuals to enhance gaming experience. Fast-moving action and dramatic transitions will be rendered smoothly. Best choice for playing thrilling and twitch-sensitive games.

#### Low Input Lag



Input lag is the amount of time that elapses between performing an action with connected devices and seeing the result on screen. Low input lag reduces the time delay between entering a command from your devices to monitor, greatly improve on playing twitchsensitive video games, particularly important to whom plays fast-paced, competitive games.

#### **Ultra Wide-Color Technology**



Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

#### High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating color, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colors never before seen on display, giving you a visual experience that engages your senses and inspires emotions.

#### **Flicker-free technology**



Due to the way brightness is controlled on LEDbacklit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

## **Gaming Monitor**

Full HD Curved LCD display

## Highlights

#### **LowBlue Mode**



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

#### VA display



Philips VA LED display uses an advanced multidomain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

#### Adaptive-Sync technology



Gaming shouldn't be a choice between choppy gameplay or broken frames. Get fluid, artifactfree performance at virtually any framerate with Adaptive-Sync technology, smooth quick refresh and ultra-fast response time.

### **Gaming Monitor**

Full HD Curved LCD display

## Specifications

#### Picture/Display

Panel Size: 27 inch / 68.6 cm Aspect ratio: 16:9 LCD panel type: VA LCD Backlight type: W-LED system Pixel pitch: 0.311 x 0.311 mm Optimum resolution: 1920 x 1080 @ 240 Hz Brightness: 300 cd/m<sup>2</sup> Display colors: 16.7 M Color gamut (typical): NTSC 95%\*, sRGB 115%\* Contrast ratio (typical): 3000:1 SmartContrast: Mega Infinity DCR Response time (typical): 0.5 ms (MPRT) Viewing angle: 178° (H) / 178° (V), @ C/R > 10 Picture enhancement: SmartImage game Effective viewing area: 597.89 (H) x 336.31 (V) at a 1500R curvature\* Scanning Frequency: 30 - 255 kHz (H) / 48 - 240 Hz (V) sRGB Flicker-free Pixel Density: 82 PPI LowBlue Mode Display Screen Coating: Anti-Glare, 3H, Haze 25% Adaptive sync HDR: HDR Ready

#### Connectivity

Signal Input: DisplayPort 1.4 x 1, HDMI 2.0 x 2 Sync Input: Separate Sync Audio (In/Out): Audio out

#### Convenience

Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7 User convenience: Power On/Off, Menu/OK, Brightness/UP, Input/Down, SmartImage game/Back

OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese, Swedish, Turkish, Traditional Chinese, Ukrainian Other convenience: Kensington lock, VESA mount (100x100mm)

#### Stand

Tilt: -5/20 degree

#### Power

Power supply: External, 100-240VAC, 50-60Hz Off mode: < 0.3 W (typ.) On mode: 28.20 W (typ.) Standby mode: < 0.5 W (typ.) Power LED indicator: Operation - White, Standby mode- White (blinking)

#### **Dimensions**

272M8CP/69

Packaging in mm (WxHxD): 683 x 525 x 249 mm Product without stand (mm): 611 x 367 x 71 mm Product with stand(max height): 611 x 462 x 210 mm

#### Weight

Product with packaging (kg): 6.80 kg Product with stand (kg): 4.40 kg Product without stand (kg): 3.84 kg

#### **Operating conditions**

Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) Temperature range (operation): 0°C to 40 °C MTBF: 50,000 (Excluded backlight) hour(s) Relative humidity: 20%-80 % Temperature range (storage): -20°C to 60 °C

#### Sustainability

Environmental and energy: RoHS Recyclable packaging material: 100 % Specific Substances: Mercury free, PVC / BFR free housing

#### **Compliance and standards**

Regulatory Approvals: CCC, CECP, CEL

#### Cabinet

Color: Black Finish: Textured

© 2024 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change

without notice. Trademarks are the

their respective owners.

property of Koninklijke Philips N.V. or

Issue date 2024-12-13 Version: 2.0.1

EAN: 87 12581 77228 4

www.philips.com



\* Radius of the arc of the display curvature in mm

- \* Response time value equal to SmartResponse
- \* NTSC Area based on CIE1976
- \* sRGB Area based on CIE1931

\* The monitor may look different from feature images.