

Philips
LCD widescreen monitor

22" wide

WSXGA+

# 220BW8CS1





# Bigger, wider screen: better business productivity

With big, widescreen, performance-enhancing comfort, value-added convenience features and great cost benefit ratio, the 220BW8-PLUS is the smart choice for business productivity - and is ready for upgrade to Windows Vista.

#### **Designed for maximum productivity**

- Big, wide screen ideal for viewing two A4 pages side by side
- Tilt, swivel and height-adjust for an ideal viewing position

#### Outstanding front of screen performance

- WSXGA+, wide format 1680 x 1050 resolution for sharper display
- SmartImage: For an optimised display experience
- $\bullet \ \, {\sf SmartContrast:} \ \, {\sf Dynamic,optimised} \ \, {\sf contrast} \ \, {\sf for} \ \, {\sf visual} \ \, {\sf clarity}$
- PerfecTune ensures top-quality LCD display delivered to you
- DVI-D input and HDCP support

# Best total cost of ownership solution

- Complies with RoHS standards of care for the environment
- Power consumption below the industry average

## **Great convenience**

- · Built-in speakers for audio without desktop clutter
- Dual input accepts both analogue VGA and digital DVI signals



# Highlights

#### **Compact Ergo Base**

The Compact Ergo Base is a 'people-friendly' Philips monitor base that tilts, swivels and height-adjusts so each user can position the monitor for maximum viewing comfort and efficiency.

#### WSXGA+, wide format 1680 x 1050

Wide format, super extended graphics array is a display specification that is capable of displaying  $1680 \times 1050$  resolution or approximately 1.7 million pixels.

#### **SmartImage**

SmartImage is an exclusive leading-edge Philips technology that analyses the content displayed on your screen. Based on a scenario you select, SmartImage dynamically enhances the contrast, colour saturation and sharpness of images and videos for ultimate display performance - all in real time and at the press of a single button.

#### **SmartContrast**

SmartContrast is Philips technology that analyses the contents you are displaying, automatically adjusting colours and controlling backlight intensity to dynamically enhance

contrast for the best digital images and optimum contrast for better entertainment when viewing videos or playing games where dark hues are displayed; when you select the Economy mode, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

#### **PerfecTune**

PerfecTune is industry-leading, proprietary
Philips testing and algorithm technology for
monitor adjustment and fine tuning, an
extensive process that ensures ultimate display
performance in compliance with a standard
four times more stringent than Microsoft's
Vista requirements from each and every
monitor that leaves the factory - not just a few
review samples. Only Philips goes to these
lengths to deliver this exacting level of colour
accuracy and display quality in every new
monitor.

#### **HDCP** ready

High-Bandwidth Digital Content Protection (HDCP) is a copyright protection system that

is incorporated into the DVI connector. It helps stop unauthorised duplication of copyrighted content. HDCP allows you to play protected content media such as movies and concerts. It checks the signal to prevent piracy, allowing only legal copies of content to display.

#### Compliant with RoHS standards

Philips designs and produces display products in compliance with strict Restriction of Hazardous Substances (RoHS) standards that restrict lead and other toxic substances that can harm the environment.

## Lower power consumption

Reduction of the electrical power required to operate a device.

#### **Built-in speakers**

Audio speakers built into a display device.

#### **Dual input**

Dual input provides connectors to accommodate input of both analogue VGA and digital DVI signals.

















# Specifications

#### Picture/Display

- LCD panel type: 1680 x 1050 pixels, Anti-glare polariser, RGB vertical stripe
- Panel Size: 22"/55.9 cm
- Effective viewing area: 474 x 296 mm
- Pixel pitch: 0.282 x 0.282 mm
- Brightness: 300 cd/m<sup>2</sup>
- Contrast ratio (typical): 1000:1
- SmartContrast ratio (dynamic): 3400:1
- Display colours: 16.7 M
- Viewing angle:  $160^{\circ}$  (H)/ $160^{\circ}$  (V), @ C/R > 10
- Response time (typical): 5 ms
- White Chromaticity, 6500K: x = 0.313/y = 0.329
- White Chromaticity, 9300K: x = 0.283/y = 0.297
- Maximum Resolution: 1680 x 1050 @ 60 Hz
- Optimum Resolution: 1680 x 1050 @ 60 Hz
- Video Dot Rate: 205 MHz
- Horizontal Scanning Frequency: 30 83 kHz
- Vertical Scanning Frequency: 56 75 Hz
- Aspect ratio: 16:10
- sRGB

#### Connectivity

- Signal Input: VGA (Analogue), DVI-D
- USB: USB 2.0 x 1
- Video Sync Input Signal: Composite Sync, Separate Sync, Sync on Green
- Video input impedance: 75 ohm
- Sync input impedance: 2.2k ohm
- Video input signal levels: 0.7 Vpp

#### Convenience

- User convenience: On-screen Display
- Monitor Controls: SmartImage, Auto (Back), Input (Down), Volume (Up), Menu (OK), Power On/Off
- · OSD Languages: English, French, German, Italian, Russian, Spanish
- Other convenience: Kensington lock compatible
- Plug & Play Compatibility: DDC/CI, sRGB, Windows 98/ME/2000/XP/Vista
- Regulatory Approvals: CE Mark, Energy Star, FCC

Class B, SEMKO, TCO '03, TÜV/GS, TÜV Ergo, UL/cUL

- Tilt: -5° to 20° Swivel: +/-45°
- VESA Mount: 100 x 100 mm
- Built-in Audio: 1 W x 2

#### Accessories

- Included Accessories: AC Power Lead, VGA cable, DVI-D cable, Audio Cable
- User manual

### **Dimensions**

- Box dimensions (W x H x D): 565 x 490 x 173 mm
- Box dimensions in inch (W x H x D): 22.2 x 19.3 x 6.8 inch
- Set dimensions (W  $\times$  H  $\times$  D): 451  $\times$  519  $\times$  113 mm
- Set dimensions in inch (W x H x D):  $17.8 \times 20.4 \times 4.4$  inch
- Set dimensions with stand (W x H x D): 455 x 519 x 211 mm
- Set dimensions with stand in inch (W x H x D):  $17.9 \times 20.4 \times 8.3$  inch
- Height adjustment range: 70 mm
- MTBF: 50,000 hrs
- Relative humidity: 20% 80%
- Temperature range (operation): 0°C to 40°C
- Temperature range (storage): -20°C to 60°C
- Product weight (+stand): 5.6 kg
- Product weight (+stand) (lb): 12.3 lb
- Weight incl. Packaging: 6.8 kg
- Weight incl. Packaging (lb): 15.0

#### Power

- · Complies with: Energy Star
- Consumption (On mode): < 45 W (Typical)
- Consumption (Off Mode): < 1 W
- Power LED indicator: Standby/sleep Amber, Operation - green
- Power supply: Built-in, 100-240 VAC, 50/60 Hz



Issue date 2012-07-05

© 2012 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 1.0.3

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 39862 EAN: 87 12581 42419 0

www.philips.com