

Philips mirror TV 107cm (42") BDL4221M



The TV that reflects your style

A total new product experience

Philips Mirror TV with Miravision technology is a unique product that combines the practical qualities of a stylish mirror with the benefits of a high-resolution LCD television that will continue to delight you.

Slim, stylish design to complement your interior

- Unique Miravision concept: A mirror when off, a TV when on
- Compact and slim design that fits in every room
- A customizable frame to match your interior design

Breathtaking natural pictures

- HD LCD WXGA display, with a 1366 x 768p resolution
- HD Ready for the highest quality display of HD signals
- Split screen for dual video/PC display
- Progressive Scan component video for optimized image quality
- · PiP allows watching a second source simultaneously

Advanced connection to your audio/video products

• DVI-D provides the best digital picture

Convenient for custom installation

- RS232 interface for remote management
- · Prepared for recessed installation



mirror TV 107cm (42")

Highlights

Miravision technology

Miravision technology is unique as it provides the practical qualities of a stylish mirror when off, with the benefits of a high-resolution LCD television when on.

Customizable frame

As no two styles are the same, the Mirror TV has a simple removable and customizable frame to match anyone's interior design. Its specially designed click-on system enhances the ease of installation.

HD Ready

Enjoy the exceptional picture quality of High Definition pictures and be fully prepared for HD sources like HDTV settop box or Blu-ray disc. HD Ready is a protected label that offers picture quality beyond that of progressive scan. It conforms to strict standards laid out by EICTA to offer a HD screen that displays the benefits of resolution and picture quality of a High Definition signal. It has a universal connection for both analog YPbPr and uncompressed Digital connection of DVI or HDMI, supporting HDCP. It can display 720p, and 1080i signals at 50 and 60Hz.

Picture by Picture

PBP splits a screen in two parts for the simultaneous display from a PC graphic in one half and video content in another.

Progressive Scan

Progressive Scan doubles the vertical resolution of the image resulting in a noticeably sharper picture. Instead of sending a field comprising the odd lines to the screen first, followed by the field with the even lines, both fields are written at one time. A full image is created instantaneously, using the maximum resolution. At such a speed, your eye perceives a sharper picture with no line structure.

Picture In Picture (PIP)

Provides the ability to watch simultaneously two different sources, either two video sources or a combination with data/graphics

DVI-D input

A DVI-D input makes an uncompressed digital RGB connection from source to screen. By eliminating the conversion of the digital signal to analog, it delivers an unblemished image. Thanks to the non-degraded signal, you get less flicker and a clearer picture. The DVI input is fully backward compatible with HDMI sources, and also uses HDCP copy protection.

RS232 remote management

RS232 interface for remote management makes it possible to control several different products simultanuously such as advanced A/V receivers, DVD players, lighting, heating, ventilation and air conditioning systems.

Recessed mounting prepared

Enhance your interior design by recessing your TV inside the wall by means of the special mounting provisions of the Mirror TV.











Specifications

- Aspect ratio: 16:9
- · Color cabinet: Decorative Frame Silver
- Brightness: 500 cd/m²
- Contrast ratio (typical): 1000:1
 Viewing angle (H / V): 178 / 178 degree
- Response time (typical): 10 ms
- Diagonal screen size: 42 inch / 107 cm
- Display screen type: LCD WXGA Active Matrix TFT
- Panel resolution: 1366 x 768p
- Picture enhancement: Progressive scan, 3D Combfilter, Picture in Picture, Picture by Picture, De-interlacer

Supported Display Resolution

Computer formats

Computer formats	
Resolution	Refresh rate
640 x 480	60, 75Hz
720 x 400	70Hz
800 × 600	60, 75Hz
1024 x 768	60, 75Hz
1280 x 768	60Hz
1360 x 768	60Hz
Video formats	
Resolution	Refresh rate
480i	60Hz
480p	60Hz
576i	50Hz
576p	50Hz
720p	50, 60Hz
1080i	50, 60Hz

Convenience

- Ease of Installation: Automatic Tuning System (ATS), Autostore, Fine Tuning, Program Name, PLL Digital Tuning
- Ease of Use: Auto Volume Leveller (AVL), Smart Picture, Smart Sound
- Remote control type: RC1124134/01
- Remote Control: Multi-functional
- Screen Format Adjustments: 4:3, Movie expand 16:9, Super Zoom, Widescreen
- Teletext: 1 page Teletext
- OSD Languages: English, French, German, Italian, Simplified Chinese, Spanish
- VESA Mount: 600 x 400 mm
- Other convenience: Kensington lock

Tuner/Reception/Transmission

- Tuner bands: Hyperband, S-Channel, UHF, VHF
- TV system: PAL, SECAM
- Video Playback: PAL, SECAM
- Aerial Input: 75 ohm coaxial (IEC75)
- Tuner Display: PLL
- Number of Preset Channels: 100

Connectivity

- Ext 1 Scart: Audio L/R, CVBS in/out, RGB
- PC: 3.5 mm PC audio input x1, DVI-D with HDCP, RS232 D-Sub9, VGA-in D-Sub 15HD, VGA-out D-Sub 15HD
- Audio output: Stereo Audio (3.5 mm jack) 1x
- AV input: Component (YPbPr) x1, Audio (L/R) for YPbPr x1, Composite (CVBS) x1, Audio (L/R) x1, S-video x1
- AV output: Composite (CVBS) x1, Audio (L/R) x1
- Connectivity Enhancements: External Loudspeaker connector

Power

- Consumption (On mode): 140 W (PC) / 220 W (TV)
- Standby power consumption: 3W
 Ambient temperature: 0 °C to 35 °C
- Power supply: 90-264 VAC, 50/60 Hz, Built-in

Dimensions


- MTBF: 50.000 hrs • Set dimensions ($W \times H \times D$):
- 1127 x 717 x 161 mm
- Set weight: 40 kg
- Box dimensions (W x H x D):
- 1260 x 825 x 390 mm
- Weight incl. Packaging: 49 kg

Accessories

- Included accessories: AC Power Cord, Registration card, Remote Control, Batteries for remote control, Wall mounting bracket, DVI-D cable, Audio Cable, VGA cable, Installation CD
- User Manual

Sound

- Output power (RMS): 2 x 10 W
- · Sound System: Stereo





Issue date 2022-04-21

© 2022 Koninklijke Philips N.V. All Rights reserved.

www.philips.com

Version: 1.0.2

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

12 NC: 8639 000 16611 EAN: 87 10895 92128 2 BDL4221M/00