

LCD monitor

- V Line
- 24 (23.8" / 60.5 cm diag.) 1920 x 1080 (Full HD)

241V8W/89

Vivid, crisp images beyond boundaries

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode, and flicker-free for easy-on-the eyes.

Benefits

Vivid pictures every time

- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- · SmartContrast for rich black details
- SmartImage presets for easy optimized image settings
- Effortlessly smooth action with Adaptive-Sync technology

Easy on the eyes

- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

· EasyRead mode for a paper-like reading experience

Experience true multimedia

• HDMI ensures universal digital connectivity


Perfectly designed for your space

- · Compact design saves space
- VESA mount allows for flexibility



Features

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 \times 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

Adaptive-Sync technology



Gaming shouldn't be a choice between choppy gameplay or broken frames. Get fluid, artifact-free performance at virtually any framerate with Adaptive-Sync technology, smooth quick refresh and ultra-fast response time.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

EasyRead mode



HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Specifications

[field not found 'disclaimer_text']

Picture/Display

LCD panel type IPS technology Backlight type W-LED system Panel Size 23.8 inch / 60.5 cm Display Screen Anti-Glare, 3H, Haze 25%

Coating

Effective viewing area 527 (H) x 296.5 (V)

Aspect ratio 16:9

1920 x 1080 @ 75 Hz* Maximum resolution 93 PPI

Pixel Density Response time

4 ms (GtG)* (typical) Brightness 250 cd/m² Contrast ratio 1000:1

(typical) Mega Infinity DCR SmartContrastPixel pitch 0.275×0.275 mm Viewing angle 178° (H) / 178° (V) @ C/R > 10

Flicker-free Yes Display colors 16.7 M

Scanning Frequency 30 -83 kHz (H) / 56 -76 Hz (V)

LowBlue Mode Yes EasyRead Yes sRĠB Yes Adaptive sync Yes

Connectivity

Sync Input

VGA (Analog) HDMI (digital, HDCP) Signal Input

Separate Sync

Sync on Green Audio (In/Out) HDMI audio out

Convenience

Power On/Off User convenience

Menu/OK Brightness/UP Input/Down SmartImage/Back

Brazil Portuguese **OSD** Languages Czech

> Dutch English Finnish French German Greek Hungarian Italian

Japanese Korean Polish Portuguese Russian Spanish Simplified Chinese

Swedish Turkish

Traditional Chinese Ukrainian

Kensington lock Other convenience

VESA mount (100x100mm)

Plug & Play Compati-DDC/CI Mac OS X bility

sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 19.9 W (typ.) 0.5 W (typ.) Standby mode 0.3 W (typ.) Off mode Operation - White Power LED indicator

Standby mode- White (blinking)

Power supply

100-240VAC, 50-60Hz

Dimensions

Product with stand 540 x 416 x 220 mm

(mm)

Product without 540 x 322 x 51 mm

stand (mm)

Packaging in mm 608 x 415 x 121 mm

(WxHxD)

Weight

Product with stand

(kg)

Product without stand (kg)

Product with pack-

aging (kg)

3.06 kg

2.66 kg

4.27 kg

Operating conditions

Temperature range

(operation)

Temperature range -20°C to 60 °C (storage)

Relative humidity

Altitude

20%-80 %

 0° C to 40 $^{\circ}$ C

Operation: +12,000ft (3,658m), Non-

operation: +40,000ft (12,192m) 50,000 (Excluded backlight) hour(s)

Sustainability

MTBF

Environmental and RoHS Mercury Free

energy

Recyclable packaging

material

Compliance and standards

Regulatory Approvals CB

CE Mark FCC Class B

ICES-003

100 %

Cabinet

White Color Finish Textured



data subject to change 2023, June 20

Version: 2.0.2 EAN: 8712581781521 © 2023 Koninklijke Philips N.V. All rights reserved.

 $Specifications \ are \ subject \ to \ change \ without \ notice. \ Trademarks \ are \ the \ property \ of \ Koninklijke \ Philips \ N.V. \ or$ their respective owners.

www.philips.com

 $[\]ast$ "IPS" word mark / trademark and related patents on technologies belong to their respective owners.

^{*} The maximum resolution works for HDMI input only.

* Response time value equal to SmartResponse

* The monitor may look different from feature images.