

LCD monitor

- V Line
- 27" (68.6 cm) 1920 x 1080 (Full HD)

271V8L/89

# Vivid, crisp images beyond boundaries

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode, and flicker-free for easy-on-the eyes.

## **Benefits**

## Vivid pictures every time

- VA display delivers awesome images with wide viewing angles
- SmartImage presets for easy optimized image settings
- SmartContrast for rich black details
- Effortlessly smooth action with Adaptive-Sync technology

## Easy on the eyes

- · Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

• EasyRead mode for a paper-like reading experience

## Experience true multimedia

• HDMI ensures universal digital connectivity


## Perfectly designed for your space

• VESA mount allows for flexibility



## **Features**

## VA display



Philips VA LED display uses an advanced multi-domain vertical alignment technology which gives you super-high static contrast ratios for extra vivid and bright images. While standard office applications are handled with ease, it is especially suitable for photos, web-browsing, movies, gaming, and demanding graphical applications. It's optimized pixel management technology gives you 178/178 degree extra wide viewing angle, resulting in crisp images.

#### SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

#### SmartContrast



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.

### Adaptive-Sync technology



Gaming shouldn't be a choice between choppy gameplay or broken frames. Get fluid, artifact-free performance at virtually any framerate with Adaptive-Sync technology, smooth quick refresh and ultra-fast response time.

## Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

#### LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

#### EasyRead mode



## **HDMI** Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

## **Specifications**

[field not found 'disclaimer\_text']

Picture/Display

LCD panel type VA LCD

Backlight type Panel Size W-LED system 27 inch / 68.6 cm Display Screen

Coating

Effective viewing area

Anti-Glare, 3H, Haze 25%

597.9 (H) x 336.3 (V)

1920 x 1080 @ 75 Hz\*

82 PPI

4 ms (GtG)\*

Mega Infinity DCR

0.3114 x 0.3114 mm

178° (H) / 178° (V) @ C/R > 10

30 -85 kHz (H) / 48 -75 Hz (V)

250 cd/m<sup>2</sup>

3000:1

Yes

Yes

Yes

Yes

Yes

VGA (Analog)

Separate Sync

Sync on Green

Power On/Off

Audio out

Menu/OK

HDMI (digital, HDCP)

16.7 M

Aspect ratio Maximum resolution Pixel Density

Response time (typical)

Brightness Contrast ratio (typical)

SmartContrast

Pixel pitch Viewing angle

Flicker-free Display colors Scanning Frequency

LowBlue Mode EasyRead sRGB

Adaptive sync

Connectivity

Signal Input Sync Input

Audio (In/Out)

Convenience

User convenience

Brightness/UP Input/Down SmartImage/Back OSD Languages Brazil Portuguese Czech

Dutch English Finnish French German Greek Hungarian Italian

Japanese Korean Polish Portuguese Russian Spanish

. Simplified Chinese Swedish Turkish

Traditional Chinese Ukrainian

Other convenience Kensington lock

VESA mount (100x100mm)

Plug & Play Compati-

bility

DDC/CI Mac OS X sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree

Power

On mode 23.3 W (typ.) 0.3 W (typ.) Standby mode 0.3 W (typ.) Off mode Power LED indicator Operation - White

Standby mode- White (blinking)

Built-in Power supply

100-240VAC, 50-60Hz

613 x 456 x 231 mm

613 x 363 x 45 mm

730 x 446 x 123 mm

3.94 kg

3.48 kg

5.53 kg

**Dimensions** 

Product with stand(max height)

Product without stand (mm)

Packaging in mm (WxHxD)

Weight

Product with stand (kg)

Product without

stand (kg)

Product with pack-

aging (kg)

Operating conditions

0°C to 40°C °C Temperature range (operation) Temperature range -20°C to 60°C °C

(storage)

Relative humidity

Altitude

operation: +40,000ft (12,192m) **MTBF** 50,000 (Excluded backlight) hour(s)

Operation: +12,000ft (3,658m), Non-

20%-80 %

Sustainability

Environmental and RoHS Mercury Free energy Recyclable packaging 100 %

material

Compliance and standards

Regulatory Approvals UKRAINIAN

CB TUV Ergo TUV/GS CU-EAC **EAEU RoHS** CE Mark **PSB** 

Cabinet

Color Black Finish Textured

<sup>\*</sup> The monitor may look different from feature images.



data subject to change

2023, June 20

Version: 1.0.1 EAN: 8712581799236 © 2023 Koninklijke Philips N.V.

All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

<sup>\*</sup> The maximum resolution works for HDMI input only.

<sup>\*</sup> Response time value equal to SmartResponse