



# Experience true color, unconstrained visuals

The new Philips E line monitor with 4-sides narrow border and cable management design offers a stylish enhancement to your workspace. Experience Crystal-clear Quad HD visuals, 1ms and AMD FreeSync™ technology for smooth gaming action.

# **Features designed for you**

- EasySelect menu toggle key for quick on-screen menu access
- Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity
- Cable management reduces cable clutter for neat workspace

# **Good for Gaming**

- 1ms (MPRT) fast response for crisp image and smooth gameplay
- Effortlessly smooth gameplay with AMD FreeSync™ technology
- SmartImage game mode optimized for gamers

### **Superb Picture Quality**

- SmartContrast for rich black details
- IPS LED wide view technology for image and color accuracy
- Crystalclear images with Quad HD 2560 x 1440 pixels
- 4-sided frameless display

QHD LCD monitor 275E2F/69


# Highlights

#### **4-sided frameless**



Extremely minimizing 4-sided bezels on this virtually frameless display gives minimalist look and offers an expansive viewing experience. Expand your productivity and make you focus on the vivid images with seamless visions. Significant wide view without distraction even multimonitor set-up in pivot mode.

# **IPS technology**



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

# Crystalclear images



These Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high

density pixel count, enabled by high bandwidth sources, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

#### Ultra-smooth gaming





AMD FreeSync™ OFF

AMD FreeSync™ ON

Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync™ technology, smooth quick refresh and ultra-fast response time

### **1ms MPRT fast response**



MPRT (motion picture response time) is more intuitive way to describe the response time, which directly refers the duration from seeing blurry noise to clean and crisp images. Philips gaming monitor with 1 ms MPRT effectively eliminates smearing and motion blur, delivers shaper and precise visuals to enhance gaming experience. Best choice for playing thrilling and twitch-sensitive games.

#### Smartimage Game mode



The new Philips gaming display has quick access OSD fine tuned for gamers, offering you multiple options. "FPS" mode (First person shooting) improves dark themes in games, allowing you to see hidden objects in dark areas. "Racing" mode adapts display with fastest response time, high color, along with image adjustments. "RTS" mode (Real time strategy) has a special SmartFrame mode which enables highlighting of specific area and allows for size and image adjustments. Gamer 1 and Gamer 2 enable you to save personal customized settings based on different games, ensuring best performance.

#### **Flicker-free technology**



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

















QHD LCD monitor 275E2F/69

# Highlights

### **LowBlue Mode**



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

### **Cable management**



Cable management is an intimate design that maintains tidy workspace by organizing cables and wires required for the operation of a display device.

### **EasySelect Menu Toggle Key**



The discreetly placed EasySelect Menu Toggle Key allows you to make quick and easy adjustments to monitor settings in the On-Screen Display menu.

# **SmartContrast**



SmartContrast is a Philips technology that analyzes the contents you are displaying, automatically adjusting colors and controlling backlight intensity to dynamically enhance contrast for the best digital images and videos or when playing games where dark hues are displayed. When Economy mode is selected, contrast is adjusted and backlighting fine-tuned for just-right display of everyday office applications and lower power consumption.













QHD LCD monitor 275E2F/69

# Specifications

#### **Picture/Display**

Panel Size: 27 inch / 68.6 cm

Aspect ratio: 16:9

LCD panel type: IPS technology Backlight type: W-LED system Pixel pitch: 0.2331 x 0.2331 mm

Brightness: 350 cd/m<sup>2</sup> Display colors: 16.7 M

Color gamut (typical): NTSC 101.6%\*, sRGB

115.6%\*

Contrast ratio (typical): 1000:1 SmartContrast: Mega Infinity DCR

Response time (typical): 4 ms (Grey to Grey)\* Viewing angle: 178° (H) / 178° (V), @ C/R >

10

Picture enhancement: SmartImage game Maximum resolution: 2560 x 1440 @ 75 Hz\* Effective viewing area: 596.74 (H) x 335.66 (V)

mm

Scanning Frequency: 30 - 144 kHz (H) / 48 - 75

Hz (V) sRGB Flicker-free

Pixel Density: 109 PPI LowBlue Mode

Display Screen Coating: Anti-Glare, 3H, Haze

25% MPRT: 1 ms EasyRead

AMD FreeSync™ technology

#### **Connectivity**

Signal Input: DisplayPort x 1, HDMI x 2

Sync Input: Separate Sync Audio (In/Out): Audio out

#### Convenience

Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8.1 / 8 / 7

User convenience: Power On/Off, Menu,
Brightness, Input, SmartImage Game

OSD Languages: Brazil Portuguese, Czech, Dutch,
English, Finnish, French, German, Greek,
Hungarian, Italian, Japanese, Korean, Polish,
Portuguese, Russian, Simplified Chinese, Spanish,
Swedish, Traditional Chinese, Turkish, Ukrainian
Other convenience: Kensington lock, VESA
mount (100x100mm)

#### **Stand**

Tilt: -5/20 degree

#### Power

Power supply: External, 100-240VAC, 50-60Hz

Off mode: 0.3 W (typ.)

On mode: 18.55 W (typ.) (EnergyStar test

method)

Standby mode: 0.5 W (typ.)

Power LED indicator: Operation - White, Standby

mode- White (blinking)

#### **Dimensions**

Packaging in mm (WxHxD): 678 x 504 x 153 mm Product without stand (mm): 614 x 354 x 38 mm Product with stand(max height): 614 x 462 x 234 mm

#### Weight

Product with packaging (kg): 7.06 kg Product with stand (kg): 4.76 kg Product without stand (kg): 3.43 kg

#### **Operating conditions**

Altitude: Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m)

Temperature range (operation): 0 to 40 °C MTBF: 50,000 hrs (excluding backlight) hour(s)

Relative humidity: 20%-80 %

Temperature range (storage): -20 to 60 °C

#### **Sustainability**

Environmental and energy: EnergyStar 8.0,

RoHS, Mercury Free

Recyclable packaging material: 100 %

### **Compliance and standards**

Regulatory Approvals: EPA, CB, CE Mark, FCC Class B, ICES-003, PSB

# Cabinet

Color: Black
Finish: Textured

© 2025 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

Issue date 2025-03-17 Version: 2.0.1

EAN: 87 12581 76879 9





- \* "IPS" word mark / trademark and related patents on technologies belong to their respective owners.
- \* The maximum resolution works for either HDMI input or DP input.
- \* NTSC Area based on CIE1976
- \* sRGB Area based on CIE1931
- \* 2020 Advanced Micro Devices, Inc. All rights reserved.
  AMD, the AMD Arrow logo, AMD FreeSync™ and
  combinations thereof are trademarks of Advanced Micro
  Devices, Inc. Other product names used in this publication
  are for identification purposes only and may be trademarks
  of their respective companies.
- \* The monitor may look different from feature images.