



Philips Brilliance
4K UHD monitor with
HDR

B Line

28" (71.1 cm)
3840 × 2160 (4K UHD)

288B6LJRN

Crisp images, efficient performance

for maximum productivity

When ultra-clear picture quality matters, Philips 28" 4K HDR monitor delivers excellent results. 4K UHD delivers ultimate clarity with HDR for the most life-like visuals. Height-adjustment and LowBlue features make work easy-on-the eyes

Perfectly designed for your space

- VESA mount allows for flexibility
- SmartErgoBase enables people-friendly ergonomic adjustments

Vivid, natural and razor sharp images

- High Dynamic Range (HDR) for more lifelike colorful visuals
- UltraClear 4K UHD (3840x2160) resolution for precision

Designed for the way you work

- SmartImage presets for easy optimized image settings

Designed for comfortable productivity


- EasyRead mode for a paper-like reading experience
- Less eye fatigue with Flicker-free technology
- LowBlue Mode for easy on-the-eyes productivity

PHILIPS

4K UHD monitor with HDR
B Line 28" (71.1 cm), 3840 x 2160 (4K UHD)


Highlights

UltraClear 4K UHD Resolution




These Philips displays utilize high performance panels to deliver UltraClear, 4K UHD (3840 x 2160) resolution images. Whether you are demanding professional requiring extremely detailed images for CAD solutions, using 3D graphics applications or a financial wizard working on huge spreadsheets, Philips displays will make your images and graphics come alive.

High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating color, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colors never before seen on display, giving you a visual experience that engages your senses and inspires emotions.

SmartErgoBase



The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The base can swivel, tilt and rotate to various angles to ensure maximum comfort. The height adjustable stand guarantees the optimal viewing level, reducing the physical strains of a long workday, while cable management reduces cable clutter and keeps the workspace neat and professional.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Photo, Movie, Game, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

288B6LJRN/75

LowBlue Mode




Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

EasyRead mode



EasyRead mode for a paper-like reading experience

VESA mount

VESA mount allows for flexibility

4K
Ultra HD

HDR

SmartErgo Base

SmartImage™

LowBlue Mode

Flicker-free

EasyRead

VESA Mount

4K
Ultra HD

Specifications

Connectivity

- Signal Input: DisplayPort 1.4 x 1, HDMI 2.0 x 2
- Sync Input: Separate Sync, Sync on Green
- Audio (In/Out): HDMI / DP audio out

Picture/Display

- Panel Size: 28 inch / 71.1 cm
- Aspect ratio: 16:9
- LCD panel type: TFT-LCD
- Backlight type: W-LED system
- Pixel pitch: 0.16 x 0.16 mm
- Optimum resolution: 3840 x 2160 @ 60Hz
- Brightness: 300 cd/m²
- Brightness uniformity: 93 ~ 105%
- Display colors: Color support 1.07 billion colors
- Color gamut (typical): NTSC 84%*, sRGB 102%*
- Contrast ratio (typical): 1,000:1
- SmartContrast: 50,000,000 :1
- Response time (typical): 1 ms (Gray to Gray)*
- Viewing angle: 170° (H) / 160° (V), @ C/R > 10
- Picture enhancement: SmartImage
- Effective viewing area: 620.93 (H) x 341.28 (V)
- Scanning Frequency: 30 - 160 kHz (H) / 23 - 80 Hz (V)
- sRGB
- Flicker-free
- Pixel Density: 157 PPI
- LowBlue Mode
- Display Screen Coating: Anti-Glare, 3H, Haze 25%
- SmartUniformity: Delta < 3 (sRGB)
- EasyRead
- HDR: HDR 10

Convenience

- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 10 / 8 / 7
- User convenience: SmartImage, Input, Brightness, Menu, Power On/Off
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
- Other convenience: Kensington lock, VESA mount (100x100mm)

Stand

- Height adjustment: 150 mm
- Pivot: 90 degree

- Swivel: -65/65 degree
- Tilt: -5/20 degree

Power

- ECO mode: 21.7 W (typ.)
- Power supply: Built-in, 100-240VAC, 50-60Hz
- Off mode: Zero watts with AC switch
- On mode: 27 W (typ.) (EnergyStar 7.0 test method)
- Standby mode: 0.5 W (typ)
- Power LED indicator: Operation - White, Standby mode- White (blinking)

Dimensions

- Packaging in mm (WxHxD): 782 x 497 x 224 mm
- Product without stand (mm): 659 x 395 x 49 mm
- Product with stand(max height): 659 x 573 x 273 mm

Weight

- Product with packaging (kg): 10.75 kg
- Product with stand (kg): 7.56 kg
- Product without stand (kg): 4.76 kg

Operating conditions

- Altitude: Operation: +12,000ft (3,658m), Non-operation: +40,000ft (12,192m)
- Temperature range (operation): 0°C to 40°C °C
- MTBF: 70,000 hrs (excluded backlight) hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60°C °C

Sustainability

- Environmental and energy: EnergyStar 7.0, RoHS, WEEE
- Post consumer recycled plastic: 65%
- Recyclable packaging material: 100 %
- Specific Substances: PVC / BFR free housing, Mercury free

Compliance and standards

- Regulatory Approvals: CE Mark, CEC, CCC, PSB, MEPS, RCM

Cabinet

- Finish: Texture
- Foot: Black
- Front bezel: Black
- Rear cover: Black



Issue date 2024-03-23

Version: 1.0.1

EAN: 87 12581 76614 6

© 2024 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V.
or their respective owners.

www.philips.com

* Response time value equal to SmartResponse

* NTSC Area based on CIE1976

* sRGB Area based on CIE1931

* The monitor may look different from feature images.