

LCD monitor with Ultra Wide-Color

- E Line
- 27" (68.6 cm) Full HD (1920 x 1080)

276E9ODSB/00

Stunning color, stylish design

The Philips E line monitor features stylish design with extraordinary picture performance. A narrow border Full HD display with Ultra Wide-Color brings you to real true-to-life visuals. Enjoy superior viewing in a stylish design.

Benefits

Superb Picture Quality

- Ultra Wide-Color wider range of colors for a vivid picture
- IPS LED wide view technology for image and color accuracy
- 16:9 Full HD display for crisp detailed images
- \bullet Effortlessly smooth gameplay with AMD FreeSync $^{\text{TM}}$ technology

Features designed for you

- Narrow border display for a seamless appearance
- · Less eye fatigue with Flicker-free technology

- LowBlue Mode for easy on-the-eyes productivity
- HDMI ensures universal digital connectivity

Greener everyday

- Eco-friendly materials meet major international standards
- · Low power consumption saves energy bills





Features

Ultra Wide-Color Technology





Ultra Wide-Color Technology delivers a wider spectrum of colors for a more brilliant picture. Ultra Wide-Color wider "color gamut" produces more natural-looking greens, vivid reds and deeper blues. Bring, media entertainment, images, and even productivity more alive and vivid colors from Ultra Wide-Color Technology.

IPS technology



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

16:9 Full HD display



Picture quality matters. Regular displays deliver quality, but you expect more. This display features enhanced Full HD 1920 \times 1080 resolution. With Full HD for crisp detail paired with high brightness, incredible contrast and realistic colors expect a true to life picture.

Ultra-smooth gaming



Gaming shouldn't be a choice between choppy gameplay or broken frames. With the new Philips monitor it doesn't have to be. Get fluid, artifact-free performance at virtually any framerate with AMD FreeSync $^{\text{TM}}$ technology, smooth quick refresh and ultra-fast response time.

UltraNarrow Border



The new Philips displays feature ultra-narrow borders which allow for minimal distractions and maximum viewing size. Especially suited for multi-display or tiling setup like gaming, graphic design and professional applications, the ultra-narrow border display gives you the feeling of using one large display.

Flicker-free technology



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

LowBlue Mode



Studies have shown that just as ultra-violet rays can cause eye damage, shortwave length blue light rays from LED displays can cause eye damage and affect vision over time. Developed for wellbeing, Philips LowBlue Mode setting uses a smart software technology to reduce harmful shortwave blue light.

HDMI Ready



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

Eco-friendly materials

"Philips is committed to use sustainable, eco-friendly materials across its monitor range. All body plastic parts, metal chassis parts and packing materials use 100% recyclable materials. In some selected models we utilize upto 65% post consumer recycled plastics. Strict adherence to RoHS standards ensure substantial reduction or elimination of toxic substances like Lead, for example. Mercury content in monitors with CCFL backlight has been reduced significantly, while eliminated in monitors with LED backlight completely.

Specifications

[field not found 'disclaimer_text']

Picture/Display

IPS technology LCD panel type W-LED system Backlight type Panel Size 27 inch / 68.6 cm 597.9 (H) x 336.3 (V) Effective viewing area Display Screen Anti-Glare, 3H, Haze 25%

Coating Aspect ratio

Maximum resolution

1920 x 1080 @ 75 Hz* Pixel Density 82 PPI Response time 4 ms (Gray to Gray)*

(typical)

250 cd/m² **Brightness** Contrast ratio 1000:1 (typical)

SmartContrast Pixel pitch Viewing angle

20,000,000:1 $0.311 \times 0.311 \text{ mm}$ 178° (H) / 178° (V) @ C/R > 10

Flicker-free Yes

Picture enhancement SmartImage game Color gamut (typical) NTSC 93%*, sRGB 124%* Display colors 16.7 M

Scanning Frequency 38 - 89 kHz (H) / 50 - 75 Hz (V) LowBlue Mode Yes

sRGB Yes FreeSync Yes

Connectivity

Signal Input VGA (Analog)

DVI-D (digital, HDCP) HDMI (digital, HDCP)

Sync Input Separate Sync Sync on Green Audio (In/Out) HDMI audio out

Convenience

Power On/Off User convenience

> Menu Brightness Input

SmartImage Game

Brazil Portuguese OSD Languages Czech Dutch

English Finnish French German Greek Hungarian Italian Japanese Korean Polish Portuguese Russian Simplified Chinese

Spanish Swedish

Traditional Chinese Turkish Ukranian

Other convenience Kensington lock VESA mount (100x100mm)

DDC/CI

Plug & Play Compatibility Mac OS X

sRGB

Windows 10 / 8.1 / 8 / 7

Stand

Tilt -5/20 degree Power

On mode 15.72 W (typ.) (EnergyStar 7.0 test

method) 0.5 W (typ.)

0.5 W (typ.) Off mode Energy Label Class

Power LED indicator Operation - White

Standby mode- White (blinking)

614 x 465 x 220 mm

Power supply External

100-240VAC, 50-60Hz

Dimensions

Product with stand

(mm)

Standby mode

Product without 614 x 367 x 40 mm

stand (mm)

Packaging in mm 660 x 514 x 155 mm

(WxHxD)

Weight

Product with stand 3.97 kg (kg)

Product without

3.30 kg stand (kg) Product with pack-5.91 kg

aging (kg)

Operating conditions

0 to 40 °C Temperature range

(operation)

Temperature range

(storage)

Relative humidity

Altitude

Operation: +12,000ft (3,658m), Nonoperation: +40,000ft (12,192m) MTBF 50,000 (excluding backlight) hour(s)

-20 to 60 °C

20%-80 %

Sustainability

Environmental and

energy

EnergyStar 7.0 **EPEAT** Silver **RoHS** Lead-free

Mercury Free 100 %

Recyclable packaging

material

Compliance and standards

Regulatory Approvals CE Mark

FCC Class B **RCM** CU

TUV/ISO9241-307

EPA WEEE CCC CECP BSMI PSE VCCI

Cabinet

Black / Silver Color Finish Glossy

What's in the box?

Monitor with stand

Cables HDMI cable, Power cable

User Documentation Yes

> data subject to change 2019, May 15

- \ast "IPS" word mark / trademark and related patents on technologies belong to their respective owners. \ast The maximum resolution works for HDMI input only.
- * Response time value equal to SmartResponse
- * 2015 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, FreeSync and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other names are for informational purposes only and may be trademarks of their respective owners.
- * NTSC Area based on CIE1976
- * sRGB Area based on CIE 1931
- $\ensuremath{^{*}}$ The monitor may look different from feature images.



data subject to change 2019, May 15

Version: 6.0.1 EAN: 8712581749972 © 2019 Koninklijke Philips N.V. All rights reserved.

 $Specifications \ are \ subject \ to \ change \ without \ notice. \ Trademarks \ are \ the \ property \ of \ Koninklijke \ Philips \ N.V. \ or$ their respective owners.

www.philips.com