

# PHILIPS

## Smart video door lock


### 7000 series

Two-way intercom

PIR human body detection

Realtime's on Wi-Fi connection

Smart remote monitoring



DDL702IAFCW



## Remote video monitoring

### Visible security

Adopted with a PIR, when someone moves around within 3 meters at the front door, the Philips DDL702-1HWS will capture a photo or a video and push it to the App via Wi-Fi connection, allowing you to know who's at the door anytime.

#### Smart life "locked" with excellence

- Always know who's at the door
- Make real-time communication everywhere
- Instant pushed alert upon abnormal situation

#### Upgraded smart chip enhances home security

- Verification portfolio provides double security
- Technical lock-picking for more than 270 mins
- Instantly protect home security at all time

#### Easy life doesn't stop here

- Door's open when the hand is detected
- Eliminate the hassle of manually lockin
- Stable and long lasting

# Highlights

## Realtime's on Wi-Fi connection



The DDL702-1HWS smart video lock makes real-time online via the Wi-Fi connection. After binding the Philips EasyKey App, you can view the lock activity history and encrypted information, remotely send temporary PIN codes, and view the real-time situation at the door by clicking the video button.

## Two-way intercom



When the visitor presses the doorbell, a message will push to the APP instantly. If the APP runs in the foreground, it will receive a call reminder; if the APP runs in the background, it will receive a message. You could start a two-way intercom by tapping the message box to connect with the App. When the doorbell rings, the video lock will automatically record the video, so you won't miss any visitor information even when you are not home.

## PIR human body detection



Adopted with the PIR, when someone moves around the front door within 3 meters, the AI humanoid detection algorithm will identify abnormal dynamics by instantly capturing a photo or a video, and simultaneously pushing a message to the APP through the encrypted

cloud server. Now that it allows you to fully manage the dynamics at the front door and avoid security risks.

## Dual verification



In the dual verification mode, you could open the door with both fingerprint and PIN code, which provide double assurance for home security.

## C-grade lock cylinder



The lock cylinder is the key component that controls the opening of the lock. DDL702-1HWS' s C-grade lock cylinder employs multiple anti-theft technologies with a unique design of pin tumbler and vane structure. As the time for technical lock-picking resistance is more than 270 mins, enhanced security is assured.

## Multiple alert function



Featured multiple alerts of anti-dismantling, abnormal bolt, outside forced locking, and low battery level reminder, Philips DDL702-1HWS instantly safeguards the family and reminds you of the lock status. Now that is peace of mind.

## Indoor infrared sensor unlock



With a touch sensor and an infrared sensor on the indoor handle, once the hand touches the touch sensor and the infrared sensor detects the obstruction, the door can be easily unlocked.

## Fully automatic mortise



Philips DDL702-1HWS utilizes a fully automatic mortise. Without the need for extra action, the bolt will spontaneously pop up upon closing the door. If the door is not locked fitly, it will trigger an alert to remind you of the door lock status.

## 5000 mAh lithium battery



When the battery charges to full capacity and Wi-Fi is continuously connected, the lithium battery life can last for 2 months\* with a daily 5-minute video call and 10-time door opening. When the battery level is less than 7.2V, the "low-battery level" reminder will be pushed to the App, and the battery can last for approximately 1 month under the frequency of a daily 10-time door opening after the video function is automatically off.

# Specifications

## Access Solution

Fingerprint  
Mechanical Key  
Password/PIN Code

## Design & Appearance

Color: Obsidian black, Red copper  
Fingerprint Sensor: Semiconductor  
Handle: Lever handle  
Main Material: Zinc alloy

## Easy Operation

Indicator: Door locks status prompt, Low battery prompt, Mute status prompt, Outside forced lock prompt, System locking prompt  
Voice Guide: Human voice guide

## Installation

Door Opening Direction: Left inward opening, Left outward opening, Right inward opening, Right outward opening  
Door Thickness: 38-60 mm, 60-90 mm, 90-120 mm, Other range\*

## Lock Capacity

Master PIN Code: 1  
User PIN Code: Up to 20

## Mode

Operation Mode: Auto mode, Manual mode  
System Setup Mode: Dual verification mode, Normal mode

## Power Specification

Battery Type: Lithium Battery  
Emergency Power Supply: 5V power bank

## Smart Lock Functions

Mortise: C grade lock cylinder  
Safety Function: Dual verification, Fake PIN code, Outside forced lock function

