



Stable performance

With quick unlock by fingerprint

With the fingerprint sensor integrated into the handle, unlocking is conveniently in one grip. Its dual verification and hidden PIN code functions enhance home entry security. 4 smart unlocking methods and auto-locking makes life easier.

Extraordinary design brings outstanding experience

· With a single grip

Multiple protection in one for overall home safety

- · Protect home security at all time
- · Security is assured
- · Effectively reminds security risks
- · Protects your PIN code security in real-time
- · Higher lock reliability and better home security
- · Eliminates tempering risk while away

Life is more than convenient

- · Eliminating the hassle of repetitive locking
- Enjoy the resassurance whenever door is closed

Lever lock DDL173LCFBB/97

Highlights

Enjoy easy unlock



The fingerprint sensor is integrated in the handle lever so that when you hold the handle, your fingertip will naturally fall on the sensor. Upon successful authentication, you can press down the handle and unlock the door swiftly.

Multiple alerting function



Philips 7300 has been featured with an all-round alert function. It improves the anti-theft level of your home, safeguards your family in real-time, and reminds you of the door lock status.

Dual verfication mode



With any two combinations of fingerprint, PIN code, and key tag verification under dual verification mode, you can unlock the door, which provides double protection for home security.

Outside forced locking



Before leaving home, you can touch the outside forced lock button to enable the function. In this mode, opening the door from inside will trigger an alert. This feature can effectively remind you of security risks and upgrade the level of home security.

Hidden PIN code



Feature with hidden PIN code technology, Philips smart lock allows you to enter any random number combinations to successfully get identified as long as there is a consecutive input of the real password. This feature can effectively prevent peeping and safeguard your real password.

C-grade lock cylinder

Super B grade lock cylinder



The lock cylinder is the key component that controls the opening of the lock. The C-grade lock cylinder employs multiple anti-theft technologies with a unique design of pin tumbler and vane structure, it can provide high deterrence against technical lock-picking.

Safe handle function



You can enable the safe handle function before leaving home. After the door is locked, the indoor handle will be locked up to ensure that nobody could open the door by pushing the indoor handle. This feature can effectively prevent unlocking from inside through the door viewer, thus eliminating security risks and improves anti-theft performance.

Auto mortise




Feature with automatic locking function, the Philips 7300 lever lock reduces the security risks associated with forgetting to close the door.

Auto locking

Automatic

you of the door lock status.





Specifications

Access Solution

Card/Key Tag
Fingerprint
Mechanical Key
Password/PIN Code

Smart Lock Functions

Alarm Function: Anti-prying alarm, Outside forced lock alarm, Abnormal bolt alarm, Anti-dismantle alarm

Locking Function: System locking, Indoor

deadlock

Mortise: C grade lock cylinder

Safety Function: Dual verification, Fake PIN code, Outside forced lock function, Safe handle funtion

Easy Operation

Indicator: Door locks status prompt, Low battery prompt, Mute status prompt, Outside forced lock prompt, System locking prompt Voice Guide: Human voice guide

Design & Appearance

Color: Obsidian black Handle: Lever handle

Surface Processing: Electroplating Fingerprint Sensor: Semiconductor

Lock Capacity

Card/Key Tag: Up to 100 Fingerprint: Up to 100 Master PIN Code: 1 One-time PIN Code: 1 User PIN Code: Up to 10

Mode

Operationg Mode: Auto mode, Manual mode System Setup Mode: Dual verification mode, Normal mode

Power Specification

Battery Type: Alkaline Batteries Emergency Power Supply: 5V power bank Maximum Batteries Capacity: 8 batteries Power Supply: 4 AA batteries Time of Use: 10 months* Working Voltage: 4.5-6V

Installation

Door Opening Direction: Left inward opening, Left outward opening, Right inward opening,

Right outward oepning

Door Thickness: 38-60 mm, 60-90 mm, 90-

120 mm, Other range*

Accessory Parts

Accessorial Battery: 4 AA alkaline batteries

Certificate
Drilling Template
Installation Accessories
Mechanical Key: 2 keys

Mortise Mounting Plate Cleaning Pad

Smart Key Tag: 2 cards

User Manual Warranty Card

© 2021 Koninklijke Philips N.V. All Rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

Issue date 2021-09-30 Version: 4.0.1

12 NC: 8670 001 72334 EAN: 69 71318 50203 3

www.philips.com



^{*} Please contact our service agents or authorized dealers for other door range.

^{*} May be less depending on the actual usage.