



Philips 7000 series  
Smart video door lock

### Two-way intercom

PIR human body detection  
Realtime's on Wi-Fi connection  
Smart remote monitoring

DDL702IAFCW

# Remote video monitoring

## Visible security

Adopted with a PIR, when someone moves around within 3 meters at the front door, the Philips DDL702-1HWS will capture a photo or a video and push it to the App via Wi-Fi connection, allowing you to know who's at the door anytime.

### Upgraded smart chip enhances home security

- Verification portfolio provides double security
- Instantly protect home security at all time

### Smart life "locked" with excellence

- Instant pushed alert upon abnormal situation
- Always know who's at the door
- Make real-time communication everywhere

### Easy life doesn't stop here

- Stable and long lasting
- Eliminate the hassle of manually lockin
- Door's open when the hand is detected

# PHILIPS


## Smart video door lock

Two-way intercom PIR human body detection, Realtime's on Wi-Fi connection, Smart remote monitoring

DDL702IAFCW/97

# Highlights

## Realtime's on Wi-Fi connection



The DDL702-1HWS smart video lock makes real-time online via the Wi-Fi connection. After binding the Philips EasyKey App, you can view the lock activity history and encrypted information, remotely send temporary PIN codes, and view the real-time situation at the door by clicking the video button.

## Two-way intercom



When the visitor presses the doorbell, a message will push to the APP instantly. If the APP runs in the foreground, it will receive a call reminder; if the APP runs in the background, it will receive a message. You could start a two-way intercom by tapping the message box to connect with the App. When the doorbell rings, the video lock will automatically record the video, so you won't miss any visitor information even when you are not home.

## PIR human body detection



Adopted with the PIR, when someone moves around the front door within 3 meters, the AI

humanoid detection algorithm will identify abnormal dynamics by instantly capturing a photo or a video, and simultaneously pushing a message to the APP through the encrypted cloud server. Now that it allows you to fully manage the dynamics at the front door and avoid security risks.

## Dual verification



In the dual verification mode, you could open the door with both fingerprint and PIN code, which provide double assurance for home security.

## Multiple alert function



Featured multiple alerts of anti-dismantling, abnormal bolt, outside forced locking, and low battery level reminder, Philips DDL702-1HWS instantly safeguards the family and reminds you of the lock status. Now that is peace of mind.

## Indoor infrared sensor unlock



With a touch sensor and an infrared sensor on the indoor handle, once the hand touches the

touch sensor and the infrared sensor detects the obstruction, the door can be easily unlocked.

## Fully automatic mortise



Philips DDL702-1HWS utilizes a fully automatic mortise. Without the need for extra action, the bolt will spontaneously pop up upon closing the door. If the door is not locked fitly, it will trigger an alert to remind you of the door lock status.

## 5000 mAh lithium battery



When the battery charges to full capacity and Wi-Fi is continuously connected, the lithium battery life can last for 2 months\* with a daily 5-minute video call and 10-time door opening. When the battery level is less than 7.2V, the "low-battery level" reminder will be pushed to the App, and the battery can last for approximately 1 month under the frequency of a daily 10-time door opening after the video function is automatically off.

# Specifications

## Design & Appearance

- Color: Obsidian black, Red copper
- Handle: Lever handle
- Main Material: Zinc alloy
- Fingerprint Sensor: Semiconductor

## Access Solution

- Fingerprint
- Password/PIN Code
- Mechanical Key

## Lock Capacity

- Master PIN Code: 1
- User PIN Code: Up to 20

## Power Specification

- Battery Type: Lithium Battery
- Emergency Power Supply: 5V power bank

## Easy Operation

- Indicator: Door locks status prompt, Low battery

- prompt, Mute status prompt, Outside forced lock prompt, System locking prompt
- Voice Guide: Human voice guide

## Smart Lock Functions

- Mortise: C grade lock cylinder
- Safety Function: Dual verification, Hidden PIN code, Outside forced lock function

## Mode

- Operation Mode: Auto mode, Manual mode
- System Setup Mode: Dual verification mode, General mode

## Installation

- Door Thickness: 38-60 mm, 60-90 mm, 90-120 mm, Other range\*
- Door Opening Direction: Left inward opening, Left outward opening, Right inward opening, Right outward opening



Issue date 2024-10-12

Version: 3.3.1

EAN: 69 71318 50305 4

© 2024 Koninklijke Philips N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips N.V.  
or their respective owners.

[www.philips.com](http://www.philips.com)

\* 2 months: this is internal test data; actual duration may vary with usage frequency.

\* Other range: the included installation kit is suitable for doors with the mentioned thickness. For doors outside this range, please contact authorized Philips smart lock consumer care centers or designated offline dealers.

\* The digital keypad shown in the product photos may differ from the actual display. Please refer to the digital keypad's appearance during actual use.